

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Article
Trade name : Alkaline Manganese Button Cell (Mercury Free)
Product code : 20475, 20475-95, 20456, 20112, 20017, 20341

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional uses: Public domain (administration, education, entertainment, services, craftsmen), Consumer uses: Private households (= general public = consumers)
Use of the substance/mixture : Batteries and accumulators

1.2.2. Uses advised against

Restrictions on use : No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

ITW Global Tire Repair Europe GmbH
Carl-Benz Str. 10, 88696 Owingen, Germany
Tel 0049 7551-9200-100
Email: Comments@itwgtr.com

1.4. Emergency telephone number

Emergency number : Chemtel: +1(813)248-0585 (International);
England, Medical Toxicology Information Services: +442071880100;
Wales & Ireland, National Poisons Information Service: 0844 892 0111;
Scotland, National Poisons Information Centre: 0870 600 6266

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

2.3. Other hazards

The product does not meet the PBT and vPvB classification criteria

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Other information : This product is not classified as hazardous but contains hazardous components.
Risk of exposure only occurs if the battery cell is mechanically, thermally, or electrically abused and the enclosure is compromised. If this occurs, exposure to electrolyte solutions contained in the battery cell may occur by inhalation, eye contact, skin contact, or ingestion. The batteries described in this Safety Data Sheet are sealed units which are not hazardous when used according to the Manufacturer's recommendations.

Alkaline Manganese Button Cell (Mercury Free)

Safety Data Sheet

according to Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc.	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Manganese dioxide	CAS-No.: 1313-13-9 EC-No.: 215-202-6 EC Index-No.: 025-001-00-3	≥ 18 – ≤ 37	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 STOT RE 2, H373
Zinc powder— zinc dust (pyrophoric) (Note T)	CAS-No.: 7440-66-6 EC-No.: 231-175-3 EC Index-No.: 030-001-00-1	≥ 9 – ≤ 13	Water-react. 1, H260 Pyr. Sol. 1, H250 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)
Potassium hydroxide substance with national workplace exposure limit(s) (IE)	CAS-No.: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8	≥ 3 – ≤ 6	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314
Graphite substance with national workplace exposure limit(s) (IE)	CAS-No.: 7782-42-5 EC-No.: 231-955-3	≥ 1 – ≤ 6	Not classified
Nickel substance with national workplace exposure limit(s) (IE) (Note S)(Note 7)	CAS-No.: 7440-02-0 EC-No.: 231-111-4 EC Index-No.: 028-002-00-7	≥ 1 – ≤ 2	Carc. 2, H351 STOT RE 1, H372 Skin Sens. 1, H317
Potassium fluoride	CAS-No.: 7789-23-3 EC-No.: 232-151-5 EC Index-No.: 009-005-00-2	≥ 0.05 – ≤ 0.1	Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301
Granulated copper; [particle length: from 0,9 mm to 6,0 mm; particle width: from 0,494 to 0,949 mm]	CAS-No.: 7440-50-8 EC-No.: 231-159-6 EC Index-No.: 029-024-00-X	≥ 0.01 – ≤ 0.05	Aquatic Chronic 2, H411

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Potassium hydroxide	CAS-No.: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8	(0.5 ≤ C < 2) Skin Irrit. 2, H315 (0.5 ≤ C < 2) Eye Irrit. 2, H319 (2 ≤ C < 5) Skin Corr. 1B, H314 (5 ≤ C ≤ 100) Skin Corr. 1A, H314

Note 7 : Alloys containing nickel are classified for skin sensitisation when the release rate of 0,5 µg Ni/cm²/week, as measured by the European Standard reference test method EN 1811, is exceeded.

Note S : This substance may not require a label according to Article 17 (see section 1.3 of Annex I) (Table 3).

Note T : This substance may be marketed in a form which does not have the physical hazards as indicated by the classification in the entry in Part 3. If the results of the relevant method or methods in accordance with Part 2 of Annex I of this Regulation show that the specific form of substance marketed does not exhibit this physical property or these physical hazards, the substance shall be classified in accordance with the result or results of this test or these tests. Relevant information, including reference to the relevant test method(s) shall be included in the safety data sheet.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: If medical advice is needed, have product container or label at hand.

Alkaline Manganese Button Cell (Mercury Free)

Safety Data Sheet

according to Regulation (EU) 2020/878

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
First-aid measures after skin contact	: Take off contaminated clothing. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Get medical attention if symptoms occur.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Contact ophthalmologist immediately.
First-aid measures after ingestion	: Rinse mouth out with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Risk of exposure only occurs if the battery cell is mechanically, thermally, or electrically abused and the enclosure is compromised. If this occurs, exposure to electrolyte solutions contained in the battery cell may occur by inhalation, eye contact, skin contact, or ingestion.
Symptoms/effects after inhalation	: Harmful if inhaled. Vapours or mists from a ruptured battery may cause respiratory irritation.
Symptoms/effects after skin contact	: Skin contact with a ruptured battery can cause skin irritation. May cause an allergic skin reaction. Skin rash/inflammation. Redness. Swelling.
Symptoms/effects after eye contact	: Eye contact with the contents of a ruptured battery can cause severe irritation to the eye. Can cause blindness. Redness. Blurred vision. Lacrimation. Itching.
Symptoms/effects after ingestion	: Harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Abdominal pain.
Chronic symptoms	: May cause damage to organs through prolonged or repeated exposure. Suspected of causing cancer.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide. Foam. Dry powder. Water spray. Use extinguishing agent suitable for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Burning produces stinking and toxic fumes. In case of fire and/or explosion do not breathe fumes.
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. Explosion risk in case of fire.
Reactivity in case of fire	: Damaged or opened cells or batteries can result in rapid heating and the release of flammable vapors.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

5.3. Advice for firefighters

Firefighting instructions	: Evacuate the danger area. Move containers from fire area if it can be done without personal risk. Exercise caution when fighting any chemical fire. Fight fire with normal precautions from a reasonable distance. Use water spray or fog for cooling exposed containers. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Avoid all contact with skin, eyes, or clothing. Use special care to avoid static electric charges.
------------------	--

Alkaline Manganese Button Cell (Mercury Free)

Safety Data Sheet

according to Regulation (EU) 2020/878

6.1.1. For non-emergency personnel

- | | |
|----------------------|---|
| Protective equipment | : Wear recommended personal protective equipment. |
| Emergency procedures | : Ventilate spillage area. Avoid breathing vapours, fume. Do not get in eyes, on skin, or on clothing. Do not touch or walk on the spilled product. Evacuate unnecessary personnel. No action shall be taken without appropriate training or involving any personal risk. |

6.1.2. For emergency responders

- | | |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Evacuate unnecessary personnel. |

6.2. Environmental precautions

Avoid release to the environment. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|---|
| For containment | : Stop leak without risks if possible. |
| Methods for cleaning up | : Move containers from spill area. Mechanically recover the product. Clean up any spills as soon as possible, using an absorbent material to collect it. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Prevent entry to sewers and public waters. |
| Other information | : Dispose of via an authorised person/ licensed waste disposal contractor or by other suitable waste treatment techniques. |

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-------------------------------|--|
| Precautions for safe handling | : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Provide local exhaust or general room ventilation. Wear personal protective equipment. Avoid contact with skin and eyes. Handling this product may result in electrostatic accumulation. Use proper grounding procedures. Take precautionary measures against static discharge. Use explosion-proof equipment. Use only non-sparking tools. Do not short circuit, puncture, incinerate, crush, immerse in water, or expose to temperatures outside the temperature range stipulated by the manufacturer for the product. If this occurs, electrolyte leakage, or battery vent/explosion/fire may also occur depending on the circumstances. |
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Always wash hands after handling the product. Wash contaminated clothing before reuse. |

7.2. Conditions for safe storage, including any incompatibilities

- | | |
|---------------------------|---|
| Storage conditions | : Store in a well-ventilated place. Keep cool. Store in a dry place. Store in accordance with local, regional, national or international regulation. Keep away from food, drink and animal feedingstuffs. Proper grounding procedures to avoid static electricity should be followed. Protect from moisture. Protect from freezing. |
| Incompatible products | : Strong oxidizing agents. Strong reducing agents. Strong acids. alcohols. Combustible materials. |
| Incompatible materials | : Direct sunlight. Heat sources. Ignition sources. Do not allow contact with water. |
| Heat and ignition sources | : Do not expose the battery to high temperatures or fire. |
| Storage area | : Store in dry, cool, well-ventilated area. |

7.3. Specific end use(s)

No additional information available

Alkaline Manganese Button Cell (Mercury Free)

Safety Data Sheet

according to Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Potassium hydroxide (1310-58-3)	
Ireland - Occupational Exposure Limits	
Local name	Potassium hydroxide
OEL STEL	2 mg/m ³
Regulatory reference	Chemical Agents Code of Practice 2021
Graphite (7782-42-5)	
Ireland - Occupational Exposure Limits	
Local name	Graphite (all forms except fibres)
OEL TWA [1]	2 mg/m ³ R (Respirable Fraction)
Regulatory reference	Chemical Agents Code of Practice 2021
Nickel (7440-02-0)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Nickel metal
Remark	(Year of adoption 2011)
Regulatory reference	SCOEL Recommendations
EU - Biological Limit Value (BLV)	
Local name	Nickel and nickel compounds
Regulatory reference	SCOEL List of recommended health-based BLVs and BGVs
Ireland - Occupational Exposure Limits	
Local name	Nickel
OEL TWA [1]	0.5 mg/m ³
Remark	Sens. (In the workplace respiratory or dermal exposures to sensitising agents may occur. Sensitizers may evoke respiratory or dermal reactions, e.g. asthma, rhinitis and allergic contact dermatitis. The notation does not distinguish between respiratory or dermal sensitisation. Chemical agents that are sensitizers present special problems in the workplace. Should an employee become sensitised, subsequent exposure may cause intense responses, even at low exposure concentrations well below the OELV. Exposure should be eliminated or significantly reduced through control measures such as engineering and process controls and use of personal protective equipment (PPE))
Regulatory reference	Chemical Agents Code of Practice 2021
Ireland - Biological limit values	
Local name	Nickel
BLV	3 µg/l Parameter: Ni - Medium: urine - Sampling time: After several consecutive working shifts
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)
Cellulose (9004-34-6)	
Ireland - Occupational Exposure Limits	
Local name	Cellulose
OEL TWA [1]	10 mg/m ³

Alkaline Manganese Button Cell (Mercury Free)

Safety Data Sheet

according to Regulation (EU) 2020/878

Cellulose (9004-34-6)	
Regulatory reference	Chemical Agents Code of Practice 2021
Zinc oxide (1314-13-2)	
Ireland - Occupational Exposure Limits	
Local name	Zinc oxide, fume
OEL TWA [1]	2 mg/m ³ R (Respirable Fraction)
OEL STEL	10 mg/m ³
Regulatory reference	Chemical Agents Code of Practice 2021
Granulated copper; [particle length: from 0,9 mm to 6,0 mm; particle width: from 0,494 to 0,949 mm] (7440-50-8)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Copper
IOEL TWA	0.01 mg/m ³ (respirable fraction)
Remark	(Year of adoption 2014)
Regulatory reference	SCOEL Recommendations
Ireland - Occupational Exposure Limits	
Local name	Copper (as Cu)
OEL TWA [1]	0.2 mg/m ³ Fume 1 mg/m ³ Dusts and mists
Regulatory reference	Chemical Agents Code of Practice 2021

8.1.2. Recommended monitoring procedures

Monitoring methods	
Monitoring methods	Refer to all applicable national, international and local regulations or provisions. Workplace atmospheres. Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy. Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents.

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Provide local exhaust or general room ventilation. Handle in accordance with good industrial hygiene and safety procedures. Avoid all unnecessary exposure.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

Alkaline Manganese Button Cell (Mercury Free)

Safety Data Sheet

according to Regulation (EU) 2020/878

8.2.2.1. Eye and face protection

Eye protection:

No special eye protection equipment recommended under normal conditions of use

8.2.2.2. Skin protection

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

Hand protection:

Not required for normal conditions of use. In case of repeated or prolonged contact wear gloves

8.2.2.3. Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Silver.
Appearance	: batteries.
Odour	: odourless.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not applicable
Boiling point	: Not available
Flammability	: Not available
Explosive limits	: Not applicable
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: Not available
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not applicable
Particle size	: Not available
Particle size distribution	: Not available
Particle shape	: Not available
Particle aspect ratio	: Not available
Particle aggregation state	: Not available
Particle agglomeration state	: Not available
Particle specific surface area	: Not available
Particle dustiness	: Not available

Alkaline Manganese Button Cell (Mercury Free)

Safety Data Sheet

according to Regulation (EU) 2020/878

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Additional information : 1.5 V

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. Damaged or opened cells or batteries can result in rapid heating and the release of flammable vapors.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Exothermic reaction on contact with : acids.

10.4. Conditions to avoid

Direct sunlight. High temperature. Heat and ignition sources. Moisture. Do not allow contact with water. Do not freeze.

10.5. Incompatible materials

Strong oxidizing agents. Strong reducing agents. Strong acids. alcohols. Combustible materials. Do not mix with other chemicals.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Potassium hydroxide (1310-58-3)	
LD50 oral rat	273 mg/kg
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Nickel (7440-02-0)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Manganese dioxide (1313-13-9)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Nickel (7440-02-0)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.

Alkaline Manganese Button Cell (Mercury Free)

Safety Data Sheet

according to Regulation (EU) 2020/878

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

Alkaline Manganese Button Cell (Mercury Free)	
Viscosity, kinematic	Not applicable

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2. Other information

Other information : No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Do not allow product to spread into the environment. May be harmful to aquatic organisms, to flora, to soil organisms.

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

Not rapidly degradable

Additional information : No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation.

12.2. Persistence and degradability

Alkaline Manganese Button Cell (Mercury Free)	
Persistence and degradability	Biodegradability in water: no data available.

12.3. Bioaccumulative potential

Alkaline Manganese Button Cell (Mercury Free)	
Bioaccumulative potential	No data available concerning bioaccumulation.

12.4. Mobility in soil

Alkaline Manganese Button Cell (Mercury Free)	
Ecology - soil	No additional information available.

12.5. Results of PBT and vPvB assessment

Alkaline Manganese Button Cell (Mercury Free)	
The product does not meet the PBT and vPvB classification criteria	

Alkaline Manganese Button Cell (Mercury Free)

Safety Data Sheet

according to Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

12.7. Other adverse effects

Other adverse effects

: No other effects known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions. Disposal must be carried out using appropriate EWC code.

Sewage disposal recommendations

: Do not dispose of waste into sewer.

Product/Packaging disposal recommendations






: Must not be disposed together with household garbage. Dispose in a safe manner in accordance with local/national regulations. To be disposed of as hazardous waste. Do not disassemble, short circuit, puncture, incinerate, crush, or puncture the battery. Do not mix new and used batteries.

Ecology - waste materials

: Avoid release to the environment. Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 3028	UN 3028	UN 3028	UN 3028	UN 3028
14.2. UN proper shipping name				
BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE SOLID	BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE, SOLID	Batteries, dry, containing potassium hydroxide, solid	BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE SOLID	BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE SOLID
Transport document description				
UN 3028 BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE SOLID, 8, (E)	UN 3028 BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE, SOLID, 8, III	UN 3028 Batteries, dry, containing potassium hydroxide, solid, 8	UN 3028 BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE SOLID, 8	UN 3028 BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE SOLID, 8
14.3. Transport hazard class(es)				
8	8	8	8	8
				
14.4. Packing group				
Not applicable	III	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No

Alkaline Manganese Button Cell (Mercury Free)

Safety Data Sheet

according to Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: C11
Special provisions (ADR)	: 295, 304, 598
Limited quantities (ADR)	: 2kg
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P801
Transport category (ADR)	: 3
Special provisions for carriage - Bulk (ADR)	: VC1, VC2, AP8
Hazard identification number (Kemler No.)	: 80
Orange plates	:



Tunnel restriction code (ADR)	: E
-------------------------------	-----

Transport by sea

Special provisions (IMDG)	: 295, 304
Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P801
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Segregation (IMDG)	: SGG18, SG35
Properties and observations (IMDG)	: Series of metal plates immersed in dry potassium hydroxide in a closed receptacle. When electrically charged may cause fire through short-circuiting of terminals. Batteries need not be individually marked and labelled if the pallet bears the appropriate mark and label. Used batteries being transported for disposal or reclamation should be carefully checked prior to shipment to ensure the integrity of each battery and its suitability for transport. React violently with acids.

Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: 871
PCA max net quantity (IATA)	: 25kg
CAO packing instructions (IATA)	: 871
CAO max net quantity (IATA)	: 230kg
Special provisions (IATA)	: A183, A802
ERG code (IATA)	: 8L

Inland waterway transport

Classification code (ADN)	: C11
Special provisions (ADN)	: 295, 304, 598
Limited quantities (ADN)	: 2 kg
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: C11
Special provisions (RID)	: 295, 304, 598
Limited quantities (RID)	: 2kg
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P801

Alkaline Manganese Button Cell (Mercury Free)

Safety Data Sheet

according to Regulation (EU) 2020/878

Transport category (RID) : 3
Special provisions for carriage – Bulk (RID) : VC1, VC2, AP8
Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 80

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Not applicable.

REACH Annex XIV (Authorisation List)

Not applicable.

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Section. 1.1. Product identifier.

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

Alkaline Manganese Button Cell (Mercury Free)

Safety Data Sheet

according to Regulation (EU) 2020/878

Abbreviations and acronyms:	
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Data sources : ECHA (European Chemicals Agency). REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Supplier's safety documents.

Training advice : Training staff on good practice.

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H250	Catches fire spontaneously if exposed to air.
H260	In contact with water releases flammable gases which may ignite spontaneously.

Alkaline Manganese Button Cell (Mercury Free)

Safety Data Sheet

according to Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Met. Corr. 1	Corrosive to metals, Category 1
Pyr. Sol. 1	Pyrophoric Solids, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
Water-react. 1	Substances and Mixtures which, in contact with water, emit flammable gases, Category 1

Safety Data Sheet (SDS), EU_grey

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.