






ECHO

EUROfase
ARCHITECTURAL







ECHO

A Breakthrough in architectural recessed lighting, the Echo Collection stands out with its unique design and superior Light distribution. Named for its distinctive trumpet shaped concave baffle, Echo delivers a soothing, even glow that enhances any setting.

Choose from a traditional recessed design available in both trim and trimless options, or opt for the recessed light with a flush-mounted ring that adds a dimensional touch to your ceiling. Customize further with the surface mount ring option, available in custom colors to seamlessly blend with your existing room decor.



The Echo downlights come in a variety of color temperatures, wattages, reflectors, and lens options, ensuring you can tailor your lighting to meet specific design needs and preferences. Elevate your space with the Echo Collection—where functionality meets artistic design.







TRIM

For those seeking a more traditional appearance, the Trim installation integrates the lighting seamlessly into the ceiling, offering a classic finish.



TRIMLESS

The Trimless option is ideal for a minimalist design approach, where the fixture blends smoothly with the surface of the ceiling, eliminating any visible edges for a sleek, unobtrusive appearance.



ECHO RING

The Echo Ring option provides a modern aesthetic, with the fixture sitting flush against the ceiling, creating a clean and contemporary look.



TRIM

Delivered Lumens

- 10W / 730 LM IC Rated
- 15W / 960 LM Non IC

Baffle Colors

○ White ● Black



TRIMLESS

Delivered Lumens

- 10W / 730 LM IC Rated
- 15W / 960 LM Non IC

Baffle Colors

○ White ● Black



ECHO RING


Delivered Lumens

- 10W / 730 LM IC Rated
- 15W / 960 LM Non IC

Baffle Colors

○ White ● Black

Core Finishes




Black
(BK)

White
(WH)

Stain Nickel
(SN)

Brass
(BS)

Copper
(CP)





PERFORMANCE

The Echo Collection's LED lighting delivers remarkable energy efficiency, using just 10 to 15% of the power required by traditional lighting. This low energy consumption translates into significant cost savings and a reduced environmental impact. With an impressive L70 lifespan of over 50,000 hours, these LEDs ensure enduring performance and minimal maintenance, making the Echo Collection an ideal choice for both aesthetic appeal and long-term value.




CRI | 90+

Our LEDs feature a high CRI for vibrant, true-to-life colors and powerful lumen output for bright, consistent illumination.

CCT OPTION

Offering different CCT options from 2700K to 4000K, including Dim to Warm capabilities, the Echo Collection provides versatile lighting solutions to suit any setting.

CCT OPTIONS



MATERIALS

Each Echo module is crafted from die-casted machined aluminum, ensuring exceptional durability and a premium feel. Available in sleek black or crisp white finishes, our fixtures can be configured with or without trim to seamlessly complement any interior design. This versatility and robust construction make the Echo Collection a perfect blend of form and function.





Trimless Scallops into "hole" effect



REFLECTOR OPTIONS

Choose from four distinct beam angles to achieve the desired lighting effect: Narrow for focused, precise illumination; Medium for balanced, versatile lighting; Wide for broader coverage; and Wide Flood for expansive, even distribution. Each reflector is meticulously engineered to ensure optimal light output and uniformity, enhancing both the functionality and aesthetic appeal of your space.





CORE COLORS

The Echo Collection elevates design flexibility with its extensive array of Echo ring color options. Choose from a variety of standard colors to effortlessly complement any interior palette.

This range of options ensures that each lighting fixture integrates seamlessly with the overall décor, allowing architects and designers to create a cohesive and visually appealing environment.




Build



ACCESSORIES

DIFFUSER OPTIONS



EMERGENCY MICRO INVERTER






Advanced Driver Technology










The Echo Collection utilizes the high-performance ERP driver, ensuring reliable and efficient operation. This driver is compatible with TRIAC, ELV, and 0-10 V dimmers. Designed for durability, it boasts a maximum case hot spot temperature of 90°C and a Class 2 power supply, with a lifetime of 50,000 hours at 70°C. The IP64-rated (IP66 for ESST) case with silicone-based potting provides robust protection against environmental factors.

Additional features include output open load, over-current, short-circuit (hiccup), and over-temperature protections with auto recovery.




HOUSING







FIXED DOWNLIGHT



HOLES ON THESE 2
SIDES NOT SHOWN IN
ISOMETRIC VIEWS
SEE 1286-00 DRAWING
FOR THE LAST
MODIFICATION



ISOMETRIC VIEW



KO PROTRUDING
INSIDE IC BOX





BESPOKE ECHO RING

For those with specific design requirements, the Echo Collection offers customizable fixtures with any RAL color. This feature allows for a perfect match to your unique design needs. Consult the manufacturer for details on available RAL color options, ensuring that whether you're aiming for a subtle blend or a bold statement, the Echo Collection can provide the perfect solution for your project.



CONFIGURATION GUIDE

SURFACE MOUNT

ECHO	1	SHAPE	FINISHES	LIGHT MODULE	WATTAGE	CCT	BEAM ANGLE	DIFFUSER	SURFACE MOUNT RING	ADD-ONS*
ECO	1	R ROUND	01 BLACK	RF RECESSED FIXED	10 10W	27	N 15°	CL CLEAR	BK BLACK	EM EMERGENCY MICRO INVERTER 47184-015
			02 WHITE		15 15W	30	M 24°	LN LINEAR SPREAD	WH WHITE	
						35	W 38°	HC HONEYCOMB	SN STAIN NICKEL	
						40	F 50°	FR FROSTED	BS BRASS	
						DTW 15W Only		SP SOLITE	CP COPPER	
									CU CUSTOM RAL#	

ORDERING GUIDE EXAMPLE:

Echo / 1 / Round / White / Recessed Fixed / 15W / 2700K / 15° Beam Angle / Clear Diffuser / Brass Surface Mount Ring
CODE: **ECO-1-R-02-RF-15-27-N-CL-BS**



RECESSED

ECHO	1	SHAPE	TRIM/ TRIMLESS	FINISHES	LIGHT MODULE	WATTAGE	CCT	BEAM ANGLE	DIFFUSER	ADD-ONS*
ECO	1	R ROUND	T TRIM	01 BLACK	RF RECESSED FIXED	10 10W	27	N 15°	CL CLEAR	EM EMERGENCY MICRO INVERTER 47184-015
			TL TRIMLESS	02 WHITE		15 15W	30	M 24°	LN LINEAR SPREAD	
							35	W 38°	HC HONEYCOMB	
							40	F 50°	FR FROSTED	
						DTW 15W Only		SP SOLITE		




ORDERING GUIDE EXAMPLE:

Echo / 1 / Round / Trim / White / Recessed Fixed / 15W / 2700K / 15° Beam Angle / Clear Diffuser
CODE: **ECO-1-R-T-02-RF-15-27-N-CL**






SURFACE MOUNT

Metric









RECESSED

Metric



Imperial



EUROfase

ARCHITECTURAL

INTERNATIONAL OFFICE

33 West Beaver Creek Road
Richmond Hill, Ontario
L4B 1L8, Canada

DALLAS MARKET CENTER

Suite 4002 | Trade Mart Building
2100 Stemmons Freeway
Dallas, Texas
75207, USA

Tel 905.695.2055

Toll Free 1.800.660.5391

Fax 905.695.2056

Toll Free 1.800.660.5390

Printed in Canada
© 2025 Eurofase Inc.
All rights reserved.

Product Specifications and Approvals

Eurofase Inc. reserves the right to make alterations to the construction and design of products shown in this catalog in order to meet the laws or regulations of any authorized governing organization. The use of products shown in this catalog must comply with local building code.
2025 Eurofase Inc.
All rights reserved.

MKT-ECHO-EF-24



7 73546 4030 4 7