

Issue date 09/16/2024

Version 1

Page 1/14
Revised on 09/16/2024

1. Identification

Product Identifier

Product Name 1430 Flexible Plastic Repair Material - **Resin**

Other means of identification

SDS # 1430 Flexible Plastic Repair Material - **Resin**

Recommended use of the chemical and restrictions on use

Recommended Use Sealer/Adhesive.

Details of the supplier of the safety data sheet

Supplier Address

Seymour of Sycamore
917 Crosby Avenue
Sycamore, IL 60178 USA

Seymour of Sycamore
3041 Dougall Avenue, Suite 503
Windsor, ONT N9E 1S3 CANADA

Emergency Telephone Number

Company Phone Number 815-895-9101 | 800-435-4482 (Canada)

Emergency Telephone (24 hr) 1-800-255-3924

2. Hazards Identification

Appearance Black Liquid

Physical State Liquid

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1

Signal Word

Warning

Hazard Statements

Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention
IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse
If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Toxic to aquatic life with long lasting effects

(Contd. on page 2)

Issue date 09/16/2024

Version 1

Page 2/14
Revised on 09/16/2024

3. Composition/Information On Ingredients

Chemical Name	CAS No	Weight-%
Bisphenol A Diglycidyl Ether	25068-38-6	60-65
Calcium Carbonate	471-34-1	25-30
Soda lime borosilicate glass	65997-17-3	5-10
Carbon Black	1333-86-4	0.1-1

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-Aid Measures

First Aid Measures

Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	Remove to fresh air.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms	Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. Fire-Fighting Measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Not determined.
Specific Hazards Arising from the Chemical	Not determined.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

(Contd. on page 3)

Issue date 09/16/2024

Version 1

Page 3/14
Revised on 09/16/2024

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Environmental Precautions

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. Handling And Storage

Precautions for safe handling

Advice on Safe Handling Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing and eye/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials None known based on information supplied.

8. Exposure Controls/Personal Protection

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium Carbonate 471-34-1			TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Soda lime borosilicate glass -65997-17-3	TWA: 1 fiber/cm ³ respirable fibers: length >5 µm, aspect ratio ≥3:1, as determined by the membrane filter method at 400- 450X magnification [4-mm objective], using phase-contrast illumination TWA: 5 mg/m ³ inhalable fraction		
Carbon Black 1333-86-4	TWA: 3 mg/m ³ inhalable fraction	TWA: 3.5 mg/m ³ (vacated) TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³ - TWA: 3.5 mg/m ³ TWA: 0.1 mg/m ³ Carbon black in presence of Polycyclic aromatic hydrocarbons PAH

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

(Contd. on page 4)

Issue date 09/16/2024

Version 1

Page 4/14
Revised on 09/16/2024

9. Physical And Chemical Properties

Information on basic physical and chemical properties

Physical State : Paste

Appearance: Not determined

Color: Black

Odor: Mild

Odor Threshold: Not determined

Property	Values	Remarks • Method
pH	No data available	
Melting Point/Freezing Point	No data available	
Initial Boiling Point and Boiling Range	No data available	
Flash Point	No data available	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Not determined	
Flammability Limit in Air		
Upper Flammability Limits	No data available	
Lower Flammability Limit	No data available	
Vapor Pressure	Not determined	
Vapor Density	No data available	
Specific Gravity	6.1 – 6.6 lbs per gal	
Water Solubility	Not determined	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	No data available	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. Stability And Reactivity

Reactivity	Not reactive under normal conditions
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Conditions to Avoid	Keep out of reach of children.
Incompatible Materials	None known based on information supplied.
Hazardous Decomposition Products	None known based on information supplied.

11. Toxicological Information

Information on likely routes of exposure

Product Information

Eye Contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.
Inhalation	Do not inhale.
Ingestion	Do not ingest.

(Contd. on page 5)

Issue date 09/16/2024

Version 1

Page 5/14
Revised on 09/16/2024

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Bisphenol A Diglycidyl Ether - 25068-38-6	= 11400 mg/kg (Rat)		
Calcium Carbonate - 471-34-1	= 6450 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 3 mg/L (Rat) 4 h
[3-(2,3- epoxypropoxy)propyl]trimethoxysilane - 2530-83-8	= 7.01 g/kg (Rat)	= 3.97 mL/kg (Rabbit)	> 5.3 mg/L (Rat) 4 h
bisphenol A epoxy resin - 25068-38-6	= 11400 mg/kg (Rat)		
Benzyl alcohol - 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	> 4178 mg/m3 (Rat) 4 h
Carbon Black - 1333-86-4	> 15400 mg/kg (Rat)		> 4.6 mg/m3 (Rat) 4 h
Light aromatic petroleum naphtha - 64742-95-6	= 8400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 3400 ppm (Rat) 4 h

Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Sensitization

May cause an allergic skin reaction.

Carcinogenicity

Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 >10,000 mg/kg

Dermal LD50 >10,000 mg/kg

12. Ecological Information

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Crustacea
[3-(2,3- epoxypropoxy)propyl]trimethoxysilane 2530-83-8		LC50: =55mg/L (96h, Cyprinus carpio)	
Benzyl alcohol - 100-51-6		LC50: =460mg/L (96h, Pimephales promelas) LC50: =10mg/L (96h, Lepomis macrochirus)	EC50: =23mg/L (48h, water flea)
Light aromatic petroleum naphtha 64742-95-6		LC50: =9.22mg/L (96h, Oncorhynchus mykiss)	EC50: =6.14mg/L (48h, Daphnia magna)

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Not determined.

Other Adverse Effects

Not determined.

(Contd. on page 6)

Issue date 09/16/2024

Version 1

Page 6/14
Revised on 09/16/2024

13. Disposal Considerations

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. Regulatory Information

International Inventories

Chemical Name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AIIC
Bisphenol A Diglycidyl Ether - 25068-38-6	X	ACTIVE	X	X	X	X	X	X	X
Calcium Carbonate - 471-34-1	X	ACTIVE	X	X	X	X	X	X	X
Soda lime borosilicate glass	X	ACTIVE	X	X		X	X	X	X
Aliphatic diglycidyl ether	X	ACTIVE	X		X	X	X	X	X
[3-(2,3- epoxypropoxy)propyl]trimethoxysilane - 2530-83-8	X	ACTIVE	X	X	X	X	X	X	X
bisphenol A epoxy resin - 25068-38-6	X	ACTIVE	X	X	X	X	X	X	X
Benzyl alcohol - 100-51-6	X	ACTIVE	X	X	X	X	X	X	X
Carbon Black - 1333-86-4	X	ACTIVE	X	X	X	X	X	X	X
Light aromatic petroleum naphtha - 64742-95-6	X	ACTIVE	X	X		X	X	X	X

Legend:

- **TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- **EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- **ENCS** - Japan Existing and New Chemical Substances
- **IECSC** - China Inventory of Existing Chemical Substances
- **KECL** - Korean Existing and Evaluated Chemical Substances
- **PICCS** - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

(Contd. on page 7)

Issue date 09/16/2024

Version 1

Revised on 09/16/2024

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Carbon Black - 1333-86-4	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Benzyl alcohol - 100-51-6		X	X
Carbon Black 1333-86-4	X	X	X

16. Other Information

NFPA	Health Hazards	Flammability	Instability	Special Hazards
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection Not determined

Issue Date: 09/16/2024

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

(Contd. on page 8)

Issue date 09/16/2024

Version 1

Page 8/14
Revised on 09/16/2024

1. Identification

Product Identifier

Product Name 1430 Flexible Plastic Repair Material- **Hardener**

Other means of identification

SDS # 1430 Flexible Plastic Repair Material - **Hardener**

Recommended use of the chemical and restrictions on use

Recommended Use Repair Adhesive/Surfacers.

Details of the supplier of the safety data sheet

Supplier Address

Seymour of Sycamore
917 Crosby Avenue
Sycamore, IL 60178 USA

Seymour of Sycamore
3041 Dougall Avenue, Suite 503
Windsor, ONT N9E 1S3 CANADA

Emergency Telephone Number

Company Phone Number 815-895-9101 | 800-435-4482 (Canada)
Emergency Telephone (24 hr) 1-800-255-3924

2. Hazards Identification

Appearance: Thick white paste

Physical State: Paste

Odor: Mercaptan

Classification

Carcinogenicity Category 2

Signal Word

Warning

Hazard Statements

Precautionary Statements - Prevention

Suspected of causing cancer
Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Causes mild skin irritation

Unknown Acute Toxicity

67.1% of the mixture consists of ingredient(s) of unknown toxicity



3. Composition/Information On Ingredients

Chemical Name	CAS No	Weight-%
Mercaptan Polymer	TRADE SECRET	40-60
Talc	14807-96-6	30-50
2,4,6-tri(dimethylaminomethyl)phenol	90-72-2	5-10
Titanium dioxide	13463-67-7	0.5-1.0
Quartz	14808-60-7	0-1

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

(Contd. on page 9)

Issue date 09/16/2024

Version 1

Page 9/14
Revised on 09/16/2024

4. First-Aid Measures

First Aid Measures

Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes.
Inhalation	Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison center if individual's condition declines or if symptoms persist.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Seek medical attention.

Most important symptoms and effects

Symptoms	Mild eye, skin, and/or respiratory irritation. Exposed individuals may experience eye tearing, redness and discomfort. Will cause gastrointestinal tract irritation.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. Fire-Fighting Measures

Suitable Extinguishing Media	CO2, dry chemical, foam and water fog.
Unsuitable Extinguishing Media	Not determined.
Specific Hazards Arising from the Chemical	Product is not flammable.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so. Contain with inert material.
Methods for Clean-Up	Soak up with inert absorbent material. Place in appropriate containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations.

(Contd. on page 10)

Issue date 09/16/2024

Version 1

Page 10/14
Revised on 09/16/2024

7. Handling And Storage

Precautions for safe handling

Advice on Safe Handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep locked up and out of reach of children.

Incompatible Materials

Acids, Amines, Mercaptans, Strong oxidizing agents.

8. Exposure Controls/Personal Protection

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Talc - 14807-96-6	TWA: 2 mg/m3 particulate matter containing no asbestos and <1% crystalline silica, respirable fraction	(vacated) TWA: 2 mg/m3 respirable dust <1% Crystalline silica, containing no Asbestos TWA: 20 mppcf if 1% Quartz or more, use Quartz limit	IDLH: 1000 mg/m3 TWA: 2 mg/m3 containing no Asbestos and <1% Quartz respirable dust
Titanium dioxide 13463-67-7	TWA: 10 mg/m3	TWA: 15 mg/m3 total dust (vacated) TWA: 10 mg/m3 total dust	IDLH: 5000 mg/m3
Quartz 14808-60-7	TWA: 0.025 mg/m3 respirable fraction	(vacated) TWA: 0.1 mg/m3 respirable dust : (30)/(%SiO ₂ + 2) mg/m3 TWA total dust : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m3 TWA respirable fraction	IDLH: 50 mg/m3 respirable dust TWA: 0.05 mg/m3 respirable dust

Appropriate engineering controls

Engineering Controls

Mechanical ventilation or local exhaust ventilation is recommended.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Goggles.

Skin and Body Protection

Solvent resistant gloves. Wear suitable protective clothing.

Respiratory Protection

Wear an appropriate NIOSH/MSHA approved respirator if ventilation is inadequate.

General Hygiene Considerations

Avoid contact with skin, eyes and clothing. After handling this product, wash hands before eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before reuse.

(Contd. on page 11)

Issue date 09/16/2024

Version 1

Page 11/14
Revised on 09/16/2024

9. Physical And Chemical Properties

Information on basic physical and chemical properties

Physical State: Liquid

Appearance: White viscous liquid

Color: White

Odor: Not determined

Odor Threshold: Not determined

Property	Values	Remarks • Method
pH	Not determined	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	Not determined	
Flash Point	> 93.33 °C / > 200 °F	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Not determined	
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	1.49	(1=Water)
Water Solubility	Insoluble in water	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	
V.O.C. Content	0%	

10. Stability And Reactivity

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Heat, flames and sparks. Keep out of reach of children..

Incompatible Materials

Acids, Amines, Mercaptans, Strong oxidizing agents.

Hazardous Decomposition Products

HES, AMINES, CO, CO2, H2S, SO2, NO2.

(Contd. on page 12)

Issue date 09/16/2024

Version 1

Page 12/14
Revised on 09/16/2024

11. Toxicological Information

Information on likely routes of exposure

Product Information

Eye Contact	May cause temporary irritation on eye contact.
Skin Contact	Prolonged contact may cause redness and irritation.
Inhalation	May cause irritation if inhaled.
Ingestion	May cause gastrointestinal irritation, nausea, diarrhea, and vomiting. May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2,4,6-tri(dimethylaminomethyl)phenol - 90-72-2	= 1000 mg/kg (Rat)	= 1280 mg/kg (Rat)	
Titanium dioxide - 13463-67-7	> 10000 mg/kg (Rat)		
Quartz -14808-60-7	= 500 mg/kg (Rat)		

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Suspected of causing cancer.

Chemical Name	ACGIH	IARC	NTP	OSHA
Talc - 14807-96-6		Group 3		
Titanium dioxide - 13463-67-7		Group 2B		X
Quartz -14808-60-7	A2	Group 1	Known	X

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

Not determined

Unknown Acute Toxicity

67.1% of the mixture consists of ingredient(s) of unknown toxicity.

(Contd. on page 13)

Issue date 09/16/2024

Version 1

Page 13/14
 Revised on 09/16/2024

12. Ecological Information

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Talc 14807-96-6		100: 96 h Brachydanio rerio g/L LC50 semi-static		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined.

13. Disposal Considerations

Waste Treatment Methods

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
2,4,6-tri(dimethylaminomethyl)phenol 90-72-2		Included in waste stream: K060		

14. Transport Information

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

Not regulated

IATA

Not regulated

IMDG

Not regulated

(Contd. on page 14)

Issue date 09/16/2024

Version 1

Page 14/14
Revised on 09/16/2024

15. Regulatory Information

International Inventories

Not determined

Legend:

- **TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- **DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List
- **EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- **ENCS** - Japan Existing and New Chemical Substances
- **IECSC** - China Inventory of Existing Chemical Substances
- **KECL** - Korean Existing and Evaluated Chemical Substances
- **PICCS** - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 313

Not determined.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Titanium dioxide - 13463-67-7	Carcinogen
Quartz - 14808-60-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Titanium dioxide - 13463-67-7	X	X	X
Talc - 14807-96-6	X	X	X
Quartz - 14808-60-7	X	X	X

16. Other Information

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection
	2	1	0	Not determined

Issue Date: 09/16/2024

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet