

# APRICO

1960 Cherry St., Louisville, CO 80027  
P: 303-531-0861 E: support@apricolife.com

## PRODUCT SPECIFICATION AND CERTIFICATE OF ANALYSIS

Document #	FP.189	Rev. 1	Effective Date 11/05/2021
Product Code#	APCBSG01		
<b>BROAD SPECTRUM CBD GUMMIES</b>			

Lot Number:	23QHH296C
Manufacturing Date:	09/2023
Bottle Size:	8 oz.
Storage Recommendation:	Store at room temperature, away from light.
Shelf Life / EXP Date:	Freshness is commonly maintained 1 year from manufacturing date

### Final Product Tests

Test Performed	Method	Specification	Result	Pass/Fail
Aerobic Plate Count	USP2021	$\leq 10^5$ cfu/mL	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Coliforms	AOAC 991.14	$\leq 100$ cfu/mL	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
<i>E. Coli</i>	USP2022	Absent	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
<i>Staph aureus</i>	USP2022	Absent	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Yeast/Mold	USP2021	$\leq 1000$ cfu/mL	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Salmonella	USP2022	Absent	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
<i>Pseudo. aeruginosa</i>	mUSP62	Absent	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Arsenic	ICPMS	$\leq 2$ ppm	0.005 ppm	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Cadmium	ICPMS	$\leq 2$ ppm	<0.001 ppm	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Lead	ICPMS	$\leq 1$ ppm	0.004 ppm	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Mercury	ICPMS	$\leq 1$ ppm	<0.001 ppm	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
THC	HPLC or LC/MS/MS	$\leq 0.01\%$	ND	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Cannabidiol (CBD)	HPLC or LC/MS/MS	$\geq 10$ mg / 5g	13 mg/5g	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail

\*100% label claim at the time of manufacture

\*Solvent and pesticide testing performed annually.

# APRICŌ

1960 Cherry St., Louisville, CO 80027  
P: 303-531-0861 E: support@apricolife.com

## PRODUCT SPECIFICATION AND CERTIFICATE OF ANALYSIS

Document #	FP.189	Rev. 1	Effective Date
Product Code#	APCBSG01		11/05/2021
<b>BROAD SPECTRUM CBD GUMMIES</b>			

**NOTES:**

N/A BM 12/12/2023

Released:

*Brandon Morey*

Electronically signed by: Brandon  
Morey  
Reason: Reviewed and Approved  
Date: Dec 12, 2023 08:36 MST

Quality Assurance: \_\_\_\_\_

Date: \_\_\_\_\_

# APRICŌ

1960 Cherry St., Louisville, CO 80027  
P: 303-531-0861 E: support@apricolife.com

## PRODUCT SPECIFICATION AND CERTIFICATE OF ANALYSIS

Document #	FP.189	Rev. 1	Effective Date
Product Code#	APCBSG01		11/05/2021
<b>BROAD SPECTRUM CBD GUMMIES</b>			

## REVISION HISTORY

Rev.	Date	Description of Changes
1	11/05/2021	DCR20210714A – New Product / New Document.

## DOCUMENT APPROVALS

Author:  Date: 11/05/21

Quality Assurance:  Date: 11/05/2021