

**iPROTEC®**



2025  
CATALOG





Designed for home security, hunting and shooting enthusiasts alike, we provide the peace of mind that comes with reliability, performance and value. Our unique technology and patented designs have easily set a new standard for the user's experience and have placed iPROTEC at the forefront of innovation. iPROTEC products are compact, easy-to-handle and lightweight, so they won't interfere with the balance and design of the firearm. Each product is expertly designed and meticulously crafted, so that you have the same assurance of quality and craftsmanship that you expect from your firearms and gear.

iPROTEC is a brand of Alliance Consumer Group, the parent company of NEBO, TRUE, THAW & HALO. Ever-changing and never compromising, we carefully take our products through the entire process—from concept, to manufacturing, to the end consumer. Our greatest reward is the satisfaction of millions of consumers who continue to buy and love our products.

For more information:  
800.255.6061  
[www.iPROTEC.ACGBRANDS.com](http://www.iPROTEC.ACGBRANDS.com)



## TABLE OF CONTENTS

NEW PRODUCTS ..... 3

PICATINNY / WEAVER MOUNT ..... 6

BARREL / SCOPE MOUNT ..... 26



# NEW PRODUCTS



**iPROTEC®**



## MYCRO™ RAIL-MOUNT LIGHT + RED LASER

The MYCRO Light + Red Laser provides 300 lumens and precision aiming assistance with its adjustable red laser sight. This compact rail-mount design is compatible with Picatinny or Weaver rails and allows for quick mounting and recoil-resistant operation.

### LIGHT MODES

- High (300 lumens): 0.5 hour / 77 meters
- Medium (150 lumens): 1 hour / 54 meters
- Low (50 lumens): 2 hours / 36 meters
- Strobe

### LASER MODES (Class IIIa: <5mW / 650nm)

- Day (100%): 8 hours
- Night (50%): 15 hours

### DESIGN

- USB-C rechargeable
- Adjustable windage and elevation
- Direct-to-Low + Power Memory Recall
- Ambidextrous, dual-button operation
- Recoil-resistant design
- Durable PA66 construction

### MOUNT

- Fits Picatinny & Weaver rails

### ACCESSORIES

- USB-A to USB-C charging cable
- Hex wrench

### BATTERY

- (1) Rechargeable Lithium-Polymer battery included (210mAh, 3.7V) (Recharge time: 0.5 hour @ 0.5A)

### SPECS

- 0.096 lb.
- (L) 1.7" x (W) 1.4" x (H) 1.4"

### U.S. PATENT

- 11,516,897



PICATINNY /  
WEAVER MOUNT



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**ITEM:** IPR-MLT-0004  
**UPC:** 044435920267  
**MSRP:** \$69.99  
**PKG:** (H) 4.875" x (W) 4.25" x (D) 2.91"







## MYCRO™ RAIL-MOUNT LIGHT + GREEN LASER

The MYCRO Light + Green Laser provides 300 lumens and precision aiming assistance with its adjustable green laser sight. This compact rail-mount design is compatible with Picatinny or Weaver rails and allows for quick mounting and recoil-resistant operation.

### LIGHT MODES

- High (300 lumens): 0.5 hour / 77 meters
- Medium (150 lumens): 1 hour / 54 meters
- Low (50 lumens): 2 hours / 36 meters
- Strobe

### LASER MODES (Class IIIa: <5mW / 510-520nm)

- Day (100%): 1 hour
- Night (50%): 2 hours

### DESIGN

- USB-C rechargeable
- Adjustable windage and elevation
- Direct-to-Low + Power Memory Recall
- Ambidextrous, dual-button operation
- Recoil-resistant design
- Durable PA66 construction

### MOUNT

- Fits Picatinny & Weaver rails

### ACCESSORIES

- USB-A to USB-C charging cable
- Hex wrench

### BATTERY

- (1) Rechargeable Lithium-Polymer battery included (210mAh, 3.7V) (Recharge time: 0.5 hour @ 0.5A)

### SPECS


- 0.096 lb.
- (L) 1.7" x (W) 1.4" x (H) 1.4"

### U.S. PATENT

- 11,516,897



PICATINNY /  
WEAVER MOUNT



**ITEM:** IPR-MLT-0003  
**UPC:** 044435922544  
**MSRP:** \$89.99  
**PKG:** (H) 4.875" x (W) 4.25" x (D) 2.91"



PICATINNY /  
WEAVER MOUNT



**iPROTEC**





## RM600 RAIL MOUNT LIGHT

The RM600 is a low-profile, 600-lumen light that is compatible with Picatinny or Weaver rails. The patented rail-mount design allows for quick mounting and recoil-resistant operation. The RM600 features 3 light modes and Flex-Power technology, which allows the use of rechargeable or alkaline batteries.

### MODES

- High (600 lumens): 1 hour / 132 yards
- Low (85 lumens): 6 hours / 50 yards
- Strobe
- Red laser (Class IIIa: <5mW / 650nm)

### DESIGN

- Flex-Power™ Technology (rechargeable or alkaline)
- LED charging indicator
- Ambidextrous, dual-button operation
- Recoil-resistant design
- Anodized aircraft-grade aluminum
- Water-resistant (IPX4)

### MOUNT

- Patented tool-free mount fits Picatinny & Weaver rails

### ACCESSORIES

- USB-A to USB-C charging cable

### BATTERY

- (1) 800mAh Lithium-Ion battery (included) or
- (1) CR123A battery (not included)

### SPECS

- 0.2375 lb.
- (L) 3.25" x (W) 1.62" x (H) 1.5"

### U.S. PATENT

- 9,091,508



PICATINNY /  
WEAVER MOUNT



**ITEM:** IPR-LGT-1002

**UPC:** 044435920359

**MSRP:** \$59.99

**PKG:** (H) 5" x (W) 5" x (D) 3"



## RM600LSR RAIL MOUNT LIGHT + RED LASER

The RM600LSR is a low-profile, 600-lumen light and red laser sight that is compatible with Picatinny or Weaver rails. The patented rail-mount design allows for quick mounting and recoil-resistant operation. The RM600LSR features 3 light modes, adjustable windage and elevation, and Flex-Power technology, which allows the use of rechargeable or alkaline batteries.

### MODES

- High (600 lumens): 1 hour / 132 yards
- Low (85 lumens): 6 hours / 50 yards
- Strobe
- Red laser (Class IIIa: <5mW / 650nm)

### DESIGN

- Flex-Power™ Technology (rechargeable or alkaline)
- Adjustable windage and elevation
- LED charging indicator
- Ambidextrous, dual-button operation
- Recoil-resistant design
- Anodized aircraft-grade aluminum
- Water-resistant (IPX4)

### MOUNT

- Patented tool-free mount fits Picatinny & Weaver rails

### ACCESSORIES

- USB-A to USB-C charging cable
- Hex tool

### BATTERY

- (1) 800mAh Lithium-Ion battery (included) or
- (1) CR123A battery (not included)

### SPECS

- 0.28 lb.
- (L) 3.25" x (W) 1.62" x (H) 1.5"

### U.S. PATENT

- 9,091,508



PICATINNY /  
WEAVER MOUNT



**ITEM:** IPR-MLT-0001

**UPC:** 044435920335

**MSRP:** \$89.99

**PKG:** (H) 5" x (W) 5" x (D) 3"





## RM600LSG RAIL MOUNT LIGHT + GREEN LASER

The RM600LSG is a low-profile, 600-lumen light and green laser sight that is compatible with Picatinny or Weaver rails. The patented rail-mount design allows for quick mounting and recoil-resistant operation. The RM600LSG features 3 light modes, adjustable windage and elevation, and Flex-Power technology, which allows the use of rechargeable or alkaline batteries.

### MODES

- High (600 lumens): 1 hour / 132 yards
- Low (85 lumens): 6 hours / 50 yards
- Strobe
- Green laser (Class IIIa): <5mW / 510nm

### DESIGN

- Flex-Power™ Technology (rechargeable or alkaline)
- Adjustable windage and elevation
- LED charging indicator
- Ambidextrous, dual-button operation
- Recoil-resistant design
- Anodized aircraft-grade aluminum
- Water-resistant (IPX4)

### MOUNT

- Tool-free mount fits Picatinny & Weaver rails

### ACCESSORIES

- USB-A to USB-C charging cable
- Hex tool

### BATTERY

- (1) 800mAh Lithium-Ion battery (included) or
- (1) CR123A battery (not included)

### SPECS

- 0.28 lb.
- (L) 3.25" x (W) 1.62" x (H) 1.5"

### U.S. PATENT

- 9,091,508



PICATINNY /  
WEAVER MOUNT



**ITEM:** IPR-MLT-0002

**UPC:** 044435920342

**MSRP:** \$99.99

**PKG:** (H) 5" x (W) 5" x (D) 3"



## MYCRO™ RAIL-MOUNT FLASHLIGHT

The MYCRO Rail Mount Flashlight is a rechargeable weapon light that accommodates both Picatinny and Weaver rails to allow for quick, low-profile mounting that remains securely attached during use. The ultra-compact design attaches to nearly any firearm, and the dual-button design provides convenient, ambidextrous operation.

### LIGHT MODES

- High (300 lumens): 0.5 hour / 80 meters
- Medium (150 lumens): 1 hour / 50 meters
- Low (50 lumens): 2 hours / 18 meters
- Defensive Strobe (300 lumens): 0.5 hours / 80 meters

### DESIGN

- USB-C rechargeable
- Direct-to-Low + Power Memory Recall
- Ambidextrous, dual-button operation
- Anti-recoil locking
- Durable PA66 housing
- Water and impact-resistant (IPX4)

### MOUNT

- Fits Picatinny & Weaver rails

### ACCESSORIES

- USB-A to USB-C charging cable
- Hex wrench

### BATTERY

- (1) rechargeable Lithium-Ion battery included  
(3.7V, 210mAh, 0.777Wh) (Recharge time: 2 hours @ 0.5A)

### SPECS


- 0.05 lb.
- (L) 1.69" x (W) 1.42" x (H) 0.71"

### U.S. PATENT

- 11,516,897



PICATINNY /  
WEAVER MOUNT



**ITEM:** IPR-LGT-1001  
**UPC:** 645397003489  
**MSRP:** \$34.99  
**PKG:** (H) 5" x (W) 4.93" x (D) 2.92"







## MYCRO™ RAIL-MOUNT RED LASER

The MYCRO Red Laser provides precision aiming assistance with brilliant red optics. Compatible with Picatinny and Weaver rails, this ultra-compact, rechargeable laser sight features adjustable windage and elevation, and adjustable illumination intensity for day or night operation.

### LASER MODES

- Day (100%): 5 hours
- Night (50%): 8 hours

### DESIGN

- Red laser sight (Class IIIa: <5mW / 650nm)
- USB-C rechargeable
- Adjustable windage and elevation
- Ambidextrous, dual-button operation
- Anti-recoil locking
- Durable PA66 housing
- Water and impact-resistant (IPX4)

### MOUNT

- Fits Picatinny & Weaver rails

### ACCESSORIES

- USB-C charging cable
- (2) hex wrenches: rail-mount & laser adjustment

### BATTERY

- (1) rechargeable Lithium-Ion battery included  
(3.7V, 100mAh, 0.37Wh) (Recharge time: 1 hour @ 0.5A)

### SPECS

- 0.05 lb.
- (L) 1.76" x (W) 1.34" x (H) 0.85"



PICATINNY /  
WEAVER MOUNT



**ITEM:** IPR-LSR-0001  
**UPC:** 645397941514  
**MSRP:** \$39.99  
**PKG:** (H) 4.52" x (W) 4.25" x (D) 2.91"



## MYCRO™ RAIL-MOUNT GREEN LASER

The MYCRO Green Laser provides precision aiming assistance with brilliant green optics. Compatible with Picatinny and Weaver rails, this ultra-compact, rechargeable laser sight features adjustable windage and elevation, and adjustable illumination intensity for day or night operation.

### LASER MODES

- Day (100%): 40 minutes
- Night (50%): 1.5 hours

### DESIGN

- Green laser sight (Class IIIa: <5mW / 510-520nm)
- USB-C rechargeable
- Adjustable windage and elevation
- Ambidextrous, dual-button operation
- Anti-recoil locking
- Durable PA66 housing
- Water and impact-resistant (IPX4)

### MOUNT

- Fits Picatinny & Weaver rails

### ACCESSORIES

- USB-C charging cable
- (2) hex wrenches: rail-mount & laser adjustment

### BATTERY

- (1) rechargeable Lithium-Ion battery included  
(3.7V, 100mAh, 0.37Wh) (Recharge time: 1 hour @ 0.5A)

### SPECS

- 0.05 lb.
- (L) 1.76" x (W) 1.34" x (H) 0.85"



PICATINNY /  
WEAVER MOUNT



**ITEM:** IPR-LSR-0002  
**UPC:** 645397942962  
**MSRP:** \$59.99  
**PKG:** (H) 4.52" x (W) 4.25" x (D) 2.91"





## MYCRO™ RAIL-MOUNT LIGHT + RED LASER

The MYCRO Light + Red Laser provides 300 lumens and precision aiming assistance with its adjustable red laser sight. This compact rail-mount design is compatible with Picatinny or Weaver rails and allows for quick mounting and recoil-resistant operation.

### LIGHT MODES

- High (300 lumens): 0.5 hour / 77 meters
- Medium (150 lumens): 1 hour / 54 meters
- Low (50 lumens): 2 hours / 36 meters
- Strobe

### LASER MODES (Class IIIa: <5mW / 650nm)

- Day (100%): 8 hours
- Night (50%): 15 hours

### DESIGN

- USB-C rechargeable
- Adjustable windage and elevation
- Direct-to-Low + Power Memory Recall
- Ambidextrous, dual-button operation
- Recoil-resistant design
- Durable PA66 construction

### MOUNT

- Fits Picatinny & Weaver rails

### ACCESSORIES

- USB-A to USB-C charging cable
- Hex wrench

### BATTERY

- (1) Rechargeable Lithium-Polymer battery included (210mAh, 3.7V) (Recharge time: 0.5 hour @ 0.5A)

### SPECS

- 0.096 lb.
- (L) 1.7" x (W) 1.4" x (H) 1.4"

### U.S. PATENT

- 11,516,897



PICATINNY /  
WEAVER MOUNT



**ITEM:** IPR-MLT-0004  
**UPC:** 044435920267  
**MSRP:** \$69.99  
**PKG:** (H) 4.875" x (W) 4.25" x (D) 2.91"





## MYCRO™ RAIL-MOUNT LIGHT + GREEN LASER

The MYCRO Light + Green Laser provides 300 lumens and precision aiming assistance with its adjustable green laser sight. This compact rail-mount design is compatible with Picatinny or Weaver rails and allows for quick mounting and recoil-resistant operation.

### LIGHT MODES

- High (300 lumens): 0.5 hour / 77 meters
- Medium (150 lumens): 1 hour / 54 meters
- Low (50 lumens): 2 hours / 36 meters
- Strobe

### LASER MODES (Class IIIa: <5mW / 510-520nm)

- Day (100%): 1 hour
- Night (50%): 2 hours

### DESIGN

- USB-C rechargeable
- Adjustable windage and elevation
- Direct-to-Low + Power Memory Recall
- Ambidextrous, dual-button operation
- Recoil-resistant design
- Durable PA66 construction

### MOUNT

- Fits Picatinny & Weaver rails

### ACCESSORIES

- USB-A to USB-C charging cable
- Hex wrench

### BATTERY

- (1) Rechargeable Lithium-Polymer battery included (210mAh, 3.7V) (Recharge time: 0.5 hour @ 0.5A)

### SPECS


- 0.096 lb.
- (L) 1.7" x (W) 1.4" x (H) 1.4"

### U.S. PATENT

- 11,516,897



PICATINNY /  
WEAVER MOUNT



**ITEM:** IPR-MLT-0003  
**UPC:** 044435922544  
**MSRP:** \$89.99  
**PKG:** (H) 4.875" x (W) 4.25" x (D) 2.91"



## RMLSR RAIL-MOUNT RED LASER

The RMLSR uses a 5-milliwatt, 650 nanometer laser to sight up to 412 meters away. The laser is controlled by the standard end cap for use with a hand gun, or by the pressure switch for use with a long gun.

### LASER MODE

- Red laser sight (Class IIIa: <5mW / 650nm): 4 hours / 412 meters

### DESIGN

- Ambidextrous operation
- Anti-recoil locking
- Adjustable windage and elevation
- Anodized aircraft-grade aluminum
- Water and impact-resistant

### MOUNT

- Patented tool-free mount fits Picatinny & Weaver rails
- Compatible with subcompacts, pistols, and long guns
- Patented accessory rail-mount (18mm - 24mm)

### ACCESSORIES

- Laser adjustment hex wrench
- Pressure switch

### BATTERY

- (1) CR1/3N battery included

### SPECS

- 0.5 lb.
- (L) 1.96" x (W) 1.25" x (H) 1.18"

### U.S. PATENT

- 9,091,508



PICATINNY /  
WEAVER MOUNT

**ITEM:** 6081  
**UPC:** 645397929444  
**MSRP:** \$34.99  
**PKG:** (H) 6.5" x (W) 5.25" x (D) 2.5"







## RM230 RAIL-MOUNT LIGHT

The RM230 features a high-power LED that outputs 230 lumens of intense white light. Light of this magnitude is enough to dominate an aggressor's night-adapted vision; ideal for military, law enforcement, and self-defense.

### LIGHT MODES

- High (230 lumens): 2.25 hours / 110 meters
- Low (40 lumens): 6 hours / 45 meters
- Strobe (230 lumens): 3.5 hours / 110 meters

### DESIGN

- Ambidextrous operation
- Anti-recoil locking
- Anodized aircraft-grade aluminum
- Water and impact-resistant

### MOUNT

- Patented tool-free mount fits Picatinny & Weaver rails
- Does not fit subcompacts

### BATTERY

- (1) CR123A battery included

### SPECS

- 0.2 lb.
- (L) 3.375" x (W) 1.625" x (H) 1.5"

### U.S. PATENT

- 9,091,508



PICATINNY /  
WEAVER MOUNT



**ITEM:** 6566

**UPC:** 645397931607

**MSRP:** \$59.99

**BOX:** (H) 4.75" x (W) 4.5" x (D) 3"



## RM230LSG RAIL-MOUNT LIGHT + GREEN LASER

The RM230LSG is a rail-mounted firearm combo that features 230 lumens of intense white light and a green laser sight. Light of this magnitude is enough to dominate an aggressor's night-adapted vision; ideal for military, law enforcement, and self-defense.

### LIGHT MODES

- High (230 lumens): 2 hours / 110 meters
- Low (46 lumens): 4.25 hours / 45 meters
- Strobe (230 lumens): 2 hours / 110 meters
- Laser (Class IIIa: <5mW / 532nm): 6 hours / 457 meters

### DESIGN

- Ambidextrous operation
- Anti-recoil locking
- Adjustable windage and elevation
- Anodized aircraft-grade aluminum
- Water and impact-resistant

### MOUNT

- Patented tool-free mount fits Picatinny & Weaver rails
- Does not fit subcompacts

### ACCESSORIES

- Laser adjustment hex wrench

### BATTERY

- (1) CR123A battery included

### SPECS

- 0.2375 lb.
- (L) 3.125" x (W) 1.25" x (H) 2.125"

### U.S. PATENT

- 9,091,508



PICATINNY /  
WEAVER MOUNT



**ITEM:** 6567

**UPC:** 645397931614

**MSRP:** \$84.99

**BOX:** (H) 4.75" x (W) 4.5" x (D) 3"



## RMLSG RAIL-MOUNT GREEN LASER

The RMLSG uses a 5-milliwatt, 532 nanometer green laser to sight up to 457 meters away. This sightable green laser features two intensity modes for varying distances and extended runtime. The laser and mode settings are controlled by two side-positioned buttons for convenient ambidextrous operation.

### LASER MODES

- High (<5mW / 532nm): 2 hours / 457 meters
- Low (<2mW / 532nm): 4 hours

### DESIGN

- Ambidextrous operation
- Anti-recoil locking
- Adjustable windage and elevation
- Anodized aircraft-grade aluminum
- Water and impact-resistant

### MOUNT

- Patented tool-free mount fits Picatinny & Weaver rails
- Does not fit subcompacts

### ACCESSORIES

- Laser adjustment hex wrench

### BATTERY

- (1) CR123A battery included

### SPECS

- 0.366 lb.
- (L) 3.18" x (W) 1.02" x (H) 1.65"

### U.S. PATENT

- 9,091,508



PICATINNY /  
WEAVER MOUNT



**ITEM:** 6569

**UPC:** 645397931638

**MSRP:** \$89.99

**BOX:** (H) 4.75" x (W) 4.5" x (D) 3"





## SC-R RAIL-MOUNT RED LASER

Specifically designed for compatibility with subcompacts, the SC-R features a 5-milliwatt, 635 nanometer red laser to sight up to 457 meters away. This red laser sight is controlled by two side-positioned buttons for convenient ambidextrous operation.

### LASER MODE

- Red Laser (<5mW / 635nm): 10 hours / 457 meters

### DESIGN

- Ambidextrous operation
- Anti-recoil locking
- Adjustable windage and elevation
- Lockout feature
- Heavy-duty fiber reinforced nylon construction
- Water and impact-resistant

### MOUNT

- Patented tool-free mount fits Picatinny & Weaver rails
- For rail-equipped subcompacts, pistols and long guns

### ACCESSORIES

- Laser adjustment hex wrench

### BATTERY

- (1) CR2 battery included

### SPECS

- 0.1 lb.
- (L) 1.5" x (W) 1.5" x (H) 1.5"

### U.S. PATENT

- 9,091,508



PICATINNY /  
WEAVER MOUNT



**ITEM:** 6116

**UPC:** 645397929659

**MSRP:** \$84.99

**BOX:** (H) 6.125" x (W) 4" x (D) 2"



## SC-G RAIL-MOUNT GREEN LASER

Specifically designed for compatibility with subcompacts, the SC-G features a 5-milliwatt, 532 nanometer green laser to sight up to 412 meters away. This green laser sight is controlled by two side-positioned buttons for convenient ambidextrous operation.

### LASER MODE

- Green Laser (<5mW / 532nm): 5 hours / 412 meters

### DESIGN

- Ambidextrous operation
- Anti-recoil locking
- Adjustable windage and elevation
- Lockout feature
- Heavy-duty fiber reinforced nylon construction
- Water and impact-resistant

### MOUNT

- Patented tool-free mount fits Picatinny & Weaver rails
- For rail-equipped subcompacts, pistols and long guns

### ACCESSORIES

- Laser adjustment hex wrench

### BATTERY

- (1) CR2 battery included

### SPECS

- 0.1 lb.
- (L) 1.5" x (W) 1.5" x (H) 1.5"

### U.S. PATENT

- 9,091,508



PICATINNY /  
WEAVER MOUNT



**ITEM:** 6117  
**UPC:** 645397929666  
**MSRP:** \$99.99  
**BOX:** (H) 6.125" x (W) 4" x (D) 2"



## RMLSRRC RAIL-MOUNT RED LASER

The RMLSRRC is a rail-mounted firearm red laser sight, equipped with MagDock rechargeability. Ideal for military, law enforcement and self-defense.

### LASER MODE

- Red Laser (Class IIIa: <5mW / 650nm): 1.5 hours

### DESIGN

- MagDock USB rechargeable
- Ambidextrous operation
- Anti-recoil locking
- Adjustable windage and elevation
- High-strength fiber-reinforced plastic housing

### MOUNT

- Patented tool-free mount fits Picatinny & Weaver rails
- For rail-equipped subcompacts, pistols and long guns

### ACCESSORIES

- MagDock USB charging cable
- Laser adjustment hex wrench

### BATTERY

- Powered by internal rechargeable battery

### SPECS

- 0.1 lb.
- (L) 1.75" x (W) 1.375" x (H) 1.25"

### U.S. PATENT

- 9,091,508



PICATINNY /  
WEAVER MOUNT



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**ITEM:** IPR-SPS-0002  
**UPC:** 645397001782  
**MSRP:** \$104.99  
**BOX:** (H) 4.75" x (W) 4.5" x (D) 3"







## RMLSGRC RAIL-MOUNT GREEN LASER

The RMLSGRC is a rail-mounted firearm green laser sight, equipped with MagDock rechargeability. Ideal for military, law enforcement and self-defense.

### LASER MODE

- Green Laser (Class IIIa: <5mW / 510nm): 1.5 hours

### DESIGN

- MagDock USB rechargeable
- Ambidextrous operation
- Anti-recoil locking
- Adjustable windage and elevation
- High-strength fiber-reinforced plastic housing

### MOUNT

- Patented tool-free mount fits Picatinny & Weaver rails
- For rail-equipped subcompacts, pistols and long guns

### ACCESSORIES

- MagDock USB charging cable
- Laser adjustment hex wrench

### BATTERY

- Powered by internal rechargeable battery

### SPECS

- 0.1 lb.
- (L) 1.75" x (W) 1.375" x (H) 1.25"

### U.S. PATENT

- 9,091,508



PICATINNY /  
WEAVER MOUNT



**ITEM:** IPR-SPS-0001

**UPC:** 645397001805

**MSRP:** \$114.99

**BOX:** (H) 4.75" x (W) 4.5" x (D) 3"



## RM400LSR RAIL-MOUNT GREEN LIGHT + RED LASER

The RM400LSR is a rechargeable light and laser combo featuring 400 lumens of green light, 6x adjustable zoom and a sightable red laser. The 3 light modes are controlled with the dual-mode pressure switch or the standard flashlight end cap.

### LIGHT MODES

- High (400 lumens): 4 hours / 219 meters
- Low (40 lumens): 12 hours / 85 meters
- Strobe (400 lumens): 3 hours / 219 meters

### DESIGN

- MagDock USB rechargeable
- 6x adjustable zoom
- Instant strobe button
- Ambidextrous operation
- Anti-recoil locking
- Adjustable windage and elevation
- Anodized aircraft-grade aluminum; water and impact-resistant

### MOUNT

- Patented tool-free mount fits Picatinny & Weaver rails
- Patented accessory rail-mount (18mm x 24mm)

### ACCESSORIES

- MagDock USB charging cable, dual-mode pressure switch, (2) hook and loop pressure switch straps, extra rail section

### BATTERY


- (1) 18650 Li-ion rechargeable battery included

### SPECS

- 0.1 lb.
- (L) 6.25" x (W) 2.125" (Head)

### U.S. PATENT

- 9,091,508



PICATINNY /  
WEAVER MOUNT



**ITEM:** 6794  
**UPC:** 645397933380  
**MSRP:** \$119.99  
**BOX:** (H) 9.75" x (W) 4" x (D) 3"



## RM185LSR RAIL-MOUNT LIGHT + RED LASER

The RM185LSR is a rechargeable rail-mounted firearm combo that features 185 lumens of intense white light and a red laser sight. Light of this magnitude is enough to dominate an aggressor's night-adapted vision; ideal for military, law enforcement and self-defense.

### LIGHT & LASER MODES

- High (185 lumens): 1 hour / 179 meters
- Low (56 lumens): 2.5 hours / 98 meters
- Strobe (230 lumens): 1 hour / 179 meters
- Red laser (Class IIIa: <5mW / 650nm): 3 hours

### DESIGN

- MagDock USB rechargeable
- Ambidextrous operation
- Anti-recoil locking
- Adjustable windage and elevation
- High-strength fiber-reinforced plastic housing

### MOUNT

- Patented tool-free mount fits Picatinny & Weaver rails
- For rail-equipped subcompacts, pistols and long guns

### ACCESSORIES

- MagDock USB charging cable
- Laser adjustment hex wrench

### BATTERY

- Powered by internal rechargeable battery

### SPECS

- 0.13 lb.
- (L) 1.18" x (W) 1.375" x (H) 1.875"

### U.S. PATENT

- 9,091,508



PICATINNY /  
WEAVER MOUNT

**ITEM:** IPR-SPS-0003  
**UPC:** 645397001799  
**MSRP:** \$129.99  
**BOX:** (H) 4.75" x (W) 4.5" x (D) 3"







## RM185LSG RAIL-MOUNT LIGHT + GREEN LASER

The RM185LSG is a rechargeable rail-mounted firearm combo that features 185 lumens of intense white light and a green laser sight. Light of this magnitude is enough to dominate an aggressor's night-adapted vision; ideal for military, law enforcement and self-defense.

### LIGHT & LASER MODES

- High (185 lumens): 1 hour / 179 meters
- Low (56 lumens): 2.5 hours / 98 meters
- Strobe (230 lumens): 1 hour / 179 meters
- Green laser (Class IIIa: <5mW / 532nm): 3 hours

### DESIGN

- MagDock USB rechargeable
- Ambidextrous operation
- Anti-recoil locking
- Adjustable windage and elevation
- High-strength fiber-reinforced plastic housing

### MOUNT

- Patented tool-free mount fits Picatinny & Weaver rails
- For rail-equipped subcompacts, pistols and long guns

### ACCESSORIES

- MagDock USB charging cable
- Laser adjustment hex wrench

### BATTERY

- Powered by internal rechargeable battery

### SPECS

- 0.13 lb.
- (L) 1.18" x (W) 1.375" x (H) 1.875"

### U.S. PATENT

- 9,091,508



PICATINNY /  
WEAVER MOUNT



**ITEM:** 6751

**UPC:** 645397932918

**MSRP:** \$129.99

**BOX:** (H) 4.75" x (W) 4.5" x (D) 3"



BARREL /  
SCOPE MOUNT



**iPROTEC**





## LG250 LONG-GUN GREEN FIREARM LIGHT

Designed specifically for long guns, the LG250 features a high-power LED that emits 250 lumens of green light. The 3 light modes are controlled with the dual-mode pressure switch or the standard flashlight cap. The LG250 includes a universal mount, or can be used as a standard flashlight.

### LIGHT MODES

- High (250 lumens): 2 hours / 141 meters
- Low (25 lumens): 20 hours / 45 meters
- Strobe (250 lumens): 8 hours / 141 meters

### DESIGN

- 6x adjustable zoom
- Instant strobe button
- Anodized aircraft-grade aluminum
- Water and impact-resistant

### MOUNT

- Fits (20mm - 32.5mm) barrel and scope diameters
- Adjusts, tightens and locks without tools
- Patented accessory rail mount (18mm x 24mm)

### ACCESSORIES

- Universal mount, dual-mode pressure switch, flashlight end cap

### BATTERY

- (3) AAA batteries included

### SPECS

- 0.7 lb.
- (L) 4.5" x (W) 1.5" (Head) / 1" (Barrel)

### U.S. PATENT

- D 657,840 & D 709,979



*Green light is best for low light conditions, because the human eye recognized the color green faster than other colors. Also perfect for hunting, as some game cannot see green light.*



BARREL /  
SCOPE MOUNT



**ITEM:** 6653  
**UPC:** 645397932055  
**MSRP:** \$64.99  
**PKG:** (H) 9.75" x (W) 4" x (D) 3"



## LG110LR SHOTGUN LIGHT + RED LASER

The LG110LR is a high-power shotgun light and laser combo emitting 110 lumens of intense white light. The four unique light and laser modes are controlled with the pressure switch or the standard end cap that is used for normal flashlight use. The LG110LR includes a universal mount or can be used as a standard flashlight.

### LIGHT & LASER MODES

- Light (110 lumens): 7.5 hours / 50 meters
- Laser (<5mW / 650nm): 47.5 hours / 412 meters
- Light & Laser: 6.5 hours / 50 meters
- Strobe (110 lumens): 6.75 hours / 50 meters

### DESIGN

- Fixed red laser
- Anodized aircraft-grade aluminum
- Water and impact-resistant

### MOUNT

- Fits (20mm - 32.5mm) barrel and scope diameters
- Adjusts, tightens and locks without tools
- Patented accessory rail mount (18mm x 24mm)

### ACCESSORIES

- Universal mount, pressure switch, flashlight end cap

### BATTERY

- (3) AAA batteries included

### SPECS

- 0.65 lb.
- (L) 4.375" x (W) 1.125"

### U.S. PATENT

- D 657,840 & D 709,979



BARREL /  
SCOPE MOUNT

**ITEM:** 6105  
**UPC:** 645397012122  
**MSRP:** \$49.99  
**PKG:** (H) 10.25" x (W) 7" x (D) 3.5"







## LG UNIVERSAL LONG GUN MOUNT

The LG Universal Long Gun Mount with Accessory Rail System is constructed of aircraft-grade anodized aluminum. This self-locking mount uses an adjustable mount design to easily mount and lock to your long gun, no tools required. The side of the mount has an accessory rail mount to attach additional firearm accessories.

### DESIGN

- Anodized aircraft-grade aluminum
- Water and impact-resistant
- Protective rubber inserts protect gun and accessories

### MOUNT

- Fits (20mm - 32.5mm) flashlight, barrel and scope diameters
- Adjusts, tightens and locks without tools
- Patented accessory rail mount (18mm x 24mm)

### SPECS

- 0.316 lb.
- (L) 2.75" x (W) 2.15625" x (D) 0.9375"

### U.S. PATENT

- D 657,840 & D 709,979



BARREL /  
SCOPE MOUNT



**ITEM:** 6108  
**UPC:** 645397011125  
**MSRP:** \$22.99  
**PKG:** (H) 6.5" x (W) 5.25" x (D) 2"





## ORDER ALL YOUR iPROTEC ONLINE!

### Register Today at ACG Dealer

Introducing ACG Dealer, your home for online wholesale ordering of all iPROTEC, NEBO, TRUE, and THAW products. ACG Dealer is a convenient resource for you to manage your account, order products, and have easy access to all account information. Ordering your favorite iPROTEC products have never been easier!

Shop now at [www.ACGDEALER.com](http://www.ACGDEALER.com).



For more information or to place an order, contact your iPROTEC sales representative.  
CALL TOLL FREE: 800.255.6061 or VISIT OUR WEBSITE: [WWW.ACGDEALER.COM](http://WWW.ACGDEALER.COM)

