

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Revision Date 19-Dec-2024 Version 1

1. Identification

Product identifier

Product Name ULTRA DISC BRAKE CALIPER LUBE 8 FL.OZ

Other means of identification

Product Code 24110

Synonyms CAN Item Number 24121

Recommended use of the chemical and restrictions on use

Recommended Use Grease

Restrictions on use No information available

Details of the supplier of the safety data sheet

Manufacturer AddressMay Also Be Distributed by:ITW Permatex, Inc.ITW Permatex Canada6875 Parkland Blvd.101-2360 Bristol Circle

Solon, Ohio 44139 USA
Telephone: 1-87-Permatex
Oakville, ON Canada L6H 6M5
Telephone: (800) 924-6994

(866) 732-9502

E-mail address mail@permatex.com

Emergency telephone number

24 Hour Emergency Phone Number Chem-Tel: 800-255-3924

International Emergency: 00+1+ 813-248-0585

Contract Number: MIS0003453

24-hour emergency phone number No information available

2. Hazard(s) identification

Classification

Acute toxicity - Inhalation (Dusts/Mists) Category 4

Label elements

Contains ETHANEDIOL





Warning

Hazard statements

Harmful if inhaled.

Precautionary Statements - Prevention

Avoid breathing dust, fume, gas, mist, vapors and spray.

Use only outdoors or in a well-ventilated area.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Other Information

May be harmful if swallowed.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Synonyms CAN Item Number 24121.

	Chemical name	CAS No.	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
-	ETHANEDIO	107.01.1	4.50/	(HIMIKA registry #)	
- 1	ETHANEDIOL	l 107-21-1	1-5%	-	-

4. First-aid measures

Description of first aid measures

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Rinse mouth.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

No information available.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls/personal protection

Control Parameters Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
ETHANEDIOL	TWA: 25 ppm vapor fraction	(vacated) Ceiling: 50 ppm	-
107-21-1	STEL: 50 ppm vapor fraction	(vacated) Ceiling: 125 mg/m ³	
	STEL: 10 mg/m³ inhalable		
	particulate matter, aerosol		
	only		

Chemical name	Alberta	British Columbia	Ontario	Quebec
ETHANEDIOL	Ceiling: 100 mg/m ³	TWA: 10 mg/m ³	TWA: 25 ppm	Ceiling: 50 ppm
107-21-1		STEL: 20 mg/m ³	STEL: 50 ppm	Ceiling: 127 mg/m ³
		Ceiling: 100 mg/m ³	STEL: 10 mg/m ³	
		Ceiling: 50 ppm	-	

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
ETHANEDIOL	TWA: 25 ppm STEL: 50 ppm STEL: 10 mg/m³	Ceiling: 100 mg/m ³	TWA: 25 ppm STEL: 50 ppm STEL: 10 mg/m³	TWA: 25 ppm STEL: 50 ppm STEL: 10 mg/m³

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
ETHANEDIOL	Ceiling: 100 mg/m ³	TWA: 25 ppm	Ceiling: 100 mg/m ³	TWA: 10 mg/m ³
		STEL: 50 ppm		TWA: 100 ppm
		STEL: 10 mg/m ³		TWA: 250 mg/m ³
				STEL: 10 ppm
				STEL: 20 mg/m ³
				STEL: 125 ppm
				STEL: 325 mg/m ³

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Appropriate eye/face protection should be selected and used according to the chemical

nature, hazards and use of this product and safety requirements of the local jurisdiction.

Hand protection Appropriate hand protection should be selected and used according to the chemical nature,

hazards and use of this product and safety requirements of the local jurisdiction.

Skin and body protection Appropriate skin and body protection should be selected and used according to the

chemical nature, hazards and use of this product and safety requirements of the local

jurisdiction.

Respiratory protection Appropriate respiratory protection should be selected and used according to the chemical

nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

Cleveland Open Cup

Butyl acetate = 1

required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Semi-Solid Appearance Green Green Odor Mild

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No data availableMelting point / freezing point No data available

Boiling point / boiling range
No data available
> 260 °C / 500 °F

Evaporation rate < 1
Flammability (solid, gas) No data available

Flammability (solid, gas)

Upper flammability limit: No data available Lower flammability limit: No data available

Vapor pressure
Vapor density
No Data Available
No data available
No data available

Relative density 0.994

Water solubility
Solubility(ies)
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Ninsoluble in water
No Data Available

Other information

Explosive properties
Oxidizing properties
No information available

VOC content 2

DensityNo information availableBulk densityNo information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid None known based on information supplied.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products Carbon oxides. Halogenated compounds. Metal oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity Harmful by inhalation.

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

 ATEmix (oral)
 4,812.10 mg/kg

 ATEmix (dermal)
 13,271.40 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-vapor)
 99,999.00 mg/l

 ATEmix (inhalation-dust/mist)
 3.75 mg/l

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
ETHANEDIOL	= 4700 mg/kg (Rat)	= 10600 mg/kg (Rat)	> 2.5 mg/L (Rat) 6 h
107-21-1			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
ETHANEDIOL	EC50: 6500 -	LC50: =41000mg/L	-	EC50: =46300mg/L
107-21-1	13000mg/L (96h,	(96h, Oncorhynchus		(48h, Daphnia magna)
	Pseudokirchneriella	mykiss)		
	subcapitata)	LC50: 14 - 18mL/L (96h,		
		Oncorhynchus mykiss)		
		LC50: =27540mg/L		
		(96h, Lepomis		
		macrochirus)		
		LC50: =40761mg/L		
		(96h, Oncorhynchus		
		mykiss)		
		LC50: 40000 -		
		60000mg/L (96h,		
		Pimephales promelas)		
		LC50: =16000mg/L		
		(96h, Poecilia reticulata)		

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
ETHANEDIOL	-1.36
107-21-1	

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

products

Waste from residues/unused

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number

Waste designations and classifications should be determined by the end user based on the application for which the product was used.

14. Transport information

DOT Not regulated

TDG Not regulated

MEX Not regulated

ICAO (air) Not regulated

IATA Not regulated

IMDG Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA Complies **DSL/NDSL** Complies Complies **EINECS/ELINCS ENCS** Does not comply **IECSC** Complies Complies **KECI** Complies **PICCS** Complies **AICS NZIoC** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical

or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
ETHANEDIOL - 107-21-1	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
ETHANEDIOL 107-21-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65	
ETHANEDIOL - 107-21-1	Developmental	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
ETHANEDIOL	X	X	X
107-21-1			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 2 Flammability 1 Instability 0 Special hazards - Health hazards 1 Flammability 1 Physical hazards 0 Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

+ Sensitizers

Page 9 / 10

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision Date 19-Dec-2024

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.