

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture
Product name : Big Stretch - Clear

1.2. Recommended use and restrictions on use

Recommended use : Caulking

This SDS is designed for workplace employees, emergency personnel and for other situations where there is potential for large-scale or prolonged exposure, in accordance with the WHMIS GHS requirements.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label, SDS or both in accordance with applicable government regulations

1.3. Supplier

Supplier
Sashco Inc.
14802 Grant St.
Thornton, CO, 80023
USA
T 800-767-5656
info@sashco.com

Distributor
Add the name, address and tel. number of the Canadian manufacturer or importer who operates in Canada.

1.4. Emergency telephone number

Emergency number : 800.535.5053

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Not classified.

2.2. GHS Label elements, including precautionary statements

GHS-CA labelling

Precautionary statements (GHS-CA) : P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.
P103 - Read label before use.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Big Stretch - Clear

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%
Distillates, petroleum, hydrotreated heavy paraffinic	Heavy paraffinic hydrotreated distillate / Distillates, petroleum, hydrotreated heavy paraffinic (A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20-50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40°C). It contains a relatively large proportion of saturated hydrocarbons.) / Paraffin oil / HYDROGENATED MINERAL OIL / Hydrogenated mineral oil / Distillates (petroleum), hydrotreated heavy paraffinic / Petroleum distillates, hydrotreated heavy paraffinic	CAS-No.: 64742-54-7	5 – 10
2-Amino-2-methyl-1-propanol	2-Amino-2-methylpropan-1-ol / Isobutanol-2-amine / Isobutanolamine / Propan-1-ol, 2-amino-2-methyl- / 1-Propanol, 2-amino-2-methyl- / 2-Amino-2-methylpropanol / AMINOMETHYL PROPANOL / Aminomethyl propanol / AMP / Aminomethylpropanol	CAS-No.: 124-68-5	1 – 5
Sodium dodecylbenzenesulfonate	Dodecylbenzenesulphonic acid, sodium salt / Sodium laurylbenzenesulfonate / Sodium laurylbenzenesulphonate / sodium dodecylbenzenesulfonate / Sodium lauryl benzene sulphonate / SODIUM DODECYLBENZENESULFONATE / Benzenesulfonic acid, dodecyl-, sodium salt (1:1) / Sodium dodecylbenzenesulphonate / Dodecylbenzenesulfonic acid, sodium salt / Benzenesulfonic acid, dodecyl-, sodium salt / Benzenesulfonate, dodecyl-, sodium	CAS-No.: 25155-30-0	0.1 < 1
3(2H)-Isothiazolone, 2-octyl-	4-Isothiazolin-3-one, 2-octyl- / 2-Octyl-2H-isothiazol-3-one / 2-N-Octyl-4-isothiazolin-3-one / 2-Octylisothiazol-3(2H)-one / Octhilinone / 2-Octyl-4-isothiazolin-3-one / 2-n-Octyl-4-isothiazolin-3-one / 2-n-Octyl-2,3-dihydroisothiazol-3-one / 2-Octyl-3(2H)-isothiazolone / 1-Octanol / 2-Octyl-isothiazol-3(2H)-one / 2-octyl-2H-isothiazol-3-one / octhilinone / OCTYLISOTHIAZOLINONE / 2-Octyl-isothiazolone	CAS-No.: 26530-20-1	0.1 < 1

Comments : *Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: If skin irritation occurs: Wash skin with plenty of water. Obtain medical attention if irritation persists.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

Big Stretch - Clear

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment	: Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
-----------------------------------	--

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
------------------------------	---

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media	: Water spray may be ineffective for extinguishing fire.
--------------------------------	--

5.3. Specific hazards arising from the hazardous product

Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon.
-------------	---

5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
------------------	--

6.2. Methods and materials for containment and cleaning up

For containment	: Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Prevent further leakage or spillage. Keep away from drains, surface and ground-water and soil. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.
Hygiene measures	: Wash contaminated clothing before reuse. Always wash hands after handling the product.

Big Stretch - Clear

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated place.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear suitable gloves. Consult glove manufacturer's product information on material suitability and material thickness.

Eye protection:

Safety glasses or goggles are recommended when using product.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. SDSs cannot provide detailed and complete respiratory protection guidelines. Selection of respiratory protection must be done by a qualified person who has assessed the work environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Viscous paste.
Colour : White – dries clear
Odour : Slight ammonia
Odour threshold : No data available
pH : 9
Relative evaporation rate (butylacetate=1) : No data available
Relative evaporation rate (ether=1) : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : 212 °F (100 °C)
Flash point : Not applicable
Auto-ignition temperature : No data available

Big Stretch - Clear

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: 1.04
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available
Viscosity, kinematic	: 200000 mm ² /s
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity	: No dangerous reactions known under normal conditions of use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Heat.
Incompatible materials	: None known.
Hazardous decomposition products	: May include, and are not limited to: oxides of carbon.
Hardening time:	: No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified.
Acute toxicity (dermal)	: Not classified.
Acute toxicity (inhalation)	: Not classified.

Sodium dodecylbenzenesulfonate (25155-30-0)	
LD50 oral rat	500 mg/kg
LC50 inhalation rat	310 mg/m ³ (Exposure time: 4 h)
ATE CA (oral)	500 mg/kg bodyweight
ATE CA (vapours)	0.31 mg/l/4h
ATE CA (dust,mist)	0.31 mg/l/4h
Distillates, petroleum, hydrotreated heavy paraffinic (64742-54-7)	
LD50 oral rat	> 15 g/kg
LD50 dermal rabbit	> 5000 mg/kg
3(2H)-Isothiazolone, 2-octyl- (26530-20-1)	
LD50 oral rat	550 mg/kg
LD50 dermal rabbit	690 mg/kg
ATE CA (oral)	550 mg/kg bodyweight
ATE CA (Dermal)	690 mg/kg bodyweight
2-Amino-2-methyl-1-propanol (124-68-5)	
LD50 oral rat	2900 mg/kg

Big Stretch - Clear

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

2-Amino-2-methyl-1-propanol (124-68-5)	
LD50 dermal rabbit	> 2000 mg/kg
ATE CA (oral)	2900 mg/kg bodyweight

Skin corrosion/irritation	: Not classified. pH: 9
Serious eye damage/irritation	: Not classified. pH: 9
Respiratory or skin sensitization	: Not classified.
Germ cell mutagenicity	: Not classified.
Carcinogenicity	: Not classified.
Reproductive toxicity	: Not classified.
STOT-single exposure	: Not classified.
STOT-repeated exposure	: Not classified.
Aspiration hazard	: Not classified.
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with TDG / DOT / IMDG / IATA

Big Stretch - Clear

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

14.1. UN number

UN-No. (TDG)	: UN3082
UN-No.(DOT)	: Not applicable
UN-No. (IMDG)	: 3082
UN-No. (IATA)	: 3082

14.2. UN proper shipping name

Proper Shipping Name (TDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc(2+), tetraammine-, (T-4)-, carbonate (1:1) ; 3(2H)-Isothiazolone, 2-octyl-)
Proper Shipping Name (DOT)	: Not applicable
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc(2+), tetraammine-, (T-4)-, carbonate (1:1) ; 3(2H)-Isothiazolone, 2-octyl-)
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s. (Zinc(2+), tetraammine-, (T-4)-, carbonate (1:1) ; 3(2H)-Isothiazolone, 2-octyl-)

14.3. Transport hazard class(es)

TDG

Transport hazard class(es) (TDG)	: 9
Hazard labels (TDG)	: 9



DOT

Transport hazard class(es) (DOT)	: Not applicable
----------------------------------	------------------

IMDG

Transport hazard class(es) (IMDG)	: 9
Danger labels (IMDG)	: 9



IATA

Transport hazard class(es) (IATA)	: 9
Danger labels (IATA)	: 9



14.4. Packing group

Packing group (TDG)	: III
Packing group (DOT)	: Not applicable
Packing group (IMDG)	: III
Packing group (IATA)	: III

14.5. Environmental hazards

Dangerous for the environment	: Yes
-------------------------------	-------

Big Stretch - Clear

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Marine pollutant : Yes (IMDG only)



Other information : No supplementary information available.

14.6. Special precautions for user

Special transport precautions : Do not handle until all safety precautions have been read and understood.

TDG

UN-No. (TDG) :

UN3082

TDG Special Provisions :

16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks).
(2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name:
(a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S;
(b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S;
(c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S;
(d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or
(e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S.
(3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment:
(a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or
(b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS, 99 - (1) Mixtures of solids that are not dangerous goods and liquids or solids that are UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S, or UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S, may be handled, offered for transport or transported as UN3077 if there is no visible liquid when the dangerous goods are loaded into a means containment and during transport.
(2) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to the handling, offering for transport or transporting of less than 450 kg of UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S, or less than 450 L of UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S, on a road vehicle or a railway vehicle. The dangerous goods must be contained in one or more small means of containment designed, constructed, filled, closed, secured and maintained so that under normal conditions of transport, including handling, there will be no accidental release of the dangerous goods that could endanger public safety.

Explosive Limit and Limited Quantity Index : 5 L

Excepted quantities (TDG) : E1

DOT

No data available

IMDG

No data available

IATA

No data available

Big Stretch - Clear

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

No additional information available


15.2. International regulations

No additional information available

SECTION 16: Other information

Issue date : 10-10-2017
Revision date : 08-30-2024
Supersedes : 05-19-2023

NFPA health hazard : 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.
NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.
NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating
Health : 0 Minimal Hazard - No significant risk to health
Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Indication of changes			
Section	Changed item	Change	Comments
2	Classification (GHS CA)	Modified	Version 2.1
3	Composition/information on ingredients	Modified	Version 2.1
SDS	SDS update	Modified	Version 2.1
14	Transport Information	Added	Version 2.2
1.3	Supplier information	Modified	Version 2.2

Other information : None.
Prepared by : Nexreg Compliance Inc.
www.Nexreg.com



Safety Data Sheet (SDS), Canada - Nexreg 2022

Big Stretch - Clear

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.