

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Revision Date 10-Mar-2025 Version 2

1. Identification

Product identifier

Product Name HIGH TEMPERATURE THREAD SEALANT 6ML

Other means of identification

Product Code 59214

Synonyms CAN Item Number 59206

Recommended use of the chemical and restrictions on use

Recommended Use Sealant

Restrictions on use No information available

Details of the supplier of the safety data sheet

Manufacturer AddressMay Also Be Distributed by:ITW Permatex, Inc.ITW Permatex Canada6875 Parkland Blvd.101-2360 Bristol Circle

Solon, Ohio 44139 USA Oakville, ON Canada L6H 6M5 Telephone: 1-87-Permatex Telephone: (800) 924-6994

(866) 732-9502

E-mail address

mail@permatex.com

Emergency telephone number

Company Phone Number 866-732-9502

24 Hour Emergency Phone Number Chem-Tel: 800-255-3924

International Emergency: 00+1+ 813-248-0585

Contract Number: MIS0003453

24-hour emergency phone number No information available

2. Hazard(s) identification

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2

Label elements

Contains DIMETHYLBENZYL HYDROPEROXIDE; CUMENE; TITANIUM DIOXIDE



Danger

Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause cancer.

May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements - Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use personal protective equipment as required.

Wash face, hands and any exposed skin thoroughly after handling.

Do not breathe dust.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention.

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

Skin

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and attention.

Take off contaminated clothing and wash before reuse.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

0.671 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

10.471 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

22.611 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

22.611 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

22.611 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Other Information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Synonyms

CAN Item Number 59206.

6	M	L

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
OCTANOL	111-87-5	5-10%	-	-
PROPYLENE GLYCOL	57-55-6	1-5%	-	-
DIMETHYLBENZYL HYDROPEROXIDE	80-15-9	0.5-1.5%	-	-
TITANIUM DIOXIDE	13463-67-7	0.1-1%	-	-
CUMENE	98-82-8	0.1-1%	-	-
TETRASODIUM EDTA	64-02-8	0.1-1%	-	-

4. First-aid measures

Description of first aid measures

General advice IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the

doctor in attendance.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation.

Effects of Exposure May cause cancer. May cause damage to organs through prolonged or repeated exposure.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

No information available.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls/personal protection

Control Parameters
Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
TITANIUM DIOXIDE 13463-67-7	TWA: 0.2 mg/m³ nanoscale respirable particulate matter TWA: 2.5 mg/m³ finescale	TWA: 15 mg/m³ total dust (vacated) TWA: 10 mg/m³ total dust	IDLH: 5000 mg/m³ TWA: 2.4 mg/m³ CIB 63 fine TWA: 0.3 mg/m³ CIB 63
	respirable particulate matter		ultrafine, including engineered nanoscale
CUMENE 98-82-8	TWA: 5 ppm	TWA: 50 ppm TWA: 245 mg/m³ (vacated) TWA: 50 ppm (vacated) TWA: 245 mg/m³	IDLH: 900 ppm TWA: 50 ppm TWA: 245 mg/m ³
		(vacated) Sk* Sk*	

	Chemical name	Alberta	British Columbia	Ontario	Quebec
--	---------------	---------	------------------	---------	--------

PROPYLENE GLYCOL 57-55-6	-	-	TWA: 10 mg/m ³ TWA: 50 ppm TWA: 155 mg/m ³	-
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m ³	TWA: 10 mg/m ³ TWA: 3 mg/m ³	TWA: 193 mg/m ³	TWA: 10 mg/m ³
CUMENE 98-82-8	TWA: 50 ppm TWA: 246 mg/m ³	TWA: 25 ppm STEL: 75 ppm	TWA: 50 ppm	TWA: 5 ppm

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
TITANIUM DIOXIDE	TWA: 0.2 mg/m ³ TWA: 2.5 mg/m ³	TWA: 10 mg/m ³	TWA: 0.2 mg/m ³ TWA: 2.5 mg/m ³	TWA: 0.2 mg/m ³ TWA: 2.5 mg/m ³
CUMENE	TWA: 5 ppm	TWA: 50 ppm	TWA: 5 ppm	TWA: 5 ppm

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
TITANIUM DIOXIDE	TWA: 10 mg/m ³	TWA: 0.2 mg/m ³	TWA: 10 mg/m ³	TWA: 30 mppcf
	STEL: 20 mg/m ³	TWA: 2.5 mg/m ³	STEL: 20 mg/m ³	TWA: 10 mg/m ³
				STEL: 20 mg/m ³
CUMENE	TWA: 50 ppm	TWA: 5 ppm	TWA: 50 ppm	TWA: 50 ppm
	STEL: 74 ppm		STEL: 74 ppm	TWA: 245 mg/m ³
				STEL: 75 ppm
				STEL: 365 mg/m ³
				Sk*

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection Appropriate respiratory protection should be selected and used according to the chemical

nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

required.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid

contact with skin, eyes or clothing.

9. Physical and chemical properties

59214 - HIGH TEMPERATURE THREAD SEALANT 6ML

Information on basic physical and chemical properties

Paste / Gel Liquid **Physical state**

Appearance Paste Color White Odor Mild

Odor threshold No information available

Values Remarks • Method **Property**

No data available Hq Melting point / freezing point No data available Boiling point / boiling range > 200 °C / 392 °F 131 °C / 267.8 °F Flash point **Evaporation rate** Not applicable Flammability (solid, gas) No data available

Flammability Limit in Air

Upper flammability limit: No data available Lower flammability limit: No data available

Vapor pressure <39.8 mm Ha Vapor density No data available Relative density 1.16-1.26

Immiscible in water Water solubility Solubility(ies) No Data Available **Partition coefficient** No Data Available No data available **Autoignition temperature Decomposition temperature** No data available Kinematic viscosity No Data Available Dynamic viscosity No data available

Other information

Explosive properties No information available **Oxidizing properties** No information available No information available Softening point No information available Molecular weight No information available **VOC** content No information available Density **Bulk density** No information available

10. Stability and reactivity

Possibility of hazardous reactions

Reactivity No information available.

Stable under normal conditions. Chemical stability

None known based on information supplied.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

None under normal processing.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Conditions to avoid

Specific test data for the substance or mixture is not available. May cause irritation of Inhalation

respiratory tract.

59214 - HIGH TEMPERATURE THREAD SEALANT 6ML

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. May cause redness and tearing of the eyes.

Acute toxicity .

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

 ATEmix (oral)
 19,086.70 mg/kg

 ATEmix (dermal)
 30,027.30 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-vapor)
 99,999.00 mg/l

 ATEmix (inhalation-dust/mist)
 38.80 mg/l

0.671 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

10.471 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

22.611 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

22.611 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

22.611 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
OCTANOL 111-87-5	> 5000 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
PROPYLENE GLYCOL 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	-
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	= 382 mg/kg (Rat)	= 0.126 mL/kg (Rabbit)	= 220 ppm (Rat) 4 h
TITANIUM DIOXIDE 13463-67-7	> 2000 mg/kg (Rat)	-	> 5.09 mg/L (Rat)4 h
CUMENE 98-82-8	= 1400 mg/kg (Rat)	= 12300 μL/kg (Rabbit)	> 3577 ppm (Rat) 6 h
TETRASODIUM EDTA 64-02-8	= 1658 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity

Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
TITANIUM DIOXIDE 13463-67-7	A3	Group 2B	-	Х
CUMENE 98-82-8	A3	Group 2B	Reasonably Anticipated	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

Occupational Safety and Health Administration of the US Department of Labor

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
OCTANOL 111-87-5	-	LC50: 11.4 - 12.9mg/L (96h, Pimephales promelas) LC50: =17.68mg/L (96h,	microorganisms -	-
PROPYLENE GLYCOL 57-55-6	EC50: =19000mg/L (96h, Pseudokirchneriella subcapitata)	Oncorhynchus mykiss) LC50: =51600mg/L (96h, Oncorhynchus mykiss) LC50: 41 - 47mL/L (96h, Oncorhynchus mykiss) LC50: =51400mg/L (96h, Pimephales promelas) LC50: =710mg/L (96h, Pimephales promelas)	-	EC50: >1000mg/L (48h, Daphnia magna)
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	-	LC50: =3.9mg/L (96h, Oncorhynchus mykiss)	-	-
CUMENE 98-82-8	EC50: =2.6mg/L (72h, Pseudokirchneriella	LC50: 6.04 - 6.61mg/L (96h, Pimephales	-	EC50: =0.6mg/L (48h, Daphnia magna)

59214 - HIGH TEMPERATURE THREAD SEALANT 6ML

	subcapitata)	promelas)		EC50: 7.9 - 14.1mg/L
		LC50: =4.8mg/L (96h,		(48h, Daphnia magna)
		Oncorhynchus mykiss)		
		LC50: =2.7mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: =5.1mg/L (96h,		
		Poecilia reticulata)		
TETRASODIUM EDTA	-	LC50: =41mg/L (96h,	-	-
64-02-8		Lepomis macrochirus)		
		LC50: =59.8mg/L (96h,		
		Pimephales promelas)		

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
OCTANOL	3.5
111-87-5	
PROPYLENE GLYCOL	-1.07
57-55-6	
DIMETHYLBENZYL HYDROPEROXIDE	1.6
80-15-9	
CUMENE	3.55
98-82-8	

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging

Do not reuse empty containers.

US EPA Waste Number

Waste designations and classifications should be determined by the end user based on the

application for which the product was used.

14. Transport information

Not regulated DOT

TDG Not regulated

Not regulated **MEX**

ICAO (air) Not regulated

Not regulated <u>IATA</u>

IMDG Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA Complies Complies **DSL/NDSL EINECS/ELINCS** Not determined Not determined **ENCS IECSC** Complies **KECI** Complies **PICCS** Not determined Not Listed **AICS NZIoC** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %	
SACCHARIN - 81-07-2	1.0	
DIMETHYLBENZYL HYDROPEROXIDE - 80-15-9	1.0	
CUMENE - 98-82-8	0.1	

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

59214 - HIGH TEMPERATURE THREAD SEALANT 6ML

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	10 lb	-	RQ 10 lb final RQ RQ 4.54 kg final RQ
CUMENE 98-82-8	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65	
TITANIUM DIOXIDE - 13463-67-7	*Carcinogen (airborne, unbound particles of respirable size)	
CUMENE - 98-82-8	Carcinogen	

^{*}The asterisked chemical(s) listed are not subject to Proposition 65 because they are not airborne in the finished product

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
POLYTETRAFLUOROETHYLENE	-	-	X
9002-84-0			
SACCHARIN	X	X	X
81-07-2			
TITANIUM DIOXIDE	X	X	X
13463-67-7			
CUMENE	X	X	X
98-82-8			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 2 Flammability 1 Instability 0 Special hazards - HMIS Health hazards 2 * Flammability 1 Physical hazards 0 Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

+ Sensitizers

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

59214 - HIGH TEMPERATURE THREAD SEALANT 6ML

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision Date 10-Mar-2025

Revision NoteNo information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.