

NEBO[®]
POWER POSSIBILITIES[®]





In our modern age, the freedom to not be constrained is stronger than ever before. Like you, we seek to live life on our terms while integrating technology to enhance our experiences. That's why NEBO has developed a complete line of power solutions that are reliable, rugged and built for adventure. Whether you are seeking the peace of mind that comes with being prepared for the unexpected or seeking the liberation of being untethered from the grid, NEBO's line of jump starters, power banks, power stations, and solar panels will help empower your life with smart features, wireless capabilities, and fast charging.





NEBO®
JUMP STARTERS

NEBO[®] ASSIST[®] 1000XP JUMP STARTER

DESIGN

- USB-C rechargeable
- 1,000 Peak Amps
- Designed for 12V car, motorcycle, & ATV batteries (Rated for gasoline engines up to 6 liters)
- 3-step jump start with spark-proof design
- Patented Smart Protection
- Multi-device charging (2 USB-A)
- Smart Charge Technology
- Pass-through charging
- Floodlight (White, Red & Red S.O.S.)
- LED battery/power indicators
- Air travel ready / carry-on approved (meets TSA & FAA regulations)
- Rugged construction with protective port covers
- Dust proof and water-resistant (IP65)

OPERATION

- Jump Start/USB: Front-positioned buttons

ACCESSORIES

- NEBO jumper cables
- 12V car charger (10W)
- USB-A to USB-C charging cable
- Microfiber storage pouch

BATTERY

- Chemistry: Lithium-Ion
- Capacity: 24.4Wh, 2,200mAh, 11.1V
- Single cell equivalent: 6,600mAh, 3.7V
- Recharge time: less than 6 hours

SPECS

- 1.1 lbs.
- (L) 6.5" x (W) 3.8" x (D) 1.7"

U.S. PATENTS

- 9,819,204, 10,075,000, 10,148,103 & 10,840,716



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | www.P65Warnings.ca.gov



3-IN-1 ADVANTAGE JUMP + CHARGE + ILLUMINATE

The ASSIST 1000XP offers **3-in-1 utility** in a rugged, compact design. Not only will it **jump start your vehicle**, it can **charge multiple USB devices**, and its **integrated floodlight** keeps you better prepared for emergency roadside situations.

UPC CODE	ITEM	MSRP
645397943822	NEB-JMP-0002	94.99



Box Dimensions
(H) 7" x (W) 4.3" x (D) 4.55"

NEBO[®] ASSIST[®] 1500XP JUMP STARTER

DESIGN

- USB-C rechargeable
- 1,500 Peak Amps
- Designed for 12V car, truck, & SUV batteries (Rated for gasoline engines up to 7 liters)
- 3-step jump start with spark-proof design
- Patented Smart Protection
- Multi-device charging (2 USB-A)
- Smart Charge Technology
- Pass-through charging
- Floodlight (White, Red & Red S.O.S.)
- Integrated voltmeter
- Dynamic digital display
- Air travel ready / carry-on approved (meets TSA & FAA regulations)
- Rugged construction with protective port covers
- Dust proof and water-resistant (IP65)

OPERATION

- Jump Start/USB: Front-positioned buttons
- Floodlight: Side-positioned button

ACCESSORIES

- NEBO jumper cables
- 12V car charger (Output: QC18W USB-A)
- 21" USB-A to USB-C charging cable
- Microfiber storage pouch

BATTERY


- Chemistry: Lithium-Ion
- Capacity: 44.4Wh, 4,000mAh, 11.1V
- Single cell equivalent: 12,000mAh, 3.7V
- Recharge time: less than 6 hours

SPECS

- 1.62 lbs.
- (L) 7.1" x (W) 4.2" x (D) 2"

U.S. PATENTS

- 9,819,204, 10,075,000, 10,148,103 & 10,840,716



3-IN-1 ADVANTAGE JUMP + CHARGE + ILLUMINATE

The ASSIST 1500XP offers **3-in-1 utility** in a rugged, compact design. Not only will it **jump start your vehicle**, it can **charge multiple USB devices**, and its **integrated floodlight** keeps you better prepared for emergency roadside situations.

UPC CODE	ITEM	MSRP
645397943839	NEB-JMP-0003	114.99



Box Dimensions
(H) 7.52" x (W) 4.63" x (D) 4.43"

NEBO® ASSIST® AIR 1500XP JUMP STARTER & AIR COMPRESSOR

DESIGN

- USB-C rechargeable
- 1,500 Peak Amps
- Designed for 12V car, truck, & SUV batteries
(Rated for gasoline engines up to 7 liters)
- 3-step jump start with spark-proof design
- Patented Smart Protection
- 150PSI air compressor
- Multi-device charging (2 USB-A)
- Smart Charge Technology
- Pass-through charging
- Floodlight (White, Red & Red S.O.S.)
- Integrated voltmeter
- Dynamic digital display
- Air travel ready / carry-on approved (meets TSA & FAA regulations)
- Rugged construction with protective port covers

OPERATION

- Jump Start/Air/USB: Front-positioned buttons
- Floodlight: Side-positioned button

ACCESSORIES

- NEBO jumper cables
- 24" air hose extension
- Interchangeable air nozzle kit
- 12V car charger (Output: QC18W USB-A)
- 21" USB-A to USB-C charging cable
- Microfiber storage pouch

BATTERY

- Chemistry: Lithium-Ion
- Capacity: 44.4Wh, 4,000mAh, 11.1V
- Single cell equivalent: 12,000mAh, 3.7V
- Recharge time: less than 6 hours

SPECS

- 2.7 lbs.
- (L) 9.8" x (W) 5.1" x (D) 2.8"

U.S. PATENTS

- 9,819,204, 10,075,000, 10,148,103, 10,840,716 & 11,824,383



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | www.P65Warnings.ca.gov



4-IN-1 ADVANTAGE JUMP + INFLATE + CHARGE + ILLUMINATE

The ASSIST AIR 1500XP offers **4-in-1 utility** in a rugged, compact design. Not only will it **jump start your vehicle**, it can **charge multiple USB devices**, and its **integrated floodlight** and **150PSI air compressor** keep you better prepared for emergency roadside situations.

UPC CODE	ITEM	MSRP
645397943853	NEB-JMP-0005	174.99



Box Dimensions
(H) 10.28" x (W) 5.93" x (D) 3.96"

NEBO[®] ASSIST[®] 2000XP JUMP STARTER

DESIGN

- USB-C rechargeable
- 2,000 Peak Amps
- Designed for 12V car, truck, & SUV batteries
(Rated for gasoline engines up to 8 liters; diesel up to 6 liters)
- 3-step jump start with spark-proof design
- Patented Smart Protection
- Multi-device charging (1 USB-C, 2 USB-A)
- Smart Charge Technology
- Pass-through charging
- Floodlight (White, Red & Red S.O.S.)
- Integrated voltmeter
- Large digital color display screen
- Air travel ready / carry-on approved
(meets TSA & FAA regulations)
- Rugged construction with protective port covers
- Dust proof and water-resistant (IP65)

OPERATION

- Jump Start/USB: Front-positioned buttons
- Floodlight: Side-positioned button

ACCESSORIES

- NEBO jumper cables
- 12V car charger (Output: QC18W USB-A)
- 24" USB-A to USB-C charging cable
- Microfiber storage pouch

BATTERY

- Chemistry: Lithium-Ion
- Capacity: 55.5Wh, 5,000mAh, 11.1V
- Single cell equivalent: 15,000mAh, 3.7V
- Recharge time: less than 3.5 hours

SPECS

- 1.8 lbs.
- (L) 7.1" x (W) 4.2" x (D) 2.1"

U.S. PATENTS

- 9,819,204, 10,075,000, 10,148,103 & 10,840,716



3-IN-1 ADVANTAGE JUMP + CHARGE + ILLUMINATE

The ASSIST 2000XP offers **3-in-1 utility** in a rugged, compact design. Not only will it **jump start your vehicle**, it can **charge multiple USB devices**, and its **integrated floodlight** keeps you better prepared for emergency roadside situations.

UPC CODE	ITEM	MSRP
645397943846	NEB-JMP-0004	174.99



Box Dimensions
(H) 7.52" x (W) 4.6" x (D) 4.43"

NEBO®

ASSIST® AIR 2000XP

JUMP STARTER & AIR COMPRESSOR

DESIGN

- USB-C rechargeable
- 2,000 Peak Amps
- Designed for 12V car, truck, & SUV batteries
(Rated for gasoline engines up to 8 liters; diesel up to 6 liters)
- 3-step jump start with spark-proof design
- Patented Smart Protection
- 150PSI air compressor
- Multi-device charging (1 USB-C, 2 USB-A)
- Smart Charge Technology
- Pass-through charging
- Floodlight (White, Red & Red S.O.S.)
- Integrated voltmeter
- Large digital color display screen
- Air travel ready / carry-on approved (meets TSA & FAA regulations)
- Rugged construction with protective port covers

OPERATION

- Jump Start/Air/USB: Front-positioned buttons
- Floodlight: Side-positioned button

ACCESSORIES

- NEBO jumper cables
- 24" air hose extension
- Interchangeable air nozzle kit
- 12V car charger (Output: QC18W USB-A)
- 24" USB-A to USB-C charging cable
- Microfiber storage pouch

BATTERY

- Chemistry: Lithium-Ion
- Capacity: 55.5Wh, 5,000mAh, 11.1V
- Single cell equivalent: 15,000mAh, 3.7V
- Recharge time: less than 3.5 hours

SPECS

- 2.8 lbs.
- (L) 9.8" x (W) 5.1" x (D) 2.2"

U.S. PATENTS

- 9,819,204, 10,075,000, 10,148,103, 10,840,716 & 11,824,383



4-IN-1 ADVANTAGE

JUMP + INFLATE + CHARGE + ILLUMINATE

The ASSIST AIR 2000XP offers **4-in-1 utility** in a rugged, compact design. Not only will it **jump start your vehicle**, it can **charge multiple USB devices**, and its **integrated floodlight** and **150PSI air compressor** keep you better prepared for emergency roadside situations.

UPC CODE	ITEM	MSRP
645397943860	NEB-JMP-0006	229.99



Box Dimensions
(H) 10.28" x (W) 5.93" x (D) 3.96"

NEBO® ASSIST® 2500XP JUMP STARTER

DESIGN

- USB-C rechargeable
- 2,500 Peak Amps
- Designed for 12V car, truck, RV & Diesel batteries
(Rated for gasoline engines up to 9 liters; Diesel up to 7 liters)
- Integrated jumper cables
- 3-step guided jump start with patented spark-proof technology
- Patented Battery Safety Protection
- 3-way device charging (1 USB-C, 2 USB-A)
- Pass-through charging
- 400-lumen floodlight (White, Red & Red S.O.S.)
- Large digital color display screen
- Integrated voltmeter
- Air travel ready / carry-on approved
(meets TSA & FAA regulations)
- Rugged construction with protective port covers
- Dust proof and water-resistant (IP65)

OPERATION

- Separate buttons for Jump Start, Floodlight & USB

ACCESSORIES

- 24" USB-C to USB-C charging cable
- 12V car charging adapter (Output: 65W, USB-C)
- Microfiber storage pouch

BATTERY

- Chemistry: Lithium Polymer
- Capacity: 74Wh, 5,000mAh, 14.8V
- Single cell equivalent: 20,000mAh, 3.7V
- Recharge time: less than 3.5 hours

SPECS

- 3.42 lbs.
- (L) 8.5" x (W) 6.4" x (D) 2"

U.S. PATENTS

- 9,819,204, 10,075,000, 10,148,103 & 10,840,716



3-IN-1 ADVANTAGE JUMP + CHARGE + ILLUMINATE

The ASSIST 2500XP offers **3-in-1 utility** in a rugged, compact design. Not only will it **jump start your vehicle** with its **integrated jumper cables**, it can also **charge multiple USB devices**, and its **400-lumen floodlight** keeps you better prepared for emergency roadside situations.

UPC CODE	ITEM	MSRP
044435919582	NEB-JMP-0008	229.99



Box Dimensions

(H) 9.24" x (W) 6.96" x (D) 4.57"

NEBO® ASSIST® AIR 2500XP JUMP STARTER & AIR COMPRESSOR

DESIGN

- USB-C rechargeable
- 2,500 Peak Amps
- Designed for 12V car, truck, RV & Diesel batteries
(Rated for gasoline engines up to 9 liters; Diesel up to 7 liters)
- 3-step guided jump start with patented spark-proof technology
- Patented Battery Safety Protection
- 150PSI air compressor
- 100W AC inverter (200W surge)
- Multi-device charging (1 AC, 1 USB-C, 2 USB-A)
- Pass-through charging
- 400-lumen floodlight (White, Red & Red S.O.S.)
- Large digital color display screen
- Integrated voltmeter
- Air travel ready / carry-on approved (meets TSA & FAA regulations)
- Rugged construction with protective port covers

OPERATION

- Separate buttons for Jump Start, Air, Floodlight, AC & USB

ACCESSORIES

- NEBO jumper cables
- 24" USB-C to USB-C charging cable
- 12V car charging adapter (Output: 65W, USB-C)
- 24" air hose extension
- Interchangeable air nozzle kit
- Microfiber storage pouch

BATTERY

- Chemistry: Lithium Polymer
- Capacity: 74Wh, 5,000mAh, 14.8V
- Single cell equivalent: 20,000mAh, 3.7V
- Recharge time: less than 3.5 hours

SPECS

- 3.7 lbs.
- (L) 11.5" x (W) 5.8" x (D) 2.6"

U.S. PATENTS

- 9,819,204, 10,075,000, 10,148,103, 10,840,716 & 11,824,383



4-IN-1 ADVANTAGE JUMP + INFLATE + CHARGE + ILLUMINATE

The ASSIST AIR 2500XP offers **4-in-1 utility** in a rugged, compact design. Not only will it **jump start your vehicle**, it can **charge multiple USB devices**, and its **150PSI air compressor** and **400-lumen floodlight** keep you better prepared for emergency roadside situations.

UPC CODE	ITEM	MSRP
044435919575	NEB-JMP-0007	289.99



Box Dimensions
(H) 12.26" x (W) 6.78" x (D) 5.19"



NEBO[®]
POWER STATIONS

NEBO[®] RAMBLER™ 100 POWER STATION

DESIGN

- Rechargeable (AC, DC, & solar capable)
- 5-way multi-device charging
(2 USB-A, 1 bi-directional USB-C, Wireless, & AC)
- Solar + home + car input charging
- Pass-through charging
- Swift Charge™ Technology
- Smart Battery Protection
- Smart Charge Technology
- Broad device compatibility
- Floodlight (White, Red, & Red S.O.S.)
- Color LCD display
- Air travel ready / carry-on approved
(meets TSA & FAA regulations)
- Solar ready (solar panel not included)
- Rugged construction with protective port covers

OPERATION

- USB-A/USB-C: Front-positioned buttons
- Floodlight/AC: Side-positioned buttons

ACCESSORIES

- 24" USB-C to USB-C charging cable
- 20W PD charging adapter
- 12V DC power cord

BATTERY

- Chemistry: Lithium-Ion
- Capacity: 94.9Wh, 5,200mAh, 18.25V
- Single cell equivalent: 26,000mAh, 3.65V
- Recharge time: less than 2.5 hours @ 45W

SPECS

- 2.43 lbs.
- (L) 8.8" x (W) 5.1" x (D) 1.62"



ON-THE-GO MULTI-DEVICE CHARGING

The RAMBLER 100 is a hand-held, portable power station that offers **5-way multi-device charging**. This rugged, travel-ready design meets **TSA & FAA** regulations, making the RAMBLER 100 ready to go wherever you may roam.

UPC CODE	ITEM	MSRP
645397940333	NEB-PST-0004	229.99



Box Dimensions
(H) 9.45" x (W) 5.5" x (D) 3.32"

⚠ **WARNING CALIFORNIA REQUIRED** | Cancer and Reproductive Harm | www.P65Warnings.ca.gov



NEBO[®] RAMBLER™ 200 POWER STATION

DESIGN

- Rechargeable (AC, DC, & solar capable)
- 6-way multi-device charging
(2 USB-A, 1 bi-directional USB-C, Wireless, AC & DC)
- Solar + home + car input charging
- Pass-through charging
- Swift Charge™ Technology
- Smart Battery Protection
- Smart Charge Technology
- Broad device compatibility
- Floodlight (White, Red, & Red S.O.S.)
- Color LCD display
- Solar ready (solar panel not included)
- Rugged construction with protective port covers

OPERATION

- DC/USB-A/USB-C: Front-positioned buttons
- Floodlight/AC: Side-positioned buttons

ACCESSORIES

- 60W AC charging adapter
- 12V DC power cord

BATTERY

- Chemistry: Lithium-Ion
- Capacity: 230.4Wh, 12,800mAh, 18.0V
- Single cell equivalent: 64,000mAh, 3.6V
- Recharge time: less than 2.5 hours @ 45W

SPECS

- 4.2 lbs.
- (L) 9.65" x (W) 5.35" x (D) 2.3"



ON-THE-GO MULTI-DEVICE CHARGING

The RAMBLER 200 is a hand-held, portable power station that offers **6-way multi-device charging**. Not only is it one of the lightest and most compact power stations, the RAMBLER 200 is also one of the only power stations to offer **wireless charging**.

UPC CODE	ITEM	MSRP
645397940241	NEB-PST-0003	349.99



Box Dimensions
(H) 10.285" x (W) 5.72" x (D) 4"

NEBO[®] INTREPID™ 600 POWER STATION

DESIGN

- Rechargeable (AC, DC, & solar capable)
- 10-way multi-device charging
(3 USB-A, 1 bi-directional USB-C, Wireless, 2 AC & 3 DC)
- Solar + home + car input charging
- Pass-through charging
- Swift Charge™ Technology
- NEBO Overdrive™ (Limit: 1050W)
- Pure Sine Wave Technology
- Smart Battery Protection
- Smart Charge Technology
- Broad device compatibility
- Floodlight (Low, Medium, High, Strobe)
- Color LCD display
- Solar ready (solar panel not included)
- Rugged construction with protective port covers

OPERATION

- AC/DC/USB-A/USB-C: Front-positioned buttons
- Floodlight: Rear-positioned button

ACCESSORIES

- 90W AC charging adapter
- 12V DC power cord

BATTERY

- Chemistry: Lithium-Iron Phosphate
- Capacity: 537.6Wh, 24,000mAh, 22.4V
- Single cell equivalent: 168,000mAh, 3.2V
- Recharge time: less than 3.83 hours

SPECS

- 17 lbs.
- (H) 8.14" x (W) 12.4" x (D) 8.46"



RUGGED PORTABILITY POWERFUL RELIABILITY

The INTREPID 600 provides **600-watts** of portable power and **10-way device charging**. **Rugged design, sturdy anchor points, protective port covers, and solar capability** allow the versatility and portability to keep up with your outdoor adventures.

UPC CODE	ITEM	MSRP
645397940180	NEB-PST-0005	699.99



Box Dimensions
(H) 11.75" x (W) 14.35" x (D) 10.4"



NEBO[®] INTREPID[®] 1000 POWER STATION

DESIGN

- Rechargeable (AC, DC, & solar capable)
- 15-way multi-device charging
(2 USB-A, 4 USB-C, 6 AC & 3 DC)
- Solar + home + car input charging
- Pass-through charging
- Swift Charge[™] Technology
- NEBO Overdrive[™] (Limit: 2,000W)
- Pure Sine Wave Inverter (1,200W)
- Smart Battery Protection
- Smart Charge Technology
- Broad device compatibility
- Floodlight (Flood, S.O.S., Strobe)
- Dynamic display
- Solar ready (solar panel not included)
- Rugged construction with protective port covers

OPERATION

- Power/DC/USB-A/USB-C/Floodlight:
Front-positioned buttons
- AC: Side-positioned button

ACCESSORIES

- 120V AC power cord
- 12V DC to High Power Port (HPP) cable
- 5525 to High Power Port (HPP) cable

BATTERY

- Chemistry: Lithium-Iron Phosphate (LiFePO4)
- Capacity: 960Wh, 20,000mAh, 48V
- Single cell equivalent: 260,000mAh, 3.7V
- Recharge time: less than 2 hours

SPECS

- 27.6 lbs.
- (H) 15.2" x (W) 12.5" x (D) 8.9"



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | www.P65Warnings.ca.gov



RUGGED PORTABILITY POWERFUL RELIABILITY

The INTREPID 1000 provides **960 watt-hours** of portable power, an integrated **1200-watt inverter**, and **15-way device charging**. **Rugged design, sturdy anchor points, protective port covers, and solar capability** allow the versatility and portability to keep up with your outdoor adventures.

UPC CODE	ITEM	MSRP
044435920885	NEB-PST-0008	1,199.99



Box Dimensions
(H) 17.9" x (W) 18.9" x (D) 12.6"

NEBO[®] PINNACLE™ 1600 POWER STATION

DESIGN

- Rechargeable (AC, DC, & solar capable)
- 12-way multi-device charging
(2 USB-A, 2 bi-directional USB-C, Wireless, 4 AC & 3 DC)
- Solar + home + car input charging
- Pass-through charging
- Swift Charge™ Technology
- NEBO Overdrive™ (Limit: 2000W)
- Pure Sine Wave Technology
- Uninterrupted Power Supply (UPS)
- Smart Battery Protection
- Smart Charge Technology
- Broad device compatibility
- Floodlight (Low, High, Strobe, & S.O.S.)
- Color LCD display
- Solar ready (solar panel not included)
- Rugged construction with protective port covers

OPERATION

- AC/DC/USB-A/USB-C: Front-positioned buttons
- Floodlight: Front-positioned button

ACCESSORIES

- 120V AC power cable
- 12V DC to Anderson power cable
- DC5525 to Anderson power cable

BATTERIES

- Chemistry: Lithium-Iron Phosphate
- Capacity: 1228.8Wh, 24,000mAh, 51.2V
- Recharge time: less than 2 hours (120V AC)

SPECS

- 44.42 lbs.
- (H) 11.3" x (W) 16.9" x (D) 11.8"



PEAK PERFORMANCE RUGGED RELIABILITY

The PINNACLE 1600 provides **1600-watts** of off-grid power and **12-way device charging**. **Rugged design, sturdy anchor points, protective port covers, and solar capability** allow the versatility and portability to empower your outdoor experience.

UPC CODE	ITEM	MSRP
645397942191	NEB-PST-0007	1,749.99



⚠️ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | www.P65Warnings.ca.gov



Box Dimensions
(H) 14.45" x (W) 21.2" x (D) 14.8"

NEBO[®] PINNACLE™ 2400 POWER STATION

DESIGN

- Rechargeable (AC, DC, & solar capable)
- 12-way multi-device charging
(2 USB-A, 2 bi-directional USB-C, Wireless, 4 AC & 3 DC)
- Solar + home + car input charging
- Pass-through charging
- Swift Charge™ Technology
- NEBO Overdrive™ (Limit: 3000W)
- Pure Sine Wave Technology
- Uninterrupted Power Supply (UPS)
- Smart Battery Protection
- Smart Charge Technology
- Broad device compatibility
- Floodlight (Low, High, Strobe, & S.O.S.)
- Color LCD display
- Solar ready (solar panel not included)
- Rugged construction with protective port covers

OPERATION

- AC/DC/USB-A/USB-C: Front-positioned buttons
- Floodlight: Front-positioned button

ACCESSORIES

- 120V AC power cord
- 12V DC to Anderson cable
- DC5525 to Anderson cable

BATTERIES

- Chemistry: Lithium-Iron Phosphate
- Capacity: 1843.2Wh, 36,000mAh, 51.2V
- Recharge time: less than 2 hours (120V AC)

SPECS

- 54.2 lbs.
- (H) 11.3" x (W) 16.9" x (D) 11.8"



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | www.P65Warnings.ca.gov



PEAK PERFORMANCE RUGGED RELIABILITY

The PINNACLE 2400 provides **2400-watts** of off-grid power and **12-way device charging**. **Rugged design, sturdy anchor points, protective port covers, and solar capability** allow the versatility and portability to empower your outdoor experience.

UPC CODE	ITEM	MSRP
645397942184	NEB-PST-0006	2,399.99



Box Dimensions

(H) 14.45" x (W) 21.2" x (D) 14.8"



NEBO[®]
SOLAR PANELS

NEBO[®]

RELIANCE[®]

50W SOLAR PANEL

DESIGN

- Versatile solar charging
- 3-way multi-device charging (USB-A, USB-C, & DC5525)
- Monocrystalline solar cell technology
- High-efficiency 22% energy conversion
- Compact and lightweight folding design
- Integrated storage pouch
- Dual kickstand base
- Rugged construction
- Water-resistant and dust-proof (IP65)

COMPATIBILITY

- Compatible with the entire line of RAMBLER, INTREPID & PINNACLE Power Stations

ACCESSORIES

- 10' DC5525 cable

SPECS

- 5.3 lbs.
- Folded size: (H) 16.7" x (W) 19" x (D) 0.4"
- Unfolded size: (H) 16.7" x (W) 37.8" x (D) 0.2"



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | www.P65Warnings.ca.gov



HARNESS CLEAN POWER FROM THE SUN

The RELIANCE 50W Solar Panel features advanced **Monocrystalline cell technology** to harness clean power from the sun with a high-efficiency **22% energy conversion**. This easily-portable power source is compatible with RAMBLER, INTREPID & PINNACLE power stations.

UPC CODE	ITEM	MSRP
645397942078	NEB-SLP-0001	229.99



Box Dimensions
(H) 18.3" x (W) 20.87" x (D) 3.07"

NEBO®

RELIANCE®

100W SOLAR PANEL

DESIGN

- Versatile solar charging
- 3-way multi-device charging (USB-A, USB-C, & DC5525)
- Monocrystalline solar cell technology
- High-efficiency 22% energy conversion
- Compact and lightweight folding design
- Integrated storage pouch
- Dual kickstand base
- Rugged construction
- Water-resistant and dust-proof (IP65)

COMPATIBILITY


- Compatible with the entire line of RAMBLER, INTREPID & PINNACLE Power Stations

ACCESSORIES

- 10' DC5525 cable

SPECS

- 9.7 lbs.
- Folded size: (H) 23.5" x (W) 23" x (D) 1.3"
- Unfolded size: (H) 23.5" x (W) 46" x (D) 0.75"



HARNESS CLEAN POWER FROM THE SUN

The RELIANCE 100W Solar Panel features advanced **Monocrystalline cell technology** to harness clean power from the sun with a high-efficiency **22% energy conversion**. This easily-portable power source is compatible with RAMBLER, INTREPID & PINNACLE power stations.

UPC CODE	ITEM	MSRP
645397940760	NEB-ACC-0001	349.99

Box Dimensions

(H) 25.11" x (W) 26.1" x (D) 3.46"





NEBO®
POWER BANKS

NEBO[®] 5K POWER BANK

DESIGN

- Input: USB-C (5V/2.0A), Micro USB (5V/2.0A)
- USB-C Output: 5V/2.1A
- USB-A Outputs (2): 5V/2.1A
- Durable, lightweight ABS construction
- LED power indicator
- Pass-through charging
- Air travel ready / carry-on approved (meets TSA & FAA regulations)

OPERATION

- Side-positioned, ON/OFF button

ACCESSORIES

- USB-C to USB-C charging cable
- USB-A to USB-C adapter

BATTERY

- Capacity: 18.5Wh, 5,000mAh, 3.7V
- Recharge time: 2-3 hours

SPECS

- 0.23 lbs.
- (L) 3.86" x (W) 2.48" x (D) 0.51"



BI-DIRECTIONAL
USB-C



DUAL USB-A
OUTPUT



MICRO USB
INPUT



CHARGE
INDICATOR



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | www.P65Warnings.ca.gov



Actual Size



RECHARGEABLE

POCKET-SIZED PORTABLE POWER

Easily charge your devices on-the-go with the compact and lightweight 5K Power Bank. This pocketable battery backup is **USB-C and Micro-USB rechargeable**, featuring **dual USB-A outputs** to charge two devices at once, and an **LED power indicator** to let you know exactly how much power you have remaining.

UPC	ITEM	MSRP
044435921707	NEB-PBK-0012	28.99



Naturalock Dimensions
(H) 7.8" x (W) 4.9" x (D) 1"

NEBO[®]

10K POWER BANK

DESIGN

- USB-C Input: 5V/3.0A, 9V/2.0A
- USB-C Output: 5V/3.0A, 9V/2.22A, 12V/1.67A
- USB-A Output: 5V/3.0A, 9V/2.0A, 12V/1.5A
- Durable, lightweight ABS construction
- Digital charge indicator
- Pass-through charging
- Air travel ready / carry-on approved (meets TSA & FAA regulations)

OPERATION

- End-positioned, ON/OFF button

ACCESSORIES

- USB-C to USB-C charging cable
- USB-A to USB-C adapter

BATTERY

- Capacity: 37Wh, 10,000mAh, 3.7V
- Recharge time: 4-5 hours

SPECS

- 0.55 lbs.
- (L) 5.61" x (W) 2.83" x (D) 0.67"



⚠ **WARNING CALIFORNIA REQUIRED** | Cancer and Reproductive Harm | www.P65Warnings.ca.gov



PORTABLE POWER WITH RAPID CHARGE

Quickly charge your devices on-the-go with the compact and lightweight 10K Power Bank. This pocketable battery backup is equipped with **USB-C rapid charge** and **USB-C/USB-A outputs** to charge two devices at once. The **digital power indicator** lets you know exactly how much power you have remaining.

UPC	ITEM	MSRP
044435921714	NEB-PBK-0013	39.99

Natural Dimensions
(H) 9.05" x (W) 4.92" x (D) 1.1"



NEBO® 10K POWER BANK WIRELESS

DESIGN

- USB-C Input: 5V/3.0A, 9V/2.0A
- USB-C Output: 5V/3.0A, 9V/2.22A, 12V/1.67A
- USB-A Output: 5V/3.0A, 9V/2.0A, 12V/1.5A
- Wireless Output: 15W
- Flip-out phone holder
- Integrated kickstand
- Durable, lightweight ABS construction
- LED power indicators
- Pass-through charging
- Air travel ready / carry-on approved (meets TSA & FAA regulations)

OPERATION

- Side-positioned, ON/OFF button

ACCESSORIES

- USB-C to USB-C charging cable
- USB-A to USB-C adapter

BATTERY

- Capacity: 37Wh, 10,000mAh, 3.7V
- Recharge time: 4-5 hours

SPECS

- 0.53 lbs.
- (L) 5.83" x (W) 2.7" x (D) 0.75"



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | www.P65Warnings.ca.gov



WIRELESS PORTABLE POWER WITH RAPID CHARGE

Wirelessly charge your devices on-the-go with the compact and lightweight 10K Wireless Power Bank. This pocketable battery backup is equipped with **wireless charging**, **USB-C rapid charge**, and a **USB-A output** to charge multiple devices at once. The **LED power indicators** let you know how much power you have remaining.

UPC	ITEM	MSRP
044435921738	NEB-PBK-0015	59.99

Natural Dimensions
(H) 9.45" x (W) 4.92" x (D) 1"



NEBO[®] 10K POWER BANK IC

DESIGN

- USB-C Input: 15W (5V/3.0A)
- Micro USB Input: 10W (5V/2.0A)
- Micro USB/Lightning Output: 12W (5V/2.4A)
- USB-C Output: 12W (5V/2.4A)
- USB-A Output: 12W (5V/2.4A)
- Integrated Micro USB cable
- Integrated USB-C cable
- Adapter storage
- Durable, lightweight ABS construction
- LED power indicators
- Pass-through charging
- Air travel ready / carry-on approved (meets TSA & FAA regulations)

OPERATION

- End-positioned, ON/OFF button

ACCESSORIES

- USB-C to USB-C charging cable
- Micro USB to iPhone[®] lightning adapter

BATTERY

- Capacity: 37Wh, 10,000mAh, 3.7V
- Recharge time: 4-5 hours

SPECS

- 0.51 lbs.
- (L) 5.85" x (W) 2.74" x (D) 0.62"



PORTABLE POWER WITH INTEGRATED CABLES

Never leave your charging cables at home again with the compact, lightweight 10K Power Bank IC. This pocketable battery backup is equipped with **integrated charging cables**, plus **USB-C**, **USB-A**, and **Micro USB outputs** to charge multiple devices at once. The **LED power indicators** let you know how much power you have remaining.

UPC	ITEM	MSRP
044435922452	NEB-PBK-0016	64.99



Natural Dimensions
(H) 9.45" x (W) 4.92" x (D) 1"

NEBO[®]

20K POWER BANK

DESIGN

- USB-C Input: 5V/3.0A, 9V/2.0A
- USB-C Output: 5V/3.0A, 9V/2.22A, 12V/1.67A
- USB-A Output: 5V/3.0A, 9V/2.0A, 12V/1.5A
- Durable, lightweight ABS construction
- Digital charge indicator
- Pass-through charging
- Air travel ready / carry-on approved (meets TSA & FAA regulations)

OPERATION

- End-positioned, ON/OFF button

ACCESSORIES

- USB-C to USB-C charging cable
- USB-A to USB-C adapter

BATTERY

- Capacity: 74Wh, 20,000mAh, 3.7V
- Recharge time: 6-7 hours

SPECS

- 0.95 lbs.
- (L) 5.72" x (W) 2.84" x (D) 1.16"



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | www.P65Warnings.ca.gov



PORTABLE POWER WITH RAPID CHARGE

Quickly charge your devices on-the-go with the compact and lightweight 20K Power Bank. This pocketable battery backup is equipped with **USB-C rapid charge** and **USB-C/USB-A outputs** to charge two devices at once. The **digital power indicator** lets you know exactly how much power you have remaining.

UPC	ITEM	MSRP
044435921721	NEB-PBK-0014	59.99

Naturalock Dimensions
(H) 9.37" x (W) 4.92" x (D) 1.25"



RECHARGEABLE



NEBO[®] RAMBLER[™] 20K POWER BANK + LIGHT

DESIGN

- USB-C rechargeable
- 2-way multi-device charging: (USB-A & USB-C)
- Pass-through charging
- Smart Battery Protection
- Smart Charge Technology
- Dual integrated kickstands / cable management
- C-0-B LED Floodlight
- Digital display
- Air-travel ready (meets TSA & FAA regulations)
- Rugged construction with protective port cover

OPERATION

- Power: Side-positioned button
- Light: Side-positioned button

ACCESSORIES

- 24" USB-C to USB-C charging cable

BATTERY

- Chemistry: Lithium-Ion
- Capacity: 20,000mAh, 3.7V, 74Wh
- Recharge time: less than 5.5 hours

SPECS

- 0.98 lb.
- (L) 5.7" x (W) 2.95" x (D) 1.14"



TRAVEL-READY 20,000mAh POWER BANK

The RAMBLER 20K is a hand-held, portable power bank that offers **USB-A** and **USB-C multi-device charging**, **digital display**, **LED floodlight**, and **adjustable kickstands** that also provide convenient cable management.

UPC CODE	ITEM	MSRP
645397943457	NEB-PBK-0011	69.99



Natural Dimensions
(H) 9.13" x (W) 5.22" x (D) 1.7"
PDQ Dimensions
(H) 5.9" x (W) 5.9" x (D) 10.4725"



RECHARGEABLE



NEBO[®]
ELECTRIC COOLERS

NEBO[®]

POLARPAK[™]

ELECTRIC COOLER AND WARMER BAG

DESIGN

- AC/DC powered
- Hybrid Thermo-Cool[™] Technology cools to 27°F below ambient temperature and warms up to 140°F
- Iceless cooling design
- Whisper-quiet fan
- 16-qt. (15L) capacity
- Zippered flip-top main compartment
- Soft-sided and insulated
- Food-safe, BPA-free interior
- Compact and portable
- Carry handles with hook and loop closure
- Dual zippered mesh stretch storage pockets
- MOLLE webbing organization
- 600D Polyester outer construction

OPERATION

- Cool/Heat: Rear-positioned toggle switch

ACCESSORIES

- Removable shoulder strap (adjustable length: 29" - 53")
- AC power cord
- 12V DC power cord

SPECS

- 3.9 lbs.
- (H) 10.5" x (W) 12" x (D) 11.3"



16-QT. (15L) SOFT-SIDED ELECTRIC COOLER & WARMER BAG

The PolarPak[™] Electric Cooler & Warmer uses hybrid **Therma-Cool[™] Technology** to provide convenient, on-the-go, temperature control for your food and beverages. The **iceless design** allows the **16-qt. capacity** to hold up to twenty-four 12-oz. cans.

UPC CODE	ITEM	MSRP
645397942757	NEB-CLR-0001	149.99



NEBO® POWER OVERVIEW

PRODUCT	TYPE	POWER CLAIM	CAPACITY	CHARGING	CLAIM
ASSIST 1000XP	Jump Starter	1,000 Amps	24.4 Watt hours	2 devices	Up to 6L (gas)
ASSIST 1500XP	Jump Starter	1,500 Amps	44.4 Watt hours	2 devices	Up to 7L (gas)
ASSIST AIR 1500XP	Jump Starter	1,500 Amps	44.4 Watt hours	2 devices	Up to 7L (gas)
ASSIST 2000XP	Jump Starter	2,000 Amps	55.5 Watt hours	3 devices	Up to 8L (gas) / 6L (Diesel)
ASSIST AIR 2000XP	Jump Starter	2,000 Amps	55.5 Watt hours	3 devices	Up to 8L (gas) / 6L (Diesel)
ASSIST 2500XP	Jump Starter	2,500 Amps	74 Watt hours	3 devices	Up to 9L (gas) / 7L (Diesel)
ASSIST AIR 2500XP	Jump Starter	2,500 Amps	74 Watt hours	3 devices	Up to 9L (gas) / 7L (Diesel)
RAMBLER 100	Power Station	100 Watts	94.9 Watt hours	5 devices	100W/200W surge
RAMBLER 200	Power Station	200 Watts	230.4 Watt hours	6 devices	200W/400W surge
INTREPID 600	Power Station	600 Watts	537.6 Watt hours	10 devices	600W/1,000W surge
INTREPID 1000	Power Station	1,000 Watts	960 Watt hours	15 devices	1,000W/2,000W surge
PINNACLE 1600	Power Station	1,600 Watts	1228.8 Watt hours	12 devices	1,600W/3,200W surge
PINNACLE 2400	Power Station	2,400 Watts	1843.2 Watt hours	12 devices	2,400W/4,800W surge
RELIANCE 50W	Solar Panel	50 Watts	N/A	3 devices	22% energy conversion
RELIANCE 100W	Solar Panel	100 Watts	N/A	3 devices	22% energy conversion

ORDER ALL YOUR NEBO ONLINE!

Register Today at ACG Dealer

Introducing ACG Dealer, your home for online wholesale ordering of all NEBO, TRUE, THAW, and iPROTEC products. ACG Dealer is a convenient resource for you to manage your account, order products, and have easy access to all account information. Ordering your favorite NEBO Power products has never been easier!

Shop today at www.ACGDEALER.com.



NEBO® 700 Henrietta Creek Road
Roanoke, TX 76262

For more information or to place an order, contact your NEBO sales representative.
CALL TOLL FREE: 800.255.6061 or VISIT OUR WEBSITE: WWW.ACGDEALER.COM