

PRODUCT SPECIFICATION AND CERTIFICATE OF ANALYSIS

Document #	FPS.087	Rev. 0	Effective Date 01/04/2024
Product Code #	APSTRG01		

Product Name:	CBD SYNERGIES – AX GUMMIES
Lot Number:	24QGT157A
Manufacturing Date:	06/2024
Bottle Size:	60 Gummies
Storage Recommendation:	Room Temperature, Away from light
Shelf Life / EXP Date:	Freshness is commonly maintained 1 year from manufacturing date.

Final Product Tests

Test Performed	Method	Specification	Result	Pass/Fail
Aerobic Plate Count	USP2021	≤ 10 ⁵ cfu/mL	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Coliforms	AOAC 991.14	≤ 100cfu/mL	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
<i>E. Coli</i>	USP2022	Absent	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
<i>Staph aureus</i>	USP2022	Absent	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Yeast/Mold	AOAC2014.05	≤ 1000cfu/mL	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Salmonella	USP2022	Absent	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
<i>Pseudo. aeruginosa</i>	USP62	Absent	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Arsenic	ICPMS	≤ 2ppm	0.004 ppm	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Cadmium	ICPMS	≤ 2ppm	0.002 ppm	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Lead	ICPMS	≤ 1ppm	0.010 ppm	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Mercury	ICPMS	≤ 1ppm	0.001 ppm	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
THC	HPLC or LC/MS/MS	≤ 0.01%	ND	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Cannabidiol (cbd)	HPLC or LC/MS/MS	≥ 10mg/2 gummies (5g)	12mg/2 gummies	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail

*100% label claim at the time of manufacture

NOTES: N/A DEB 07/08/2024

Released: _____
Quality Control: Dania El-Batal Electronically signed by: Dania El-Batal
Reason: Reviewed and Approved
Date: Jul 8, 2024 10:01 MDT Date: _____

APRICŌ

1960 Cherry St., Louisville, CO 80027
P: 303-531-0861 E: support@apricolife.com

PRODUCT SPECIFICATION AND CERTIFICATE OF ANALYSIS

Document #	FPS.087	Rev. 0	Effective Date 01/04/2024
Product Code #	APSTRG01		

REVISION HISTORY

Rev.	Effective Date	DCR No.	Description of Changes
0	01/04/2024	DCR20231218A	New Document.