

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Revision Date 30-Jan-2025 Version 1

1. Identification

Product identifier

Product Name 66MA POWER BEAD CLEAR RTV SILICONE 7.25 OZ AE

Other means of identification

Product Code 85913

UN number or ID number 3501

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Sealant

Restrictions on use No information available

Details of the supplier of the safety data sheet

Manufacturer Address May Also Be Distributed by:

ITW Permatex, Inc. ITW Permatex Canada 6875 Parkland Blvd. 101-2360 Bristol Circle

Solon, Ohio 44139 USA
Telephone: 1-87-Permatex
(866) 732-9502

Oakville, ON Canada L6H 6M5
Telephone: (800) 924-6994

E-mail address mail@permatex.com

Emergency telephone number

24 Hour Emergency Phone Number Chem-Tel: 800-255-3924

International Emergency: 00+1+ 813-248-0585

Contract Number: MIS0003453

24-hour emergency phone number No information available

2. Hazard(s) identification

Classification

Chemicals under pressure	Category 2
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A

Label elements



Warning

Hazard statements

Flammable chemical under pressure: May explode if heated.

Causes skin irritation.

Causes serious eye irritation.

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves, protective clothing, eye protection and face protection.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention.

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

Skin

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and attention.

Take off contaminated clothing and wash before reuse.

Fire

In case of leakage, eliminate all ignition sources.

Stop leak if safe to do so.

In case of fire: Use dry chemical, CO2, water spray or regular foam to extinguish.

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place.

18.5 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

21 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

40 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

40 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

28 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Other Information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
AMORPHOUS SILICA	7631-86-9	7-13%	-	-
DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE	64742-46-7	5-10%	-	-

ACETIC ACID	64-19-7	1-5%	-	-

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation.

Effects of ExposureNo information available.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

No information available.

Explosion data

Sensitivity to mechanical impact None. **Sensitivity to static discharge** None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls/personal protection

Control parameters
Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
AMORPHOUS SILICA	-	(vacated) TWA: 6 mg/m ³	IDLH: 3000 mg/m ³
7631-86-9		<1% Crystalline silica	TWA: 6 mg/m ³
		TWA: 20 mppcf	
		: (80)/(% SiO2) mg/m³ TWA	
ACETIC ACID	TWA: 10 ppm	TWA: 10 ppm	IDLH: 50 ppm
64-19-7	STEL: 15 ppm	TWA: 25 mg/m ³	TWA: 10 ppm
		(vacated) TWA: 10 ppm	TWA: 25 mg/m ³
		(vacated) TWA: 25 mg/m ³	STEL: 15 ppm
			STFI · 37 mg/m ³

Chemical name	Alberta	British Columbia	Ontario	Quebec
ACETIC ACID	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm
64-19-7	TWA: 25 mg/m ³	STEL: 15 ppm	STEL: 15 ppm	TWA: 25 mg/m ³
	STEL: 15 ppm			STEL: 15 ppm
	STEL: 37 mg/m ³			STEL: 37 mg/m ³

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
ACETIC ACID	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm
	STEL: 15 ppm	STEL: 15 ppm	STEL: 15 ppm	STEL: 15 ppm

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
AMORPHOUS SILICA				TWA: 300 particle/mL
				TWA: 20 mppcf
				TWA: 2 mg/m ³
ACETIC ACID	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm

7.25 OZ AE

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
	STEL: 15 ppm	STEL: 15 ppm	STEL: 15 ppm	TWA: 25 mg/m³ STEL: 25 ppm STEL: 43 mg/m³

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection Appropriate respiratory protection should be selected and used according to the chemical

nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

required.

General hygiene considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Avoid contact with skin, eyes or clothing.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Paste / Gel Liquid Appearance No information available

Color Clear

Odor No information available Odor threshold No information available

PropertyValuesRemarks • MethodpHNo data available10% in deionized water

Melting point / freezing pointNo data availableEstimatedBoiling point / boiling rangeNo data availablePolymerization

Flash point > 93 °C / 199.4 °F

Evaporation rate Not applicable Butyl acetate = 1

Flammability (solid, gas)

No data available

Flammable in the presence of the following materials

or conditions: open flames, sparks and static

Revision Date 30-Jan-2025

discharge.

Flammability Limit in Air None known

Upper flammability limit: No data available Lower flammability limit: No data available

Vapor pressure <5 mm Hg Vapor density >1

Vapor density >1 Air = 1 Relative density 1.01

Metan calculation

Water solubilityNo data availableNot applicablePolymerizationSolubility(ies)No Data AvailableNone knownPartition coefficientNo Data AvailableNone knownAutoignition temperatureNo data availableEstimated

Decomposition temperature No data available Remarks: Self-Accelerating decomposition

temperature (SADT): 50 °C SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

self-accelerating decomposition reaction.
Kinematic viscosity at 100 degrees C
Remarks: Self-Accelerating decomposition

temperature (SADT): 50 °C SADT-Self Accelerating Decomposition Temperature. Lowest temperature at

which the tested package size will undergo a self-accelerating decomposition reaction.

Kinematic viscosity Dynamic viscosity No Data Available No data available

Other information

Explosive properties

Oxidizing properties

No information available

VOC content

2%

DensityNo information availableBulk densityNo information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoidNone known based on information supplied.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products Carbon oxides. Nitrogen oxides (NOx). Acetic acid. Oxides of sulfur. Formaldehyde.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. May cause redness and tearing of the eyes.

Acute toxicity . . .

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 20,225.40 mg/kg

 ATEmix (dermal)
 10,694.80 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-vapor)
 99,999.00 mg/l

 ATEmix (inhalation-dust/mist)
 33.20 mg/l

18.5 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

21 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

- 40 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 40 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 28 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
AMORPHOUS SILICA 7631-86-9	= 7900 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 5.01 mg/L (Rat) 4 h
DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE 64742-46-7	= 7400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 4.6 mg/L (Rat) 4 h
ACETIC ACID 64-19-7	= 3310 mg/kg (Rat)	= 1060 mg/kg (Rabbit)	= 11.4 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
AMORPHOUS SILICA	-	Group 3	-	-
7631-86-9				

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity

85913 - 66MA POWER BEAD CLEAR RTV SILICONE 7.25 OZ AE

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
AMORPHOUS SILICA 7631-86-9	EC50: =440mg/L (72h, Pseudokirchneriella subcapitata)	LC50: =5000mg/L (96h, Brachydanio rerio)	-	EC50: =7600mg/L (48h, Ceriodaphnia dubia)
DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE 64742-46-7	<u>-</u>	LC50: =35mg/L (96h, Pimephales promelas) LC50: >10000mg/L (96h, Pimephales promelas)	-	-
ACETIC ACID 64-19-7	-	LC50: =79mg/L (96h, Pimephales promelas) LC50: =75mg/L (96h, Lepomis macrochirus)	-	EC50: =65mg/L (48h, Daphnia magna)

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
ACETIC ACID	-0.17
64-19-7	

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number Waste designations and classifications should be determined by the end user based on the

application for which the product was used.

14. Transport information

DOT

UN number or ID number 3501

Chemical under pressure, flammable, n.o.s. Proper shipping name

Transport hazard class(es) 2.1

Description

Emergency Response Guide

Number

UN3501, Chemical under pressure, flammable, n.o.s. (nitrogen, acetic acid), 2.1

115

TDG

UN number or ID number 3501

UN proper shipping name Chemical under pressure, flammable, n.o.s.

Transport hazard class(es)

MEX

3501 **UN** number or ID number

Chemical under pressure, flammable, n.o.s. **UN proper shipping name**

Transport hazard class(es)

2.1

85913 - 66MA POWER BEAD CLEAR RTV SILICONE 7.25 OZ AE

ICAO (air) Forbidden BY PASSENGER AIR

UN number or ID number 3501

UN proper shipping name Chemical under pressure, flammable, n.o.s.

Transport hazard class(es) 2.1

Description UN3501, Chemical under pressure, flammable, n.o.s. (nitrogen, acetic acid), 2.1

IATA Forbidden BY PASSENGER AIR

UN number or ID number 3501

UN proper shipping name Chemical under pressure, flammable, n.o.s.

Transport hazard class(es) 2.1
ERG Code 10L
Special Provisions A1, A187

Description UN3501, Chemical under pressure, flammable, n.o.s. (nitrogen, acetic acid), 2.1

IMDG

UN number or ID number 3501

UN proper shipping name Chemical under pressure, flammable, n.o.s.

Transport hazard class(es) 2.1

EmS-No. F-D, S-U (underlined)

Special Provisions 274, 362

Description UN3501, Chemical under pressure, flammable, n.o.s. (nitrogen, acetic acid), 2.1

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Complies **TSCA** Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS IECSC** Complies Complies KECI Complies **PICCS AICS** Complies **NZIoC** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
ACETIC ACID 64-19-7	5000 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive

Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Environmental reopenee compensatio	Thana Elability 7 tot (OE1 tOE7 t) (10 01 11 002):		
Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)	
ACETIC ACID 64-19-7	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ	

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

	Chemical name		California Proposition 65	
AMORPHOUS SILICA - 7631-86-9		CA - 7631-86-9	*Carcinogen	

^{*}The asterisked chemical(s) listed are not subject to Proposition 65 because they are not airborne in the finished product

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 2 Flammability 2 Instability 0 Special hazards - HMIS Health hazards 2 Flammability 2 Physical hazards 0 Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Leaend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

+ Sensitizers

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision Date 30-Jan-2025

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.