



**NEBO<sup>®</sup>**  
ILLUMINATE POSSIBILITIES<sup>®</sup>



# THE GOOD STUFF

## OTHERWISE KNOWN AS THE TABLE OF CONTENTS

Calling all doers and dabblers, thinkers and tinkerers...  
keep on creating, experimenting and exploring. We'll continue  
to imagine new ways to bring light to what you do.

---

01 WHAT'S NEW

07 FLASHLIGHTS

28 WORK LIGHTS

50 SPOT LIGHTS

52 PENLIGHTS

57 HEADLAMPS

67 POCKET LIGHTS

69 UTILITY LIGHTS

77 LANTERNS

83 FISHING

85 PEST & SOLAR

92 BATTERIES

94 CUSTOM PRINTING  
& ENGRAVING





# THE TECH

## THE GEARS AND GUTS THAT GET IT GOING

In a world of rapidly changing technology, keeping up with the latest trends is hard, but doing so only takes you as far as someone else has already gone. At NEBO, we like to explore uncharted territories. That's the trailblazer mind-set. What makes NEBO better? What makes NEBO different? The answers can be found in our technology, where instead of just asking why, we ask "why not?"



### C-O-B (CHIPS ON BOARD)

Uses smaller, easier-clustered LED chips that mount directly to the circuit board to work together as one lighting module, outperforming traditional lighting by up to 50 times per centimeter of light surface.



### ARCUS™

A new, proprietary C-O-B LED technology that allows the shaping of light into full 3D patterns, giving optimal, bright, uniform light exactly where it's needed.



### OPTIMIZED C-O-B

Provides industry-leading brightness and zoom capability in spot mode, and a perfectly dispersed flood light beam with our integrated OC Technology.



### SMART POWER CONTROL™ (SPC)

Creates a seamless transition through light modes to extend battery life and allow your eyes to adjust more easily.



### SMART TEMPERATURE CONTROL™ (STC)

Utilizes advanced circuitry to actively regulate light output and monitor temperature to preserve battery life and ensure safe, reliable operation.



### FLEX-POWER™ TECHNOLOGY

Provides power and operation with the use of either rechargeable batteries or disposable alkaline batteries.



### L-E-P (LASER EXCITED PHOSPHOR)

Generates a stable, more visible light beam that can project over incredible distances.



### OPTIMIZED POWER CURVE™

Efficiently utilizes battery power to provide a steadier, more consistent light beam over extended periods of use.



### OC™ (OPTIMIZED CLARITY) TECHNOLOGY

Creates a perfectly dispersed beam of intense, pristine light that is as bright on the edge as it is in the center when used in flood mode.



### EASY TOUCH

Simple and intuitive push button operation quickly cycles through multiple light modes.



### MAGNETIC MODE SELECT DIAL

Easy-to-use twist dial allows you to quickly and easily select the light mode of your choice.



### POWER MEMORY RECALL

Quickly accesses your preferred light setting, so you don't have to cycle through the light modes.





**NEBO®**  
WHAT'S NEW



# NEBO<sup>®</sup> PARADIGM™ 7500



## LIGHT MODES

- Turbo (7,500 lumens): 15 seconds\* / 237 meters  
\*After 15 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (3,000 lumens): 6 hours / 147 meters
- Medium (1,500 lumens): 14 hours / 100 meters
- Low (500 lumens): 32 hours / 55 meters
- ECO (50 lumens): 100 hours / 27 meters
- Defensive Strobe

## DESIGN

- USB-C rechargeable
- IllumaClear™ OLED display
- Smart Power Control™ (SPC)
- Direct-to-ECO
- PowerSave™ lockout mode
- Rubberized grip
- Reversible/removable steel clip
- Powerful magnetic base
- Anodized aircraft-grade aluminum
- Water and impact-resistant (IPX6)

## OPERATION

- Top-positioned button

## ACCESSORIES

- USB-C to USB-C charging cable

## BATTERIES

- Powered by internal Li-Ion rechargeable battery (included)  
(7.4V, 4,000mAh) (Recharge time: 6 hours @ 2.0A)

## SPECS

- 0.93 lbs.
- (L) 6.6" x (W) 3.34" x (D) 1.38"

## U.S. PATENT

- 11,076,460 & 11,516,897



## AN ERGONOMIC SHIFT IN HAND-HELD LIGHTING

With its unique form factor, the **PARADIGM 7500** is redefining hand-held lighting. Designed with an angled grip for enhanced comfort and ergonomics, the PARADIGM also features a **7,500-lumen turbo mode**, a **100-hour run time in ECO mode**, and NEBO's first **IllumaClear OLED display** to indicate mode selection and battery life information.

UPC CODE

ITEM

044435925538 NEB-FLT-0058



Gift Box Dimensions  
(H) 8.4" x (W) 4.6" x (D) 1.6"  
Display Dimensions  
(H) 8.7" x (W) 10.45" x (D) 8.3"

\*Try Me sample not included





# NEBO<sup>®</sup> POPPY<sup>®</sup> PUCK

## LIGHT MODES

- High (300 lumens): 50 minutes / 22 meters
- Low (30 lumens): 3.5 hours / 8 meters
- Strobe

## LANTERN MODES

- On (10 lumens): 6 hours / 4 meters
- Flicker (7 lumens): 6 hours / 4 meters

## DESIGN

- Rechargeable (USB-C)
- Collapsible design
- Folding hanging hooks
- Smart Power Control™ (SPC)
- Direct-to-Lantern
- Battery charging indicator
- Powerful magnetic base
- Anodized aircraft-grade aluminum
- Impact-resistant (1 meter)

## OPERATION

- Side-positioned button

## ACCESSORIES

- USB-A to USB-C charging cable

## BATTERIES

- Powered by internal Li-Ion rechargeable battery  
(Recharge time: 1 hour)

## SPECS

- 0.13 lbs.
- (H) 1.3" x (W) 1.9" x (D) 1.9"

## U.S. PATENT

- 11,516,897

## ASSORTED COLORS (NEB-LTN-0016)

- Dark Gray (6)  Rose Gold (6)  Light Gray (6) 



## 300-LUMEN POCKET LANTERN

The **POPPY PUCK** is the pocket-sized version of our classic POPPY lantern with an enhanced **pop-up design** that allows the light to be angled in any direction. Equipped with **2 light sources** and **5 light modes**, the POPPY PUCK provides convenient hands-free lighting with its **folding hanging hooks** and **powerful magnetic base**.

UPC CODE	ITEM	COLOR
044435923114	NEB-LTN-0016	Assorted
044435922858	NEB-LTN-0013	Light Gray
044435923091	NEB-LTN-0014	Dark Gray
044435923107	NEB-LTN-0015	Rose Gold

**Package Dimensions**  
(H) 2.48" x (W) 1.85" x (D) 1.85"  
**Display Dimensions**  
(H) 10" x (W) 11" x (D) 12.35"

\*'Try Me' sample not included





# NEBO® EDGE® 800

### LIGHT MODES

- Turbo (800 lumens): 10 second intervals\* / 88 meters  
\*After 10 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (450 lumens): 2 hours / 64 meters
- Medium (190 lumens): 4 hours / 40 meters
- Low (45 lumens): 7 hours / 20 meters
- Defensive Strobe

### DESIGN

- USB-C rechargeable
- Smart Power Control™ (SPC)
- Smart Temperature Control™ (STC)
- Direct-to-Low
- PowerSave™ lockout
- Ergonomic Tac-Grip™ texture
- Anti-roll design
- Deep-carry steel pocket clip
- Integrated 5" ruler
- Anodized aircraft-grade aluminum
- Water and impact-resistant (IPX6)

### OPERATION

- Rear-positioned button; tail-switch activation

### ACCESSORIES

- USB-A to USB-C charging cable

### BATTERIES

- Powered by lithium-ion rechargeable battery (10850, 3.7V, 750mAh) (Recharge time: 2 hours @ 0.5A)

### SPECS

- 0.17 lb.
- (L) 6.1" x (W) 0.71" x (D) 0.79"

### U.S. PATENT

- 11,076,460 & 11,516,897



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## ELITE EVERYDAY CARRY™

Slim yet powerful, the EDGE 800 delivers up to **800 lumens** in a compact, rugged design. Featuring **tail switch activation**, **5 light modes**, and a **deep carry pocket clip**, it's built for everyday carry and tactical readiness. With its **water-resistant aluminum construction**, the EDGE 800 is your go-to for precision, durability, and performance.

UPC CODE	ITEM	DESCRIPTION
044435922629	NEB-POC-0017	Counter Display
044435925569	NEB-POC-0019	Replenishment

Display Dimensions (NEB-POC-0017)  
(H) 6" x (W) 11.6" x (D) 7.1"  
Box Dimensions (NEB-POC-0019)  
(H) 7.9" x (W) 1.65" x (D) 1.43"





# NEBO<sup>®</sup> MYCRO<sup>®</sup> 700

## HEADLAMP & CAP-LIGHT

### LIGHT MODES

- Turbo (700 lumens): 15 seconds\* / 90 meters  
\*After 15 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (250 lumens): 1.5 hours / 50 meters
- Medium (120 lumens): 3 hours / 40 meters
- Low (35 lumens): 6 hours / 20 meters
- Green: 2 hours / 4 meters
- Red: 3 hours / 7 meters

### DESIGN

- USB-C rechargeable
- Detachable cap light clip with 130° adjustable tilt
- Smart Power Control (SPC)
- Direct-to-Red
- PowerSave™ lockout
- Battery charging indicator
- Water (IPX4) and impact-resistant

### OPERATION

- Top-positioned button controls power and mode selection

### ACCESSORIES

- Adjustable breathable head strap; one size fits all
- Removable cap-light clip
- USB-A to USB-C charging cable

### BATTERIES

- Powered by internal rechargeable battery (Recharge time: 1 hour @ 0.5A)

### SPECS

- 0.25 lbs.
- (H) 1.75" x (W) 2.75" x (D) 0.6"

### U.S. PATENT

- 11,076,460 & 11,516,897




## 700-LUMEN HEADLAMP & CAP-LIGHT

The MYCRO 700 quickly converts from **headlamp** to **cap-light** and defies the dark with **6 modes**, including the **700-lumen turbo mode** and night vision-preserving **green** and **red** modes. The **PowerSave lockout** prevents accidental activation and the **adjustable 130° tilt** allows you to position the beam exactly where you need it.

#### UPC CODE

#### ITEM

044435923039 NEB-HLP-0044



⚠ **WARNING CALIFORNIA REQUIRED** | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**Natralock Dimensions**  
(H) 6.25" x (W) 4.88" x (D) 1.5"  
**PDQ Dimensions**  
(H) 1.96" x (W) 5.7" x (D) 10.57"





# NEBO<sup>®</sup> MYCRO<sup>®</sup> 900+

## HEADLAMP & CAP-LIGHT

### LIGHT MODES

- Turbo (900 lumens): 15 seconds\* / 100 meters  
\*After 15 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- Spot High (300 lumens): 1 hour / 65 meters
- Spot Medium (200 lumens): 2 hours / 50 meters
- Spot Low (50 lumens): 4 hours / 25 meters
- C-O-B High (200 lumens): 1 hour / 22 meters
- C-O-B Low (50 lumens): 2 hours / 10 meters
- C-O-B Red: 1 hour / 4 meters

### DESIGN

- USB-C rechargeable
- Detachable cap light clip with 130° adjustable tilt
- Smart Power Control (SPC)
- Direct-to-Red
- PowerSave™ lockout
- Battery charging indicator
- Water (IPX4) and impact-resistant

### OPERATION

- Top-positioned buttons for spot and flood light

### ACCESSORIES

- Adjustable breathable head strap; one size fits all
- Removable cap-light clip
- USB-A to USB-C charging cable

### BATTERIES

- Powered by internal rechargeable battery  
(Recharge time: 1 hour @ 0.5A)

### SPECS

- 0.25 lbs.
- (H) 1.75" x (W) 2.75" x (D) 0.6"

### U.S. PATENT

- 11,076,460 & 11,516,897




## 900-LUMEN HEADLAMP & CAP-LIGHT

The MYCRO 900+ Headlamp & Cap-Light defies the dark with **multiple spot & flood modes**, and night vision-preserving **red light**. The **PowerSave lockout** prevents accidental activation and the **adjustable 130° tilt** allows you to position the beam exactly where you need it.

### UPC CODE

### ITEM

044435923053 NEB-HLP-0045



⚠ **WARNING CALIFORNIA REQUIRED** | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**Natural Dimensions**  
(H) 6.25" x (W) 4.88" x (D) 1.5"  
**PDQ Dimensions**  
(H) 1.96" x (W) 5.7" x (D) 10.57"



RECHARGEABLE





**NEBO<sup>®</sup>**  
FLASHLIGHTS



# NEBO<sup>®</sup>

## TRANSPORT<sup>®</sup> 400

### LIGHT MODES

- Turbo (400 lumens): 30 seconds\* / 85 meters  
\*After 30 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (250 lumens): 1 hour / 60 meters
- Medium (50 lumens): 4 hours / 31 meters
- Low (15 lumens): 10 hours / 19 meters
- Red & Red Strobe: 16 hours

### DESIGN

- USB-C & DC (12V) rechargeable
- USB-A car charger
- Magnetic pocket clip
- Tungsten glass breaker
- Anodized aircraft-grade aluminum
- Waterproof (IP67) and impact-resistant

### OPERATION

- Side-positioned ON/OFF button

### BATTERIES

- Powered by internal rechargeable battery  
(Recharge time: 4 hours)

### SPECS

- 0.2 lb.
- (H) 4" x (W) 1.15" x (D) 1.32"



⚠ **WARNING CALIFORNIA REQUIRED** | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



Actual Size



RECHARGEABLE

## 2-IN-1 CAR CHARGER & FLASHLIGHT

The TRANSPORT 400 is compact, rechargeable, and packed with useful features. This **400 lumen** flashlight is both **USB-C** and **12V DC rechargeable**, with a **car charger** to power USB-A devices. The TRANSPORT 400 also features a **magnetic pocket clip** for hands-free convenience, and a **Tungsten glass breaker** for emergency situations.

UPC CODE

ITEM

645397941200

NEB-POC-1006

### Natural Dimensions

(H) 8.1" x (W) 4.88" x (D) 1"

### PDQ Dimensions

(H) 1.57" x (W) 5.83" x (D) 10.89"





# NEBO SWYVEL

### LIGHT MODES

- Turbo (1,000 lumens): 30 seconds\* / 130 meters  
\*After 30 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (500 lumens): 1 hour / 100 meters
- Medium (200 lumens): 1.75 hours / 60 meters
- Low (50 lumens): 6 hours / 30 meters
- Strobe (500 lumens): 1 hours / 100 meters

### DESIGN

- MagDock USB rechargeable
- 90° swivel head
- Smart Power Control (SPC)
- Removable steel belt/pocket clip
- Battery charging indicator
- Anodized aircraft-grade aluminum
- Water and impact-resistant

### OPERATION

- Side/Top-positioned ON/OFF button

### ACCESSORIES

- MagDock USB charging cable

### BATTERIES

- Powered by internal rechargeable battery  
(Recharge time: 4 hours)

### SPECS

- 0.08 lbs.
- (H) 2.125" x (W) 1.4" x (D) 0.75"



Actual Size



## SMALL ENOUGH FOR YOUR POCKET BRIGHT ENOUGH FOR ANY JOB

The SWYVEL is a versatile, rechargeable flashlight that features **Smart Power Control** which smoothly transitions the 5 light modes, including the **1,000 lumen Turbo Mode**. The compact size and steel clip provide convenient carry, and the **90° swivel head** and magnetic base give you hands-free light in any direction.

UPC CODE	ITEM
645397935612	6907



Gift Box Dimensions  
(H) 3.78" x (W) 2.36" x (D) 2.5"



# NEBO TORCHY

## LIGHT MODES

- Turbo (1,000 lumens): 30 seconds\* / 130 meters  
\*After 30 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (500 lumens): 1 hour / 100 meters
- Medium (200 lumens): 1.75 hours / 60 meters
- Low (50 lumens): 6 hours / 30 meters
- Strobe (500 lumens): 1 hour / 100 meters

## DESIGN

- MagDock USB rechargeable
- Smart Power Control (SPC)
- Power Memory Setting
- Removable steel belt/pocket clip
- Anodized aircraft-grade aluminum
- Water and impact-resistant

## OPERATION

- Side-positioned ON/OFF button with charging indicator

## ACCESSORIES


- MagDock USB charging cable

## BATTERIES

- Powered by internal rechargeable battery  
(Recharge time: 2 hours)

## SPECS

- 0.1375 lbs.
- (H) 2.64" x (W) 0.98" x (D) 1.18"



## SMALL NEVER SEEMED SO BIG OR SO BRIGHT

Inch for inch, the TORCHY is the brightest flashlight in the world. **Smart Power Control** allows the TORCHY to seamlessly transition through the 4 light modes and **1,000 lumen TURBO mode**. The **powerful magnetic base** doubles as the magnetic charging port for the included USB MagCable, and the **removable clip** provides easy carry or hands-free use as a cap light.

UPC CODE	ITEM
645397935872	NEB-FLT-0001
645397935889	NEB-DSP-0003

Display sold separately  
"Try Me" sample not included

Display Dimensions  
(H) 8.25" x (W) 5.375" x (D) 9.75"  
Gift Box Dimensions  
(H) 3.5" x (W) 3.25" x (D) 1.75"





# NEBO<sup>®</sup>

# TORCHY<sup>™</sup>

## UV

### LIGHT MODES

- High: 2.5 hours / 6 meters
- Low: 8 hours / 6 meters

### DESIGN

- Dual UV-A technology (365nm + 395nm)
- Pet urine detection
- Pest detection
- Auto leak inspection
- Cleaning inspection
- Currency authentication
- Anodized aircraft-grade aluminum
- Water (IPX4) and impact-resistant

### OPERATION

- Rear-positioned button

### ACCESSORIES


- Lanyard

### BATTERIES

- Powered by 3 AAA batteries (included)

### SPECS

- 0.25 lbs.
- Length: 3.74"
- Diameter: 1.1"



Actual size

## DETECT, INSPECT & AUTHENTICATE

The TORCHY UV utilizes **Dual UV-A Technology** to combine two ultraviolet wavelengths into a single light source. One **365nm UV-A LED** provides maximum fluorescence, while two **395nm UV-A LEDs** work to illuminate the area like a blacklight.

UPC CODE	ITEM
645397940913	NEB-FLT-1061

**PDQ Dimensions**  
(H) 1.41" x (W) 5.7" x (D) 10.86"  
**Natralock Dimensions**  
(H) 9.5" x (W) 4.88" x (D) 1.25"





# NEBO TORCHY 2K

## LIGHT MODES

- Turbo (2,000 lumens): 30 seconds\* / 200 meters  
\*After 30 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (500 lumens): 3.5 hours / 90 meters
- Medium (200 lumens): 6 hours / 50 meters
- Low (35 lumens): 30 hours / 25 meters
- Strobe (1,000 lumens): 2 hours 25 minutes / 125 meters

## DESIGN

- MagDock USB rechargeable
- Detachable 2-way clip
- Smart Power Control (SPC)
- Direct-to-Low
- Anodized aircraft-grade aluminum
- Water (IPX6) and impact-resistant

## OPERATION

- Side-positioned backlit button with power indicator

## ACCESSORIES

- MagDock USB charging cable

## BATTERIES

- Powered by internal rechargeable battery  
(Recharge time: 3 - 5 hours, depending on output of USB)

## SPECS

- 0.25 lbs.
- Length: 4.28"
- Diameter: 0.99" / 1.18" (with clip)



Actual Size

## COMPACT, RECHARGEABLE 2,000 LUMEN POCKET LIGHT

The TORCHY 2K is **MagDock USB rechargeable**, and equipped with 5 light modes, which are seamlessly transitioned through **Smart Power Control**. This powerful pocket light features a **detachable 2-way clip** for convenient carry and hands-free lighting.

UPC CODE	ITEM
645397001065	NEB-FLT-1006
645397001072	NEB-DSP-1002



Display sold separately  
\*Try Me\* sample not included

Display Dimensions  
(H) 10.45" x (W) 5.55" x (D) 10.5"  
Gift Box Dimensions  
(H) 5.27" x (W) 3.54" x (D) 1.45"





# NEBO® TORCHY 2K

## LIGHT MODES

- Turbo (2,000 lumens): 30 seconds\* / 200 meters  
\*After 30 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (500 lumens): 3.5 hours / 90 meters
- Medium (200 lumens): 6 hours / 50 meters
- Low (35 lumens): 30 hours / 25 meters
- Strobe (1,000 lumens): 2 hours 25 minutes / 125 meters

## DESIGN

- Mossy Oak® Bottomland™ camo pattern
- MagDock USB rechargeable
- Detachable 2-way clip
- Smart Power Control (SPC)
- Direct-to-Low
- Anodized aircraft-grade aluminum
- Water (IPX6) and impact-resistant

## OPERATION

- Side-positioned backlit button with power indicator

## ACCESSORIES

- MagDock USB charging cable

## BATTERIES

- Powered by internal rechargeable battery  
(Recharge time: 3 - 5 hours, depending on output of USB)

## SPECS

- 0.25 lbs.
- Length: 4.28"
- Diameter: 0.99" / 1.18" (with clip)



Actual Size



## COMPACT, RECHARGEABLE 2,000 LUMEN POCKET LIGHT

The TORCHY 2K is **MagDock USB rechargeable**, and has 5 light modes, which are seamlessly transitioned through **Smart Power Control**. This special edition TORCHY 2K features the legendary **Mossy Oak® Bottomland™** camouflage pattern, and is equipped with a **detachable 2-way clip**.

UPC CODE	ITEM
645397941194	NEB-FLT-1062

**Natralock Dimensions**  
(H) 7.87" x (W) 5.14" x (D) 1.45"  
**PDQ Dimensions**  
(H) 11" x (W) 6.3" x (D) 9.95"





# NEBO® REDLINE® FLEX

## LIGHT MODES (14500 RECHARGEABLE BATTERY)

- Turbo (450 lumens): 40 seconds\* / 237 meters  
\*After 40 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (250 lumens): 2.5 hours / 160 meters
- Low (80 lumens): 5.5 hours / 89 meters
- Strobe (250 lumens): 2 hours / 160 meters

## LIGHT MODES (AA Battery)

- High (90 lumens): 2.5 hours / 102 meters
- Low (30 lumens): 4.5 hours / 57 meters
- Strobe (90 lumens): 4 hours / 102 meters

## DESIGN

- Flex-Power™ Technology
- 6x adjustable zoom
- Signature Red Ring\*
- Dual-direction steel clip
- Anodized aircraft-grade aluminum
- Water and impact-resistant
- Powerful magnetic base

## OPERATION

- Side-positioned, ON/OFF button with battery indicator

## ACCESSORIES

- USB-A to Micro USB charging cable

## BATTERIES

- Powered by internal rechargeable battery (included) or 1x AA battery (not included)

## SPECS

- 0.2 lbs.
- Length: Compacted: 4.23" / Extended: 4.7"
- Diameter: (Head) 1.14" / (Barrel) 0.78"

## U.S. PATENT

- D 659,869 S, 4,664,971



Actual Size

## RECHARGEABLE, FLEX-POWER 450 LUMENS

The REDLINE FLEX utilizes **Flex-Power Technology**, which allows the light to be powered by a single AA battery or a 14500 rechargeable battery (included). The FLEX features **6x adjustable zoom**, a **dual-direction clip**, **magnetic base** and **4 light modes**, including the **450 lumen Turbo Mode**.

UPC CODE	ITEM
645397936244	NEB-FLT-0003
645397936251	NEB-DSP-0005



Display sold separately  
\*Try Me\* sample not included

**Display Dimensions**  
(H) 9" x (W) 5.5" x (D) 8"  
**Gift Box Dimensions**  
(H) 4.3" x (W) 0.9" x (D) 0.9"



**NEBO**

**REDLINE<sup>®</sup> V**

#### LIGHT MODES

- High (500 lumens): 2.5 hours / 170 meters
- Medium (200 lumens): 6 hours / 110 meters
- Low (50 lumens): 22 hours / 50 meters
- Strobe (500 lumens): 6 hours / 170 meters
- S.O.S. (500 lumens): 48 hours / 170 meters

#### DESIGN

- 4x adjustable zoom
- OC™ Technology
- Signature Red Ring®
- Anodized aircraft-grade aluminum
- Waterproof (IPX7) and impact-resistant
- Steel belt/pocket clip
- Powerful magnetic base

#### OPERATION

- Rear-positioned, glow-in-the-dark ON/OFF button with Soft Touch Technology

#### BATTERIES

- Powered by 3 AAA batteries (included)

#### SPECS

- 0.35 lbs.
- Length: Compacted: 5" / Extended: 5.5"
- Diameter: (Head) 1.375" / (Barrel) 1.25"

#### U.S. PATENT

- 659,869 S



Actual Size

## 500 LUMEN WATERPROOF FLASHLIGHT

The REDLINE V is a powerful, **500 lumen** flashlight, featuring **OC Technology**. The REDLINE V is completely **waterproof (IPX7)** and is also equipped with a steel clip, powerful magnetic base, 4x zoom and 5 light modes.

UPC CODE	ITEM
645397936473	NEB-FLT-0007
645397936350	NEB-DSP-0015



**Display Dimensions**  
(H) 12" x (W) 6" x (D) 8.75"  
**Gift Box Dimensions**  
(H) 5.15" x (W) 1.5" x (D) 1.5"





#### LIGHT MODES

- Turbo (1,800 lumens): 45 seconds\* / 253 meters  
\*After 45 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (720 lumens): 2 hours / 155 meters
- Low (180 lumens): 4 hours / 85 meters
- Variable Strobe (1,800 lumens): 1 hour / 253 meters

#### DESIGN

- Rechargeable
- Momentary Power Memory Recall
- SwitchX Technology
- Battery charging indicator
- Anodized aircraft-grade aluminum
- Waterproof (IPX7) and impact-resistant

#### OPERATION

- SwitchX — two rear-positioned buttons for power and mode selection

#### ACCESSORIES


- USB-A to Micro USB charging cable

#### BATTERIES

- Powered by rechargeable battery (included)  
(Recharge time: 5 - 6 hours)

#### SPECS

- 0.37 lbs.
- Length: Compacted: 5.875" / Extended: 6.25"
- Diameter: 1.25"



Actual Size



## RECHARGEABLE, WATERPROOF FLASHLIGHT

The REDLINE X is a powerful **waterproof** (IPX7), **rechargeable, 1800 lumen** flashlight that features **4x zoom** and **SwitchX Technology**, which uses a patented paddle switching mechanism to operate the power, mode selection and instant activation for TURBO and Variable Strobe Modes.

UPC CODE	ITEM
645397936480	NEB-FLT-0008
645397936497	NEB-DSP-0019



**Display Dimensions**  
(H) 10.2" x (W) 6.1" x (D) 9.75"  
**Gift Box Dimensions**  
(H) 6.1" x (W) 1.5" x (D) 1.34"



# NEBO<sup>®</sup> IllumaTrace<sup>®</sup>

## LIGHT MODES

- Blood Tracker (150 lumens): 3 hours / 75 meters  
- 3 strobe rates (S1, S2, & S3)
- White light (170 lumens): 2.5 hours / 80 meters

## DESIGN

- USB-C rechargeable
- Patented IllumaTrace<sup>®</sup> technology
- Ergonomic rubberized grip
- Removable steel clip
- Anodized aircraft-grade aluminum
- Waterproof (IP67) and impact-resistant

## OPERATION

- Side-positioned backlit button with power indicator
- Magnetic Mode Select Dial

## ACCESSORIES

- USB-A to USB-C charging cable
- Quick-release detachable lanyard

## BATTERIES


- Powered by internal lithium-ion rechargeable battery (21700, 3.7V, 4000mAh) (Recharge time: 3-10 hours)

## SPECS

- 0.84 lb.
- (H) 7.48" x (W) 2.12" x (D) 2.12"

## U.S. PATENT

- 11,796,140 B1



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



Actual Size



## BLOOD TRACKER FLASHLIGHT

The IllumaTrace Blood Tracker is a revolutionary tool that allows hunters to see blood trails in a whole new light. Our patented **IllumaTrace technology** makes the blood appear to strobe like a neon sign to **easily detect and identify blood trails** against various backgrounds.

UPC CODE	ITEM
645397939221	NEB-FLT-1036



**PDQ Dimensions**  
(H) 1.4" x (W) 5.7" x (D) 10.78"  
**Natalock Dimensions**  
(H) 11" x (W) 4.88" x (D) 2.5"



# NEBO LUXTREME<sup>®</sup> NANO

### LIGHT MODES

- Turbo (420 lumens): 30 seconds\* / 300 meters (328 yards)  
\*After 30 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (80 lumens): 2 hours / 133 meters (145 yards)
- Medium (40 lumens): 3.5 hours / 97 meters (106 yards)
- Low (12 lumens): 8 hours / 52 meters (56 yards)
- Strobe: 5 hours

### DESIGN

- USB-C rechargeable
- Smart Power Control™ (SPC)
- Direct-to-Low
- Anodized aircraft-grade aluminum
- Water and impact-resistant (IPX6)
- Keyring/lanyard hole

### OPERATION

- Side-positioned backlit button with power indicator

### ACCESSORIES

- USB-A to USB-C charging cable


### BATTERIES

- Powered by internal Li-Ion rechargeable battery (701240, 3.7V, 300 mAh) (Recharge time: 1.5 hours @ 1.5A)

### SPECS

- 0.08 lbs.
- (L) 3.35" x (W) 1" x (D) 1"

### ASSORTED COLORS (NEB-POC-0010)

- Black (8) 
- Red (5) 
- Blue (5) 



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



Actual Size

## COMPACT SIZE POWERFUL LIGHT

The LUXTREME NANO sets a new standard for pocket lights, offering an impressive **328-yard light beam** in an ultra-compact design. This pocket-sized light is **USB-C rechargeable** and utilizes **Smart Power Control** to seamlessly transition the 5 light modes.

UPC CODE	ITEM
645397941804	NEB-POC-0010
044435919681	NEB-POC-0010-BLU
044435919698	NEB-POC-0010-RED
044435919674	NEB-POC-0010-BLK



**Box Dimensions**  
(H) 5.24" x (W) 2.76" x (D) 1.38"  
**Display Dimensions**  
(H) 10" x (W) 8.35" x (D) 8.25"





# NEBO<sup>®</sup> LUXTREME<sup>®</sup> MZ60 BLUELINE<sup>™</sup>

## LIGHT MODES

- Turbo (1,000 lumens): 30 seconds\* / 1,000 meters  
\*After 30 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (700 lumens): 3 hours / 820 meters
- Medium (450 lumens): 6 hours / 693 meters
- Low (60 lumens): 20 hours / 256 meters
- Strobe (1,000 lumens): 4 hours / 716 meters

## DESIGN

- USB-C rechargeable
- Power bank
- 16x adjustable zoom
- Magnetic Mode Select Dial
- Smart Power Control<sup>™</sup> (SPC)
- Direct-to-Low
- Anodized aircraft-grade aluminum
- Waterproof (IP67) and impact-resistant

## OPERATION

- Side-positioned backlit button with power indicator
- Magnetic Mode Select Dial

## ACCESSORIES


- USB-A to USB-C charging cable
- Lanyard

## BATTERIES

- Powered by internal Li-Ion rechargeable battery (21700, 3.7V, 4000 mAh)  
(Recharge time: 3 hours @ 2.0A - 12 hours @ 0.5A)

## SPECS

- 0.77 lbs.
- (L) 8.07" x (W) 2.17" x (D) 2.17"



## 1,000 LUMEN LIGHT 1,000 METER BEAM

The LUXTREME MZ60 BLUELINE is a revolution in long-distance lighting, casting its **1,000 lumen** beam an impressive **1,000 meters**. This **USB-C rechargeable** light utilizes **Smart Power Control** to seamlessly transition the 5 light modes, and serves as a **power bank** for your USB devices.

### UPC CODE

### ITEM

645397941903 NEB-FLT-0026



**Natural Dimensions**  
(H) 11.41" x (W) 5.7" x (D) 3.25"  
**PDQ Dimensions**  
(H) 15" x (W) 6" x (D) 11.3"



# NEBO<sup>®</sup> BLUELINE<sup>®</sup> 600 FLEX

## LIGHT MODES (RECHARGEABLE BATTERY)

- Turbo (600 lumens): 40 sec\* / 179 meters  
\*After 40 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (350 lumens): 2 hours / 155 meters
- Low (140 lumens): 4 hours / 89 meters
- Strobe

## DESIGN

- Flex-Power<sup>™</sup> technology
- 5x adjustable zoom
- Smart Power Control<sup>™</sup> (SPC)
- Anodized aircraft-grade aluminum
- Waterproof (IPX7) and impact-resistant
- Dual-direction clip
- Powerful magnetic base

## OPERATION

- Side-positioned backlit button with power indicator

## ACCESSORIES

- USB-A to USB-C charging cable
- Lanyard

## BATTERIES


- Powered by internal Li-Ion rechargeable battery (included) or 1x AA battery (not included)  
(Recharge time: 1 hour @ 1.0A - 2 hours @ 0.5A)

## SPECS

- 0.35 lbs.
- (L) 5.4" x (W) 1.4" x (D) 1.4"

## U.S. PATENT

- 11,516,897



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## 600-LUMEN POCKET-SIZED FLASHLIGHT

The **BLUELINE 600 FLEX** ensures you have the right light for any situation—with up to **600 lumens**, **4 light modes**, **5x zoom**, **magnetic base**, and **Flex-Power Technology**. Whether on the job, in the field, or protecting what matters most, this compact light delivers true blue performance.

UPC CODE	ITEM
044435922421	NEB-FLT-0051



**Natralock Dimensions**  
(H) 8.85" x (W) 5" x (D) 1.5"  
**PDQ Dimensions**  
(H) 1.26" x (W) 6.5" x (D) 7.64"





# NEBO<sup>®</sup>

## BLUELINE<sup>®</sup> 1800 FLEX

### LIGHT MODES (RECHARGEABLE BATTERY)

- High (1,800 lumens): 2 hours / 204 meters
- Medium (900 lumens): 4 hours / 139 meters
- Low (180 lumens): 13 hours / 69 meters
- Strobe

### DESIGN

- Flex-Power<sup>™</sup> technology
- Power bank
- 4x adjustable zoom
- Smart Power Control<sup>™</sup> (SPC)
- Direct-to-Low
- Anodized aircraft-grade aluminum
- Waterproof (IPX7) and impact-resistant
- Powerful magnetic base

### OPERATION

- Side-positioned backlit button with power indicator

### ACCESSORIES

- USB-A to USB-C charging cable
- Lanyard
- Alkaline battery adapter

### BATTERIES

- Powered by internal Li-Ion rechargeable battery (included) or 3x AAA batteries (not included)
- (Recharge time: 2 hours @ 2.0A - 4 hours @ 1.0A)

### SPECS

- 0.5 lbs.
- (L) 7.25" x (W) 1.75" x (D) 1.75"

### U.S. PATENT

- 11,516,897



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## 1,800-LUMEN FLASHLIGHT

The **BLUELINE 1800 FLEX** delivers exceptional brightness and long-lasting performance—with up to **1,800 lumens**, **4 light modes**, **4x zoom**, **magnetic base**, and **Flex-Power technology**. The BLUELINE 1800 FLEX also features an **integrated power bank** to charge your USB-powered devices.

UPC CODE

ITEM

044435922438 NEB-FLT-0052

Natralock Dimensions  
(H) 11" x (W) 5.5" x (D) 0.95"  
PDQ Dimensions  
(H) 1.85" x (W) 7" x (D) 9.4"





# NEBO<sup>®</sup>

## BLUELINE<sup>®</sup> 2600 FLEX

### LIGHT MODES (RECHARGEABLE BATTERY)

- High (2,600 lumens): 2 hours / 260 meters
- Medium (1,300 lumens): 4 hours / 179 meters
- Low (260 lumens): 12 hours / 80 meters
- Strobe

### DESIGN

- Flex-Power<sup>™</sup> technology
- Power bank
- 5x adjustable zoom
- Smart Power Control<sup>™</sup> (SPC)
- Direct-to-Low
- Anodized aircraft-grade aluminum
- Waterproof (IPX7) and impact-resistant

### OPERATION

- Side-positioned backlit button with power indicator

### ACCESSORIES

- USB-A to USB-C charging cable
- Lanyard
- Alkaline battery adapter

### BATTERIES

- Powered by internal Li-Ion rechargeable battery (included) or 6x AAA batteries (not included)
- (Recharge time: 2 hours @ 2.0A - 4 hours @ 1.0A)

### SPECS

- 0.75 lbs.
- (L) 10.25" x (W) 2.5" x (D) 2.5"

### U.S. PATENT

- 11,516,897



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## 2,600-LUMEN FLASHLIGHT

The **BLUELINE 2600 FLEX** ensures maximum brightness and long-lasting performance—with up to **2,600 lumens**, **4 light modes**, **5x zoom**, and **Flex-Power technology**. The BLUELINE 2600 FLEX also features an **integrated power bank** to charge your USB-powered devices.

UPC CODE

ITEM

044435922445

NEB-FLT-0053



**Natralock Dimensions**  
(H) 13.77" x (W) 6.3" x (D) 0.95"  
**PDQ Dimensions**  
(H) 2.05" x (W) 7.8" x (D) 10.6"



# NEBO<sup>®</sup>

## DAVINCI<sup>®</sup> 8000

### LIGHT MODES

- Turbo (8,000 lumens): 30 seconds\* / 206 meters  
\*After 30 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (4,000 lumens): 3.5 hours / 157 meters
- Medium (2,000 lumens): 6 hours / 119 meters
- Low (80 lumens): 45 hours / 25 meters
- Strobe (8,000 lumens): 3.5 hours / 206 meters

### DESIGN

- USB-C rechargeable
- Power bank
- 4x adjustable zoom
- Smart Power Control™ (SPC)
- Smart Temperature Control (STC)
- Direct-to-Low
- Anodized aircraft-grade aluminum
- Waterproof and dust resistant (IP67)

### OPERATION

- Side-positioned backlit button with power indicator
- Magnetic Mode Select Dial

### ACCESSORIES


- USB-A to USB-C charging cable
- Detachable lanyard

### BATTERIES

- Powered by one lithium ion rechargeable battery (26650, 7.4V, 5000 mAh)  
Recharge time: 5 hours (2.0A) - 20 hours (0.5A)

### SPECS

- 1.5 lbs.
- Length: 10.75"
- Diameter: 2.25" (head) 1.38" (barrel)



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## 8,000 LUMEN FLASHLIGHT & POWER BANK

**Rechargeable, waterproof** and extremely bright, the DAVINCI 8000 features an impressive **8,000 lumen** Turbo Mode and 4 additional light modes that are easily controlled by the **Magnetic Mode Select Dial**. The DAVINCI 8000 is also equipped with **4x zoom** and a **power bank** to charge your USB powered devices.

UPC CODE	ITEM
645397941880	NEB-FLT-1069

**Gift Box Dimensions**  
(H) 12.72" x (W) 4.13" x (D) 3.07"  
**PDG Dimensions**  
(H) 12.36" x (W) 9.84" x (D) 11.81"





# NEBO<sup>®</sup>

## DAVINCI<sup>®</sup> 12000

### LIGHT MODES

- Turbo (12,000 lumens): 30 seconds\* / 220 meters  
\*After 30 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (7,000 lumens): 2 hours / 164 meters
- Medium (3,000 lumens): 3 hours / 114 meters
- Low (300 lumens): 12 hours / 36 meters
- Strobe (12,000 lumens): 2 hours / 220 meters

### DESIGN

- USB-C rechargeable
- 2x adjustable zoom
- Smart Power Control (SPC)
- Smart Temperature Control (STC)
- Ergonomic rubber grip
- Anodized aircraft-grade aluminum
- Waterproof (IP67) and impact-resistant

### OPERATION

- Side-positioned backlit button with power indicator
- Magnetic Mode Select Dial

### ACCESSORIES

- USB-A to USB-C charging cable
- Lanyard

### BATTERIES

- Powered by internal rechargeable battery  
(Recharge time: 7 - 28 hours, depending on output of USB)

### SPECS

- 2.0 lbs.
- Length: 11.55"
- Diameter: 2.51" (head) / 1.345" (barrel)



## 12,000 LUMEN FLASHLIGHT WITH MAGNETIC MODE SELECT DIAL

The DAVINCI 12000 is **rechargeable**, **waterproof** (IP67) and equipped with 5 light modes, including the impressive **12,000 lumen turbo mode**. This impressively bright flashlight features **2x zoom**, **Smart Power Control**, an ergonomic rubberized grip, and lanyard for convenient carry.

UPC CODE	ITEM
645397002185	NEB-FLT-1070



**Gift Box Dimensions**  
(H) 12.72" x (W) 4.13" x (D) 3.07"  
**Pdq Dimensions**  
(H) 12.35" x (W) 9.84" x (D) 11.81"



# NEBO<sup>®</sup>

## DAVINCI<sup>®</sup> 18000

### LIGHT MODES

- Turbo (18,000 lumens): 30 seconds\* / 253 meters  
\*After 30 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (10,000 lumens): 2 hours / 189 meters
- Medium (5,000 lumens): 3 hours / 133 meters
- Low (800 lumens): 12 hours / 53 meters
- Strobe (18,000 lumens): 2 hours / 253 meters

### DESIGN

- USB-C rechargeable
- 2x adjustable zoom
- Smart Power Control (SPC)
- Smart Temperature Control (STC)
- Anodized aircraft-grade aluminum
- Waterproof (IP67) and impact-resistant

### OPERATION

- Side-positioned backlit button with power indicator
- Magnetic Mode Select Dial

### ACCESSORIES


- USB-A to USB-C charging cable
- Lanyard

### BATTERIES

- Powered by internal rechargeable battery  
(Recharge time: 7 - 28 hours, depending on output of USB)

### SPECS

- 3.0 lbs.
- Length: 14.27"
- Diameter: 2.685" (head) / 1.4" (barrel)



## 18,000 LUMENS OUR BRIGHTEST LIGHT YET

The DAVINCI 18000 is **rechargeable, waterproof** (IP67) and equipped with 5 light modes, including the impressive **18,000 lumen turbo mode**. This impressively bright flashlight features **2x zoom, Smart Power Control**, an ergonomic rubberized grip, and lanyard for convenient carry.

#### UPC CODE

#### ITEM

645397941873

NEB-FLT-1068

#### Gift Box Dimensions

(H) 15.43" x (W) 4.13" x (D) 3.08"

#### PDQ Dimensions

(H) 12.35" x (W) 9.84" x (D) 11.81"





# NEBO<sup>®</sup>

## BAT LIGHT<sup>®</sup> 1500

### LIGHT MODES

- High (1,500 lumens): 1 hour / 250 meters
- Low (150 lumens): 10 hours / 80 meters
- Defensive Strobe

### DESIGN

- Protective rubber bumper
- Ergonomic textured grip
- Anodized aircraft-grade aluminum
- Water and impact-resistant (IPX6)

### OPERATION

- Rear-positioned button with Easy Touch

### ACCESSORIES


- Lanyard

### BATTERIES


- Powered by 6 AA batteries (included)

### SPECS

- 1.225 lb.
- (L) 16.25" x (W) 1.5" x (D) 1.5"



⚠ **WARNING CALIFORNIA REQUIRED** | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## 1500-LUMEN TACTICAL FLASHLIGHT

The BAT LIGHT 1500 is a **1500-lumen** tactical flashlight designed to excel in low visibility and personal defense situations. The durable aluminum body is **water-resistant (IPX6)** and features a **textured grip**, **rubber bumper**, and a **Defensive Strobe mode** that can momentarily disorient potential threats.

UPC CODE	ITEM
645397919964	NEB-FLT-0038

*This product may be restricted for sale in some local or state jurisdictions to law enforcement, security guard personnel and/or adults only. Consult local rules of law for legal advice.*

**Natralock Dimensions**  
(H) 7.48" x (W) 4.33" x (D) 0.5"  
**PDQ Dimensions**  
(H) 3.9" x (W) 14.6" x (D) 7.6"





# NEBO<sup>®</sup> CLASSIC COLLECTION

FLASHLIGHT • WALLET • PEN/PENCIL • BOTTLE OPENER

## CLASSIC™ FLASHLIGHT

- USB-C rechargeable
- 3 light modes
  - High (600 lumens): 3 hours / 47 meters
  - Medium (300 lumens): 6 hours / 33 meters
  - Low (70 lumens): 12 hours / 16 meters
- 3x adjustable zoom
- Premium synthetic leather grip
- Anodized aircraft-grade aluminum
- Water-resistant (IPX4)
- Charging/power indicator
- Folding base loop

## RFID SLIM WALLET

- RFID blocking technology for anti-theft protection
- Premium synthetic leather
- 8 card slots
- Magnetic money clip

## 4-IN-1 PEN/PENCIL

- Ballpoint pen (black, blue, and red)
- Compatible with D1 ink refills
- Mechanical lead pencil (0.5mm)
- Gravity-fed versatile design
- Integrated eraser
- Durable aluminum construction

## BOTTLE OPENER

- Wallet-friendly, credit card size
- 420 stainless steel



## CLASSIC STYLING MODERN TECHNOLOGY

Bring timeless style into the modern world with the **Classic Collection**—a thoughtfully curated bundle that blends nostalgic design and cutting-edge functionality in a limited edition 4-piece set, featuring the **Classic Flashlight**, **RFID Slim Wallet**, **4-in-1 Pen/Pencil**, and **Bottle Opener**.

UPC CODE	ITEM
044435921394	NEB-BND-0015
044435921400	NEB-DSP-0044

**FREE WITH 16 PIECE ORDER**

**Floor Display Dimensions:**  
(H) 49.25" x (W) 16.4" x (D) 18.2"

**Box Dimensions:**  
(H) 9.86" x (W) 7.67" x (D) 2.68"

**PDQ Dimensions:**  
(H) 2.75" x (W) 8.27" x (D) 11.8"







**NEBO®**  
WORK LIGHTS



# NEBO™ BANDO™ 1K

## LIGHT MODES

- High (1,000 lumens): 5 hours / 35 meters
- Medium (400 lumens): 8 hours / 23 meters
- Low (80 lumens): 28 hours / 10 meters
- Red (18 lumens): 22 hours / 4 meters
- Red Hazard (ON/OFF in 0.5 sec intervals)
- Red Signal (directional chasing pattern)

## DESIGN

- USB-C rechargeable
- Power bank
- Smart Power Control™ (SPC)
- Power Memory Recall
- Direct-to-Red
- 120° rotating light strip
- Durable ABS + PC construction
- Water and impact-resistant (IPX4)
- Powerful magnetic housing

## OPERATION

- Dual, backlit buttons with LED power and battery indicators

## ACCESSORIES

- Adjustable, wearable elastic strap
- Dual buckle system with padded hanging hooks
- USB-A to USB-C charging cable

## BATTERIES

- Powered by 2x 18650 Lithium-Ion rechargeable batteries (included)  
(Recharge time: 4 hours @ 2.0A, 8 hours @ 1.0A, 16 hours @ 0.5A)

## SPECS

- 0.65 lb.
- Adjustable band length: 53" min / 58" max
- Buckle-to-buckle length: 40" min / 45" max



## 1000-LUMEN AUTOMOTIVE WORK LIGHT

Breaking down along the roadside is daunting, especially at night. Be prepared for the unexpected with the BANDO 1K. This **flexible light band** provides up to **1,000 lumens** of bright area lighting. With its **powerful magnetic housing**, **hanging hooks**, and **wearable strap**, the BANDO 1K quickly transforms into **three versatile lighting solutions**, helping you see, be seen, and stay safe.

### UPC CODE

044435919865

### ITEM

NEB-WLT-0034



### Natralock Dimensions

(H) 14.96" x (W) 8.66" x (D) 1.5"

### PDQ Dimensions

(H) 2.5" x (W) 9.58" x (D) 10.98"



**NEBO**

# FRANKLIN™ FLEXBRITE™

## LIGHT MODES

- Turbo (350 lumens): 10 seconds\* / 73 meters  
\*After 10 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (200 lumens): 1.5 hours / 61 meters
- Medium (80 lumens): 3 hours / 37 meters
- Low (20 lumens): 7 hours / 19 meters

## DESIGN

- USB-C rechargeable
- Ultra-compact design
- Removable light with magnetic base
- Flexible magnetic attachment
- Smart Power Control™ (SPC)
- Direct-to-Low
- Durable ABS construction
- Water and impact-resistant (IPX4)

## OPERATION

- Side-positioned ON/OFF button

## ACCESSORIES

- USB-A to USB-C charging cable

## BATTERIES

- Powered by internal rechargeable battery  
(Recharge time: 2 hours)

## SPECS

- 0.12 lb.
- Length: 176"
- Diameter: 0.79"



⚠ **WARNING CALIFORNIA REQUIRED** | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## HANDS-FREE FLEXIBLE TASK LIGHT

The FRANKLIN FLEXBRITE is a unique, innovative source of **hands-free**, **hand-held**, or **wearable light**. The FLEXBRITE is equipped with a powerful **magnetic base** to attach to virtually any metallic surface, and an adjustable **flexible design** that directs bright light right where you need it!

### UPC CODE

### ITEM

645397939245 NEB-FLT-1038

**Natural Dimensions**  
(H) 11.8" x (W) 4.78" x (D) 1"  
**PDD Dimensions**  
(H) 7" x (W) 6.3" x (D) 15.7"





# NEBO® EDGE® 2K

## LIGHT MODES

- Turbo (2,000 lumens): 30 seconds\* / 144 meters  
\*After 30 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (1,000 lumens): 2 hours / 106 meters
- Medium (250 lumens): 5 hours / 57 meters
- Low (25 lumens): 25 hours / 17 meters
- Defensive Strobe: 1.5 hours

## DESIGN

- USB-C rechargeable
- Smart Power Control™ (SPC)
- Direct-to-Low
- Ergonomic Tac-Grip™ texture
- Steel pocket clip
- 4 LED power, battery, and charging indicator
- Anodized aircraft-grade aluminum
- Water and impact-resistant (IPX6)

## OPERATION

- Rear-positioned ON/OFF button with Dynamic Mode Dial

## ACCESSORIES

- USB-A to USB-C charging cable

## BATTERIES

- Powered by lithium-ion rechargeable battery (801990, 3.7V, 1600mAh)  
(Recharge time: 3 hours @ 1A, 6 hours @ 0.5A)

## SPECS

- 0.5 lb.
- (H) 5.24" x (W) 1.4" x (D) 0.98"



Actual Size



## ELITE EVERYDAY CARRY™

The EDGE 2K is a **2,000-lumen**, compact tactical flashlight with a unique form factor. This **USB-C rechargeable** light features **dual high-power LEDs**, a **rear-mounted power button** and a **Dynamic Dial** that allows for easy, one-handed control of the 5 light modes.

UPC CODE	ITEM
044435919667	NEB-POC-0014



**Box Dimensions**  
(H) 7" x (W) 2.75" x (D) 1.26"  
**Display Dimensions**  
(H) 4.05" x (W) 5.75" x (D) 11.5"



RECHARGEABLE



# NEBO<sup>®</sup>

## SLIM<sup>™</sup> MINI

### LIGHT MODES

- High (250 lumens): 2 hours / 67 meters
- Low (25 lumens): 10 hours / 21 meters

### DESIGN

- USB-C rechargeable
- Durable clip
- Battery charging indicator
- Anodized aircraft-grade aluminum
- Water and impact-resistant (IPX4)
- Powerful magnetic base

### OPERATION

- Side-positioned button

### ACCESSORIES

- USB-A to USB-C charging cable

### BATTERIES

- Powered by internal Li-Ion rechargeable battery  
(Recharge time: 2 - 4 hours, depending on output of USB)

### SPECS

- 0.14 lb.
- (H) 4" x (W) 1" x (D) 0.54"



⚠ **WARNING CALIFORNIA REQUIRED** | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



Actual Size



RECHARGEABLE

## IMPRESSIVELY BRIGHT REMARKABLY SMALL

The SLIM MINI packs a powerful **250 lumens** in an ultra-compact design. Not much larger than a stick of gum, this **rechargeable** pocket light features a **durable pocket clip** and a **powerful magnetic base** for convenient hands-free lighting.

UPC CODE	ITEM
645397939672	NEB-FLT-1042

**PDQ Dimensions**  
(H) 1.57" x (W) 5.82" x (D) 7.32"  
**Natralock Dimensions**  
(H) 7.48" x (W) 4.88" x (D) 0.5"





# NEBO<sup>®</sup> SLIM<sup>®</sup> MINI UV

## LIGHT MODES

- UV High: 0.5 hours / 4 meters
- UV Low: 2 hours / 3 meters
- White High (150 lumens): 2 hours / 18 meters
- White Low (15 lumens): 10 hours / 6 meters

## DESIGN

- USB-C rechargeable
- Dual UV-A technology (365nm + 395nm)
- Pet urine detection
- Pest detection
- Auto leak inspection
- Cleaning inspection
- Currency authentication
- Durable clip
- Battery charging indicator
- Anodized aircraft-grade aluminum
- Water and impact-resistant (IPX4)
- Powerful magnetic base

## OPERATION

- Side-positioned button

## ACCESSORIES

- USB-A to USB-C charging cable


## BATTERIES

- Powered by internal Li-Ion rechargeable battery (Recharge time: 1 hour @ 0.5A)

## SPECS

- 0.14 lb.
- (H) 4" x (W) 1" x (D) 0.54"

## PATENTS PENDING



CALIFORNIA REQUIRED WARNINGS | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



Actual size



## 2-IN-1 UV LIGHT & FLASHLIGHT

Illuminate the invisible with the SLIM MINI UV, which utilizes **Dual UV-A Technology** to blend two ultraviolet wavelengths into a single light source. Not much larger than a stick of gum, the SLIM MINI UV also features a **150-lumen white light**, **durable pocket clip** and a **powerful magnetic base** for convenient hands-free lighting.

UPC CODE	ITEM
645397939238	NEB-POC-1005

**PDQ Dimensions**  
(H) 1.57" x (W) 5.67" x (D) 8.34"  
**Natralock Dimensions**  
(H) 7.48" x (W) 4.33" x (D) 0.5"





# NEBO<sup>®</sup> SLIM

## LIGHT MODES

- 100% (500 lumens): 2 hours / 58 meters
- 10% (50 lumens): 10 hours / 18 meters

## DESIGN

- Rechargeable
- Dimmable + Power Memory Setting
- Collapsible hanging hook
- Belt/pocket clip
- Battery charging indicator
- Powerful magnetic base
- Anodized aircraft-grade aluminum
- Water and impact-resistant

## OPERATION

- Side-positioned, ON/OFF button; hold to dim

## ACCESSORIES

- USB-A to Micro USB charging cable

## BATTERIES

- Powered by internal rechargeable battery  
(Recharge time: 5 - 6 hours)

## SPECS

- 0.25 lbs.
- (H) 4.1" x (W) 1.77" x (D) 1.25"

## AVAILABLE COLORS

- Black (0001) 
- Red (0002) 



Actual Size



## RECHARGEABLE, 500 LUMEN POCKET LIGHT

The SLIM is a thin, ergonomic **rechargeable** pocket light that outputs **500 lumens** of intense bright light. Equipped with dimming and Power Memory Recall, the SLIM also features a pocket clip, collapsible hanging hook and powerful magnetic base for convenient hands-free lighting.

UPC CODE	ITEM
645397935957	NEB-POC-0001
645397935964	NEB-POC-0002
645397935988	NEB-DSP-0009

**Display Dimensions**  
(H) 10.5" x (W) 5.5" x (D) 7.75"  
**Gift Box Dimensions**  
(H) 4.2" x (W) 1.9" x (D) 1.5"





# NEBO<sup>®</sup> SLIM+

## LIGHT MODES

- 100% (700 lumens): 1.5 hours / 60 meters
- 10% (70 lumens): 6 hours / 19 meters
- Red Laser (<5mW / 650nm): 20 hours

## DESIGN

- Rechargeable
- Power bank
- Dimmable + Power Memory Setting
- Detachable magnetic clip with hanging hook
- Thin, ergonomic design
- Battery indicator
- Powerful magnetic base
- Anodized aircraft-grade aluminum
- Water and impact-resistant

## OPERATION

- Side-positioned, ON/OFF button; hold for laser

## ACCESSORIES

- USB-A to Micro USB charging cable

## BATTERIES

- Powered by internal rechargeable battery  
(Recharge time: 5 - 6 hours)

## SPECS

- 0.25 lbs.
- (H) 4.5" x (W) 1.75" x (D) 1.875"



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



Actual Size



RECHARGEABLE

## RECHARGEABLE, 700 LUMEN POCKET LIGHT & RED LASER

The SLIM+ is a thin, ergonomic **rechargeable 700 lumen** pocket light with a **red laser pointer** and a **Power Bank** for your USB powered devices. Equipped with full dimming and Power Memory Recall, the SLIM+ also features a detachable magnetic pocket clip, collapsible hanging hook and powerful magnetic base for convenient hands-free lighting.

UPC CODE	ITEM
645397935858	NEB-WLT-0005
645397935865	NEB-DSP-0007



**Display Dimensions**  
(H) 10.75" x (W) 6.375" x (D) 8"  
**Gift Box Dimensions**  
(H) 4.6" x (W) 1.9" x (D) 1.46"



# NEBO<sup>®</sup>

## SLIM+1200

### C-O-B WORK LIGHT MODES

- Turbo (1,200 lumens): 30 seconds\* / 52 meters  
\*After 30 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (700 lumens): 1.75 hours / 41 meters
- Medium (350 lumens): 3 hours / 29 meters
- Low (30 lumens): 12 hours / 8 meters
- Strobe (700 lumens): 2 hours / 41 meters
- Red Strobe (8 lumens): 6 hours / 4 meters

### LASER MODE

- Red Laser (<5mW / 650nm): 20 hours

### DESIGN

- USB-C rechargeable
- Power bank
- Smart Power Control™ (SPC)
- Direct-to-Red
- Power/charging indicator
- Magnetic clip
- Anodized aircraft-grade aluminum
- Waterproof (IPX7) and impact-resistant
- Powerful magnetic base

### OPERATION

- Side-positioned button

### ACCESSORIES


- USB-A to USB-C charging cable

### BATTERIES

- Powered by internal rechargeable battery  
(Recharge time: 2 - 4 hours, depending on output of USB)

### SPECS

- 0.32 lb.
- (H) 4.45" x (W) 1.69" x (D) 0.87"



Actual Size



## WORK LIGHT, LASER POINTER & POWER BANK

The SLIM+1200 is a thin, powerful, **rechargeable 1,200 lumen** pocket light with a **red laser pointer** and a **Power Bank** to charge your USB powered devices. **Waterproof (IPX7)** and equipped with **Smart Power Control**, the SLIM+1200 also features a **magnetic pocket clip** and powerful **magnetic base** for convenient hands-free lighting.

UPC CODE	ITEM
645397002888	NEB-WLT-1007
645397003021	NEB-DSP-1008



Display sold separately  
"Try Me" sample not included

**Display Dimensions**  
(H) 10.75" x (W) 6.7" x (D) 8"  
**Gift Box Dimensions**  
(H) 4.6" x (W) 1.8" x (D) 1.2"



# NEBO<sup>®</sup>

## MINI LARRY<sup>®</sup> 500

### LIGHT MODES

- Flashlight High (500 lumens): 1 hour / 126 meters
- Flashlight Low (220 lumens): 4 hours / 80 meters
- C-O-B Work Light High (450 lumens): 1 hour / 30 meters
- C-O-B Work Light Low (240 lumens): 4.5 hours / 20 meters

### DESIGN

- USB-C rechargeable
- Smart Power Control<sup>™</sup> (SPC)
- Removable dual-direction steel clip
- Powerful magnetic base
- Waterproof (IP67)
- Anodized aircraft-grade aluminum

### OPERATION

- Side-positioned backlit button with charging indicator

### ACCESSORIES

- USB-A to USB-C charging cable

### BATTERIES

- Powered by internal lithium-ion rechargeable battery (14500, 3.7V, 800mAh) (Recharge time: 2 hours)

### SPECS

- 0.2 lb.
- (H) 4.19" x (W) 1.34" x (D) 0.94"



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## COMPACT SIZE POWERFUL LIGHT

The Mini Larry 500 may be small, but it packs a big punch with its **500 lumen flashlight** and **450 lumen C-O-B work light**. This compact light is **waterproof, USB-C rechargeable**, and features a **dual-direction clip** and **magnetic base** to provide convenient hands-free lighting solutions.

UPC CODE

ITEM

645397940630 NEB-POC-1004



Actual Size

**PDQ Dimensions**  
(H) 12.36" x (W) 6.3" x (D) 13.9"  
**Natralock Dimensions**  
(H) 8.27" x (W) 4.88" x (D) 1.5"





# NEBO® LARRY 500 FLEX

## LIGHT MODES (10850 RECHARGEABLE BATTERY)

- White C-O-B High (500 lumens): 1.5 hours / 31 meters
- White C-O-B Low (250 lumens): 3 hours / 22 meters
- White C-O-B Strobe (300 lumens): 3 hours / 22 meters
- Red C-O-B Work Light (8 lumens): 2.5 hours / 4 meters
- Red C-O-B Hazard (4 lumens): 5 hours / 3 meters

## LIGHT MODES (2 AAA BATTERIES)

- White C-O-B High (150 lumens): 2 hours / 18 meters
- White C-O-B Low (60 lumens): 3 hours / 11 meters
- White C-O-B Strobe (100 lumens): 3 hours / 12 meters
- Red C-O-B Work Light (8 lumens): 4 hours / 4 meters
- Red C-O-B Strobe (7 lumens): 2.5 hours / 3 meters

## DESIGN

- Flex-Power™ technology
- Smart Power Control™ (SPC)
- Dimming + Power Memory Recall
- Direct-to-Red
- Anodized aircraft-grade aluminum
- Waterproof (IPX7) and impact-resistant
- Ergonomic rubberized grip
- Steel pocket clip
- Powerful magnetic base

## OPERATION

- Top-positioned button with battery/charging indicator

## ACCESSORIES

- USB-A to USB-C charging cable

## BATTERIES

- Powered by lithium-ion rechargeable battery (included) or 2x AAA batteries (not included)
- (Recharge time: 2 hours @ 0.5A)

## SPECS

- 0.5 lb.
- (H) 6.05" x (W) 0.65" x (D) 0.88"



Actual size



## 500-LUMEN COMPACT WORK LIGHT

The Larry 500 FLEX is a compact, **500-lumen** work light that utilizes **Flex-Power Technology**, which allows the light to be powered by an included 10850 rechargeable battery or with 2 AAA batteries. The Larry 500 FLEX is equipped with a **steel pocket clip**, and a **powerful magnetic base** for convenient hands-free lighting.

### UPC CODE

### ITEM

044435919650 NEB-WLT-0033

**Box Dimensions**  
(H) 6.22" x (W) 1.06" x (D) 1.06"  
**Display Dimensions**  
(H) 10.15" x (W) 5.3" x (D) 10.63"





# NEBO® BIG Larry 2 POWER WORK LIGHT

## LIGHT MODES

- Top light (200 lumens): 8 hours / 75 meters
- C-O-B Work light (500 lumens): 2.5 hours / 31 meters
- C-O-B Red light (40 lumens): 20 hours / 7 meters
- C-O-B Red hazard flasher: 40 hours / 7 meters

## DESIGN

- Dimmable + Memory Power Setting
- Direct-to-Red Feature
- Anodized aircraft-grade aluminum
- Water and impact-resistant
- Steel belt/pocket clip
- Powerful magnetic base

## OPERATION

- Side-positioned, ON/OFF button

## BATTERIES

- Powered by 3 AA batteries (included)

## SPECS

- 0.45 lbs.
- (H) 7.75" x (W) 0.98" x (D) 1.25"

## AVAILABLE COLORS

- Storm Gray (0001) 
- Red (0002) 



 **WARNING CALIFORNIA REQUIRED** | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



Actual Size


## POWERFUL WORK LIGHT & FLASHLIGHT

The BIG Larry 2 outputs **500 lumens** with the C-O-B work light and **200 lumens** from the top light. The red C-O-B light is perfect for distress signaling or roadside emergencies. The **steel clip** and **magnetic base** provide convenient hands-free lighting options.

UPC CODE	ITEM
645397936695	NEB-WLT-0001
645397936701	NEB-WLT-0002
645397936718	NEB-DSP-0002

**Display sold separately**  
"Try Me" sample not included

**Display Dimensions**  
(H) 11.75" x (W) 7.25" x (D) 7.875"  
**Gift Box Dimensions**  
(H) 7.76" x (W) 1.26" x (D) 0.98"





# NEBO<sup>®</sup>

## BIG LARRY<sup>®</sup>

### LIGHT MODES

- Flashlight (220 lumens): 8 hours / 82 meters
- C-O-B Work Light (600 lumens): 2.5 hours / 33 meters
- C-O-B Red (40 lumens): 20 hours / 7 meters
- C-O-B Red Strobe (40 lumens): 40 hours / 7 meters

### DESIGN

- Dimming + Power Memory Recall
- Direct-to-Red
- Anodized aircraft-grade aluminum
- Water and impact-resistant (IPX4)
- Steel pocket clip with hanging hole
- Powerful magnetic base

### OPERATION



- Side-positioned button

### BATTERIES

- Powered by 3 AA batteries (included)

### SPECS

- 0.42 lb.
- (H) 7.85" x (W) 0.965" x (D) 1.18"



⚠ **WARNING CALIFORNIA REQUIRED** | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



Actual Size

## BIG LARRY IS BACK AND BRIGHTER THAN EVER

The new and improved BIG Larry outputs **600 lumens** with the C-O-B work light and **220 lumens** from the top light. The **red C-O-B light** is perfect for distress signaling or roadside emergencies. The **steel clip** and **magnetic base** provide convenient hands-free lighting options.

UPC CODE	ITEM
645397939658	NEB-FLT-1041

**PDQ Dimensions**  
(H) 14" x (W) 5.7" x (D) 10.78"  
**Natralock Dimensions**  
(H) 11.8" x (W) 4.88" x (D) 1"





# NEBO<sup>®</sup>

## BIG LARRY<sup>®</sup> 600

### LIGHT MODES

- Flashlight (220 lumens): 11 hours / 82 meters
- C-O-B Work Light (600 lumens): 4.5 hours / 33 meters
- C-O-B Red (40 lumens): 8 hours / 7 meters
- C-O-B Red Strobe (40 lumens): 24 hours / 7 meters

### DESIGN

- USB-C rechargeable
- Dimming + Power Memory Recall
- Direct-to-Red
- Anodized aircraft-grade aluminum
- Waterproof (IPX7) and impact-resistant
- Steel pocket clip with hanging hole
- Powerful magnetic base

### OPERATION

- Side-positioned backlit button with charging indicator

### ACCESSORIES

- USB-A to USB-C charging cable

### BATTERIES

- Powered by internal Li-Ion rechargeable battery (18650, 3.7V, 2200mAh)  
(Recharge time: 4 hours @ 1A, 6 hours @ 0.5A)

### SPECS

- 0.5 lb.
- (H) 8.46" x (W) 1" x (D) 1.42"



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



RECHARGEABLE

## BIG LARRY IS BACK AND BRIGHTER THAN EVER

The new and improved BIG Larry 600 outputs **600 lumens** with the C-O-B work light and **220 lumens** from the top light. The **red C-O-B light** is perfect for distress signaling or roadside emergencies. The **steel clip** and **magnetic base** provide convenient hands-free lighting options.

UPC CODE

ITEM

645397938712

NEB-FLT-1033



### Natural Dimensions

(H) 11.8" x (W) 4.88" x (D) 1"

### PQ Dimensions

(H) 1.4" x (W) 5.7" x (D) 10.78"



# NEBO<sup>®</sup> SLYDE+<sup>®</sup>

## LIGHT MODES

- C-O-B Work Light (400 lumens): 3.5 hours / 32 meters
- C-O-B Red (40 lumens): 2 hours / 9 meters
- C-O-B Red Flash (40 lumens): 9 hours / 9 meters
- Flashlight (400 lumens): 2 hours / 89 meters

## DESIGN

- OC™ Technology
- 4x adjustable zoom
- Dimmable + Power Memory Setting
- Direct-to-Red
- Anodized aircraft-grade aluminum
- Water (IPX4) and impact-resistant
- Powerful magnetic base

## OPERATION

- Side-positioned, ON/OFF button; hold to dim
- C-O-B Work Light automatically turns ON when opened and OFF when closed

## BATTERIES

- Powered by 4 AAA batteries (included)

## SPECS

- 0.7 lbs.
- Length: Compacted: 6.75" / Extended: 9.5"
- Diameter: (Head) 1.625" / (Barrel) 1.375"

## U.S. PATENT

- D 786,466 S



## POWERFUL, C-O-B WORK LIGHT & FLASHLIGHT

The SLYDE+ is a powerful **400 lumen work light and flashlight** equipped with **programmable memory settings** for each light mode, a C-O-B red light function, a **4x adjustable zoom** and **direct-to-red** feature. The C-O-B LED automatically turns on when opened, and the **magnetic base** provides convenient hands-free lighting.

UPC CODE	ITEM
645397936282	NEB-WLT-0006
645397936299	NEB-DSP-0012

**Display Dimensions**  
(H) 11.75" x (W) 7.25" x (D) 7.75"  
**Gift Box Dimensions**  
(H) 6.825" x (W) 1.75" x (D) 1.75"





# NEBO<sup>®</sup> SLYDE<sup>®</sup> KING

## LIGHT MODES

- C-O-B work light (500 lumens): 3.5 hours / 37 meters
- C-O-B Red light (40 lumens): 5.5 hours / 9 meters
- C-O-B Red flash: 24 hours / 9 meters
- Flashlight (500 lumens): 2.5 hours / 160 meters

## DESIGN

- Rechargeable
- OC™ Technology
- 4x adjustable zoom
- Dimmable + Power Memory Setting
- Direct-to-Red
- Anodized aircraft-grade aluminum
- Water and impact-resistant
- Powerful magnetic base
- Battery charging indicator

## OPERATION

- Side-positioned, ON/OFF button; hold to dim
- C-O-B Work Light automatically turns ON when opened and OFF when closed

## ACCESSORIES

- USB-A to Micro USB charging cable

## BATTERIES

- Powered by internal rechargeable battery (3-4 hour recharge time)

## SPECS

- 0.8 lbs.
- Length: Compacted: 6.875" / Extended: 9.5"
- Diameter: (Head) 1.75" / (Barrel) 1.25"

## U.S. PATENT

- D 786,466 S

## AVAILABLE COLORS

- Storm Gray 
- Camo 



## 500 LUMEN C-O-B WORK LIGHT 500 LUMEN FLASHLIGHT

The **500 lumen** SLYDE KING is equipped with **dimming** and **Power Memory Recall** for each light mode, a **C-O-B red light** function, a **4x adjustable zoom** and best of all...it's **rechargeable**!

UPC CODE	ITEM
645397936268	NEB-WLT-0003
645397936275	NEB-DSP-0006

Display sold separately  
"Try Me" sample not included

Display Dimensions  
(H) 11.5" x (W) 5.5" x (D) 7.875"  
Gift Box Dimensions  
(H) 6.79" x (W) 1.85" x (D) 1.82"





# NEBO<sup>®</sup> SLYDE™ KING 1K

## FLASHLIGHT MODES

- High (1,000 lumens): 3 hours / 252 meters
- Low (100 lumens): 20 hours / 95 meters

## C-O-B WORK LIGHT MODES

- White High (500 lumens): 4 hours / 33 meters
- White Low (50 lumens): 24 hours / 10 meters
- Red High (40 lumens): 6 hours / 9 meters
- Red Low (4 lumens): 60 hours / 3 meters
- Red Flash (40 lumens): 6 hours / 9 meters

## DESIGN

- USB-C rechargeable
- OC™ Technology
- 4x adjustable zoom
- Dimming + Power Memory Setting
- Direct-to-Low
- Anodized aircraft-grade aluminum
- Waterproof (IP67) and impact-resistant
- Powerful magnetic base

## OPERATION

- Side-positioned backlit button with power indicator

## ACCESSORIES

- USB-A to USB-C charging cable
- Lanyard

## BATTERIES

- Powered by internal rechargeable battery  
(Recharge time: 4 hours @ 1.0A - 6 hours @ 0.5A)

## SPECS

- 0.84 lb.
- Length: 7.875" (Extended: 9.55")
- Diameter: 1.625"



## 1,000 LUMEN C-O-B WORK LIGHT 500 LUMEN FLASHLIGHT

The SLYDE KING 1K features a **1,000 lumen flashlight** with **4x zoom** and a **500 lumen C-O-B work light**, each equipped with **Dimming** and **Power Memory Setting** for just the right amount of light. This **rechargeable, waterproof (IP67)** light also has a **powerful magnetic base** for hands-free convenience.

### UPC CODE

### ITEM

645397939900 NEB-FLT-1044



**Gift Box Dimensions**  
(H) 8.39" x (W) 1.77" x (D) 1.77"  
**Display Dimensions**  
(H) 10.12" x (W) 5.5" x (D) 15.7"



# NEBO<sup>®</sup> SLYDE KING 2K

## FLASHLIGHT MODES

- High (2,000 lumens): 2 hours / 409 meters
- Low (200 lumens): 12 hours / 125 meters

## C-O-B WORK LIGHT MODES

- White High (500 lumens): 4 hours / 34 meters
- White Low (50 lumens): 24 hours / 10 meters
- Red High (40 lumens): 6 hours / 9 meters
- Red Low (4 lumens): 60 hours / 3 meters
- Red Flash (40 lumens): 6 hours / 9 meters

## DESIGN

- USB-C rechargeable
- OC™ Technology
- 4x adjustable zoom
- Dimming + Power Memory Setting
- Direct-to-Red
- Rubberized grip
- Anodized aircraft-grade aluminum
- Waterproof (IP67) and impact-resistant
- Powerful magnetic base

## OPERATION

- Side-positioned backlit button with power indicator

## ACCESSORIES

- USB-A to USB-C charging cable
- Lanyard

## BATTERIES

- Powered by internal rechargeable battery  
(Recharge time: 4 - 8 hours, depending on output of USB)

## SPECS

- 1.0 lb.
- Length: 7.5" (Extended: 9.625")
- Diameter: 1.625" (head) / 1.375" (barrel)



## 2,000 LUMEN C-O-B WORK LIGHT 500 LUMEN FLASHLIGHT

**Rechargeable, waterproof (IP67)** and extremely versatile, the SLYDE KING 2K features a **2,000 lumen flashlight** with 4x zoom, and a **500 lumen C-O-B work light**. Each light mode is dimmable with programmable memory. The 2K also has an ergonomic **rubberized grip** and powerful **magnetic base**.

UPC CODE	ITEM
645397001027	NEB-WLT-1003
645397001034	NEB-DSP-1004

Display sold separately  
\*Try Me\* sample not included

Display Dimensions  
(H) 11.6" x (W) 7.5" x (D) 7.75"  
Gift Box Dimensions  
(H) 8.45" x (W) 1.75" x (D) 1.75"





# NEBO<sup>®</sup> SLYDE KING 2K

## FLASHLIGHT MODES

- High (2,000 lumens): 2 hours / 409 meters
- Low (200 lumens): 12 hours / 125 meters

## C-O-B WORK LIGHT MODES

- White High (500 lumens): 4 hours / 34 meters
- White Low (50 lumens): 24 hours / 10 meters
- Red High (40 lumens): 6 hours / 9 meters
- Red Low (4 lumens): 60 hours / 3 meters
- Red Flash (40 lumens): 6 hours / 9 meters

## DESIGN

- Mossy Oak<sup>®</sup> Bottomland<sup>™</sup> camo pattern
- USB-C rechargeable
- OC<sup>™</sup> Technology
- 4x adjustable zoom
- Dimming + Power Memory Setting
- Direct-to-Red
- Rubberized grip
- Anodized aircraft-grade aluminum
- Waterproof (IP67) and impact-resistant
- Powerful magnetic base

## OPERATION

- Side-positioned backlit button with power indicator

## ACCESSORIES

- USB-A to USB-C charging cable
- Lanyard

## BATTERIES

- Powered by internal rechargeable battery  
(Recharge time: 4 - 8 hours, depending on output of USB)

## SPECS

- 1.0 lb.
- Length: 7.5" (Extended: 9.625")
- Diameter: 1.625" (head) / 1.375" (barrel)



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## 2,000 LUMEN C-O-B WORK LIGHT 500 LUMEN FLASHLIGHT

**Rechargeable, waterproof (IP67)** and extremely versatile, the SLYDE KING 2K features a **2,000 lumen flashlight** with 4x zoom, and a **500 lumen C-O-B work light**. Equipped with **dimming** and **programmable memory**, this special edition 2K also features the legendary **Mossy Oak<sup>®</sup> Bottomland<sup>™</sup>** camouflage pattern.

UPC CODE	ITEM
645397938590	NEB-FLT-1021

**Natural Dimensions**  
(H) 11.6" x (W) 4.88" x (D) 1.75"  
**PDQ Dimensions**  
(H) 7" x (W) 6.3" x (D) 15.7"





# NEBO SLYDEKING 4K

## FLASHLIGHT MODES

- High (4,000 lumens): 1 hour / 350 meters
- Low (400 lumens): 6 hours / 100 meters

## C-O-B WORK LIGHT MODES

- White High (1,000 lumens): 4 hours / 35 meters
- White Low (100 lumens): 24 hours / 10 meters
- Red High (40 lumens): 6 hours
- Red Low (4 lumens): 35 hours
- Red Flash (40 lumens): 12 hours

## DESIGN

- USB-C rechargeable
- OC™ Technology
- 4x adjustable zoom
- Dimming + Power Memory Setting
- Direct-to-Low
- Anodized aircraft-grade aluminum
- Waterproof (IPX7) and impact-resistant
- Powerful magnetic base

## OPERATION

- Side-positioned backlit button with power indicator

## ACCESSORIES

- USB-A to USB-C charging cable
- Lanyard

## BATTERIES

- Powered by internal rechargeable battery  
(Recharge time: 4 hours @ 1.0A - 8 hours @ 0.5A)

## SPECS

- 1.1 lb.
- Length: 8.15" (Extended: 10.25")
- Diameter: 1.77"



## BIGGER, BRIGHTER & STILL THE KING

The SLYDE KING 4K features a **4,000 lumen flashlight** with **4x zoom** and a **1,000 lumen C-O-B work light**, each equipped with **Dimming** and **Power Memory Setting** for just the right amount of light. This **rechargeable, waterproof** (IPX7) light also has a **powerful magnetic base** for hands-free convenience.

### UPC CODE

### ITEM

645397943136 NEB-WLT-0031



RECHARGEABLE

**Gift Box Dimensions**  
(H) 9.06" x (W) 2.16" x (D) 2.16"  
**Display Dimensions**  
(H) 10.84" x (W) 6.95" x (D) 8.5"





# NEBO<sup>®</sup> OMNI2K



## LIGHT MODES

- Dual C-O-B (2,000 lumens): 1.3 hours / 70 meters
- Dual C-O-B (250 lumens): 5.5 hours / 22 meters
- Single C-O-B (1,100 lumens): 2 hours / 50 meters
- Single C-O-B (150 lumens): 9 hours / 18 meters
- Red C-O-B (20 lumens): 11 hours / 8 meters
- Red C-O-B Flash (20 lumens): 20 hours / 8 meters

## DESIGN

- USB-C rechargeable
- 4,000mAh power bank
- Rotating magnetic handles
- Rotating C-O-B panels
- Water and impact-resistant
- Non-slip rubber coating
- Battery charging indicator

## OPERATION

- Rear-positioned ON/OFF button and 2 buttons for adjustable brightness

## ACCESSORIES

- USB-A to USB-C charging cable

## BATTERIES

- Powered by internal rechargeable battery (Recharge time: 2 - 8 hours)

## SPECS

- 2 lbs.
- Folded size: (H) 4.85" x (W) 6.3" x (D) 1.9"
- Unfolded size: (H) 8.4" x (W) 6.3" x (D) 0.95"



## 2,000 LUMEN DUAL C-O-B OMNI-DIRECTIONAL WORK LIGHT

The OMNI 2K is a powerful **2,000 lumen, Dual C-O-B Work Light** with a **4,000mAh Power Bank**, convenient **rotating magnetic handles**, and **adjustable C-O-B panels** to provide hands-free, omni-directional light to your project.

UPC CODE	ITEM
645397936046	NEB-WLT-0015
645397936053	NEB-DSP-0028



Display sold separately  
"Try Me" sample not included

Display Dimensions  
(H) 11.8" x (W) 8" x (D) 10"



# NEBO OMNI 3K

## LIGHT MODES

- Dual C-O-B High (3,000 lumens): 1 hour / 70 meters
- Dual C-O-B Low (300 lumens): 4 hours / 22 meters
- Single C-O-B High (1,500 lumens): 2 hours / 50 meters
- Single C-O-B Low (150 lumens): 6 hours / 18 meters
- Red C-O-B (7 lumens): 15 hours / 8 meters
- Red C-O-B Strobe (7 lumens): 20 hours / 8 meters

## DESIGN

- USB-C rechargeable
- 4,000mAh power bank
- Smart Power Control™ (SPC)
- Adjustable magnetic handle
- Rotating C-O-B panels
- Dimming + Power Memory Recall
- 1/4-20 tripod mount
- Water (IPX4) and impact-resistant
- Non-slip rubber coating
- Battery charging indicator

## OPERATION

- Rear-positioned ON/OFF button and 2 buttons for adjustable brightness

## ACCESSORIES

- USB-A to USB-C charging cable

## BATTERIES

- Powered by internal rechargeable battery (Recharge time: 2 - 8 hours)

## SPECS

- 1.5 lbs.
- Folded size: (H) 5.1" x (W) 5.65" x (D) 0.65"
- Unfolded size: (H) 7.4" x (W) 5.65" x (D) 0.65"



## 3,000 LUMEN DUAL C-O-B WORK LIGHT & POWER BANK

The OMNI 3K is the ultimate, versatile work light that boasts a powerful **3,000 lumen, dual C-O-B** output with a **4,000mAh power bank** to charge your USB powered devices. The OMNI features a **magnetic handle** and **dual rotating C-O-B panels** to provide convenient, hands-free, omni-directional light exactly where you need it.

### UPC CODE

645397002161

### ITEM

NEB-WLT-1008

**Naturalock Dimensions**  
(H) 8.85" x (W) 7.5" x (D) 0.75"  
**PDQ Dimensions**  
(H) 5.9" x (W) 8.3" x (D) 13.4"







**NEBO®**  
SPOTLIGHTS



# NEBO<sup>®</sup>

## LUXTREME<sup>®</sup> SL25R

FLOOD LIGHT + SPOTLIGHT

### LIGHT MODES

- Spot (500 lumens): 2 hours / 400 meters
- White C-O-B (300 lumens): 3.5 hours / 25 meters
- Red C-O-B (30 lumens): 6 hours / 12 meters

### DESIGN

- USB-C rechargeable
- Mode Select Dial
- Smart Power Control
- Tripod mountable (1/4-20)
- Reversible/removable steel clip
- Powerful magnetic base
- LED power/charging indicator
- Waterproof (IP67) and impact-resistant
- Anodized aircraft-grade aluminum
- Ergonomic rubberized grip

### OPERATION

- Front-positioned, ON/OFF trigger button;
- rear-positioned Mode Select Dial

### ACCESSORIES

- USB-A to USB-C charging cable
- Lanyard

### BATTERIES

- Powered by (1) 18650 rechargeable battery (included)
- Recharge time: 2 hours (2.0A) - 8 hours (0.5A)
- Additional battery storage compartment

### SPECS

- 0.25 lbs.
- (H) 6.97" x (W) 1.75" x (D) 5.11"



Actual Size



## 1/4 MILE LIGHT BEAM SPOT LIGHT + C-O-B FLOOD LIGHT

The powerful LUXTREME SL25R is **rechargeable**, **waterproof** (IP67), and features a white or red C-O-B flood light and **1/4 mile light beam** spot light. The ruggedly designed SL25R is also equipped with several hands-free options: a powerful **magnetic base**, **1/4-20 tripod mount**, and a **reversible/removable steel clip**.

### UPC CODE

### ITEM

645397002444 NEB-SPT-1004



**Box Dimensions**  
(H) 12.1" x (W) 8.5" x (D) 3.15"





**NEBO<sup>®</sup>**  
PENLIGHTS



# NEBO<sup>®</sup> COLUMBO<sup>®</sup> KEYCHAIN

**LIGHT MODE**  
• 100 lumens: 1 hour / 40 meters

**DESIGN**  
• Keyring loop  
• Aircraft-grade aluminum  
• Waterproof (IPX7) and impact-resistant

**OPERATION**  
• Twist to activate

**BATTERIES**  
• Powered by 1 AAA battery (included)

**SPECS**  
• (L) 3.1" x (D) 0.67"  
• 0.179 lbs.



Actual Size

## COMPACT, 100 LUMEN KEYRING FLASHLIGHT

Lightweight and easily concealable in the palm of your hand, the COLUMBO KEYCHAIN is the perfect keyring accessory. This **100 lumen** light features **twist-to-activate** functionality for easy one-handed operation and a **keyring attachment** for convenient portability.

UPC CODE	ITEM
645397939160	NEB-POC-1003



**POQ Dimensions**  
(H) 1.6" x (W) 5.1" x (D) 5.9"  
**Natralock Dimensions**  
(H) 6.25" x (W) 3.8" x (D) 1"



# NEBO<sup>®</sup>

## COLUMBO<sup>®</sup> 100

### LIGHT MODES

- High (100 lumens): 1.5 hours / 56 meters
- Low (35 lumens): 4.5 hours / 33 meters
- Strobe (100 lumens): 1.5 hours / 56 meters

### DESIGN

- 4x adjustable zoom
- Pocket clip
- Anodized aircraft-grade aluminum
- Waterproof and dust-tight (IP67)

### OPERATION

- Rear-positioned button with Easy Touch

### BATTERIES

- Powered by 1 AAA battery (included)

### SPECS

- 0.2 lb.
- (L) 4.15" x (W) 0.68"



Actual Size


## 100 LUMEN WATERPROOF PEN LIGHT

The COLUMBO 100 is a slender, **100 lumen** pen light with (IP67) **waterproof** design and **4x adjustable zoom**. **Easy Touch** quickly cycles the 3 impressive light modes and the **pocket clip** keeps this light conveniently within reach.

UPC CODE

ITEM

645397937692 NEB-POC-0006



Natralock Dimensions  
(H) 8.98" x (W) 4.25" x (D) 1.5"






## INSPECTOR™

The INSPECTOR is an innovative, powerful pocket light that outputs **180 lumens**, with 3 light modes and 3x adjustable zoom. The INSPECTOR is also **waterproof** (IP67) and features a removable steel clip. Soft-Touch Technology provides convenient momentary operation when the light is off.

- 180 Lumen Penlight
- 3x adjustable zoom
- Detachable steel belt/pocket clip
- Anodized aircraft-grade aluminum
- Waterproof (IP67) and impact-resistant
- Powered by 2 AAA Batteries (Included)

UPC CODE	ITEM
645397936206	NEB-POC-0004
645397936213	NEB-DSP-0010



## INSPECTOR™ RC

The INSPECTOR RC is a powerful **360 lumen, rechargeable, waterproof** (IP67) pocket light. The INSPECTOR RC features **FLEX-POWER** and is equipped with a removable steel clip, 4x zoom and 3 light modes (high, low, strobe). Soft-Touch Technology provides momentary operation when the light is off, with the slight touch of the button.

- 360 Lumen Penlight
- 4x adjustable zoom
- Flex-Power™ Technology
- Detachable steel belt/pocket clip
- Anodized aircraft-grade aluminum
- Waterproof (IP67) and impact-resistant
- USB-A to Micro USB Charging Cable (Included)

UPC CODE	ITEM
645397936220	NEB-POC-0005
645397936237	NEB-DSP-0011





# NEBO<sup>®</sup>

## INSPECTOR<sup>™</sup> 500+

### PENLIGHT MODES (RECHARGEABLE BATTERY)

- Turbo (500 lumens): 30 seconds\* / 142 meters  
\*After 30 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (250 lumens): 3.5 hours / 98 meters
- Low (25 lumens): 8 hours / 31 meters
- Strobe (250 lumens): 2.5 hours / 98 meters

### AREA LIGHT MODES (RECHARGEABLE BATTERY)

- Turbo (400 lumens): 30 seconds\* / 16 meters
- High (200 lumens): 3.5 hours / 11 meters
- Low (20 lumens): 8 hours / 6 meters
- Strobe (200 lumens): 2.5 hours / 11 meters

### DESIGN

- Flex-Power<sup>™</sup> Technology
- Smart Power Control<sup>™</sup> (SPC)
- Direct-to-Low
- Steel belt/pocket clip
- Anodized aircraft-grade aluminum
- Waterproof (IPX7) and impact-resistant
- Powerful magnetic base
- Battery charging indicator

### OPERATION

- Rear-positioned, ON/OFF button

### ACCESSORIES

- USB-A to Micro USB charging cable

### BATTERIES

- Powered by internal rechargeable battery (included) or 2x AAA batteries (not included)  
(Recharge time: approx. 2 hours)

### SPECS

- 0.1375 lbs.
- Length: Compacted: 6.3" / Extended: 6.5"
- Diameter: 0.7"



Actual Size

## RECHARGEABLE, WATERPROOF PENLIGHT & AREA LIGHT

The INSPECTOR 500+ is a powerful **500 lumen, rechargeable, waterproof** (IPX7) penlight and expandable area light. The INSPECTOR 500+ is equipped with a powerful magnetic base, steel clip, 4 light modes and features **Flex-Power Technology**, which allows the light to be powered by rechargeable or AAA batteries.

UPC CODE	ITEM
645397001836	NEB-POC-1000
645397001843	NEB-DSP-1009

Display sold separately  
\*Try Me\* sample not included

Display Dimensions  
(H) 9" x (W) 6.22" x (D) 10.5"  
Gift Box Dimensions  
(H) 6.4" x (W) 1" x (D) 0.72"







**NEBO<sup>®</sup>**  
HEADLAMPS



NEBO  
MYCRO<sup>®</sup> 450  
HEADLAMP & CAP LIGHT

LIGHT MODES

- Turbo (450 lumens): 30 seconds\* / 80 meters  
\*After 30 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (150 lumens): 1 hour / 50 meters
- Medium (50 lumens): 2 hours / 18 meters
- Low (15 lumens): 5 hours / 10 meters
- Green: 10 hours / 3 meters
- Red: 10 hours / 3 meters

DESIGN

- USB-C rechargeable
- Detachable cap light clip with 130° adjustable tilt
- Smart Power Control (SPC)
- Direct-to-Red
- PowerSave™ lockout
- Battery charging indicator
- Water (IPX4) and impact-resistant

OPERATION

- Side-positioned button controls power and mode selection

ACCESSORIES

- Adjustable head strap; one size fits all
- Removable cap-light clip
- USB-A to USB-C charging cable

BATTERIES


- Powered by internal rechargeable battery (Recharge time: 0.5 - 1 hour)

SPECS

- 0.25 lbs.
- (H) 1.75" x (W) 2.75" x (D) 0.6"

U.S. PATENT

- 11,516,897



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



PDQ Dimensions  
(H) 2.56" x (W) 5.83" x (D) 10.63"  
Natrlock Dimensions  
(H) 6.25" x (W) 4.88" x (D) 1.5"



450-LUMEN  
HEADLAMP & CAP-LIGHT

The MYCRO 450 quickly converts from **headlamp** to **cap-light** and defies the dark with **6 modes**, including the **450-lumen turbo mode** and night vision-preserving **green** and **red** modes. The **PowerSave lockout** prevents accidental activation and the **integrated tilt** allows you to position the beam exactly where you need it.

UPC CODE	ITEM	DESCRIPTION
044435921455	NEB-HLP-0030	MYCRO 450 (Gray)
044435921448	NEB-HLP-0029	MYCRO 450 (Red)
044435921462	NEB-HLP-0031	MYCRO 450 (Blue)



# NEBO<sup>®</sup>

# MYCRO<sup>®</sup> 450

## HEADLAMP & CAP LIGHT

### LIGHT MODES

- Turbo (450 lumens): 30 seconds\* / 80 meters  
\*After 30 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (150 lumens): 1 hour / 50 meters
- Medium (50 lumens): 2 hours / 18 meters
- Low (15 lumens): 5 hours / 10 meters
- Green: 10 hours / 3 meters
- Red: 10 hours / 3 meters

### DESIGN

- Mossy Oak<sup>®</sup> Bottomland<sup>™</sup> camo pattern
- USB-C rechargeable
- Detachable cap light clip with 130° adjustable tilt
- Smart Power Control (SPC)
- Direct-to-Red
- PowerSave<sup>™</sup> lockout
- Battery charging indicator
- Water (IPX4) and impact-resistant

### OPERATION

- Side-positioned button controls power and mode selection

### ACCESSORIES

- Adjustable head strap; one size fits all
- Removable cap-light clip
- USB-A to USB-C charging cable

### BATTERIES



- Powered by internal rechargeable battery (Recharge time: 0.5 - 1 hour)

### SPECS

- 0.25 lbs.
- (H) 1.75" x (W) 2.75" x (D) 0.6"

### U.S. PATENT

- 11,516,897



## 450-LUMEN HEADLAMP & CAP-LIGHT

The MYCRO 450 quickly converts from **headlamp** to **cap-light** and defies the dark with **6 modes**, including the **450-lumen turbo mode** and night vision-preserving **green** and **red** modes. The **power lockout** prevents accidental activation and the **integrated tilt** allows you to position the beam exactly where you need it.

### UPC CODE

### ITEM

044435921783 NEB-HLP-0037



**Natural Dimensions**  
(H) 6.25" x (W) 4.88" x (D) 1.5"



# NEBO<sup>®</sup> MYCRO<sup>®</sup> 550+

## HEADLAMP & CAP LIGHT

### LIGHT MODES

- Turbo (550 lumens): 30 seconds\* / 75 meters  
\*After 30 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (200 lumens): 30 minutes / 51 meters
- Medium (100 lumens): 1 hour / 38 meters
- Low (25 lumens): 2.33 hours / 19 meters
- C-O-B High (200 lumens): 25 minutes / 24 meters
- C-O-B Low (50 lumens): 50 minutes / 11 meters
- C-O-B Red (200 lumens): 40 minutes / 8 meters

### DESIGN

- USB-C rechargeable
- Detachable cap light clip with 130° adjustable tilt
- Smart Power Control (SPC)
- Power Memory Recall
- Direct-to-Low/Red
- PowerSave™ lockout
- Battery charging indicator
- Water (IPX4) and impact-resistant

### OPERATION

- Two top-positioned, ON/OFF buttons for LED and C-O-B

### ACCESSORIES

- Adjustable head strap; one size fits all
- Removable cap-light clip
- USB-A to USB-C charging cable

### BATTERIES

- Powered by internal rechargeable battery  
(Recharge time: 0.5 - 1 hour)

### SPECS

- 0.25 lbs.
- (H) 1.75" x (W) 2.75" x (D) 0.6"

### U.S. PATENT


- 11,516,897



## HEADLAMP & CAP-LIGHT WITH 550 LUMEN TURBO MODE

The MYCRO 550+ Headlamp & Cap-Light provides 7 light modes with 2 different light sources—an **LED spot light** and a **C-O-B flood light**. The **PowerSave lockout** prevents accidental activation and the **130° integrated tilt** allows you to position the beam exactly where you need it.

UPC CODE	ITEM	DESCRIPTION
044435921349	NEB-HLP-0024	MYCRO 550+ (Gray)
044435921370	NEB-HLP-0027	MYCRO 550+ (Red)
044435921387	NEB-HLP-0028	MYCRO 550+ (Blue)



**Natural Lock Dimensions**  
(H) 6.25" x (W) 4.88" x (D) 1.5"





# NEBO<sup>®</sup>

## CURVBEAM<sup>™</sup> 600 FLEX

### LIGHT MODES

- Spot High (500 lumens): 1.5 hours / 96 meters
- Spot Medium (150 lumens): 5.5 hours / 53 meters
- Spot Low (30 lumens): 10 hours / 23 meters
- 180° C-O-B High (300 lumens): 2 hours / 18 meters
- 180° C-O-B Low (100 lumens): 4 hours / 11 meters
- 180° C-O-B + Spot (600 lumens): 1.5 hours / 85 meters

### DESIGN

- Flex-Power<sup>™</sup> Technology
- Spot Light + Flexible C-O-B LED
- 180° wide angle illumination
- Smart Power Control<sup>™</sup> (SPC)
- Direct-to-Low<sup>™</sup>
- Integrated 20° tilt
- BackBalance Fit<sup>™</sup>
- Lightweight, comfortable design
- Battery charging indicator
- LED Power indicator
- Aluminum, TPR & ABS Polymer construction
- Water and impact-resistant (IPX4)

### OPERATION

- Dual top-positioned ON/OFF buttons: Spot & Flood

### ACCESSORIES

- Adjustable, reflective head strap; one size fits all
- USB-A to USB-C charging cable

### BATTERIES

- Powered by lithium-ion rechargeable battery (included) or 3 AAA batteries (not included)
- NEB-BAT-0012 replacement battery available soon

### SPECS

- 0.5 lbs.
- (H) 1.62" x (W) 2.47" x (D) 0.6"

### U.S. PATENT

- 11,516,897



## MADE FOR THOSE ON THE MOVE

The CURVBEAM<sup>™</sup> 600 FLEX headlamp combines a **powerful spot light** with an **ultra-wide 180° flood beam** all in a comfortable, low-profile design. Equipped with our **BackBalance Fit<sup>™</sup>**, the rear-positioned battery provides better weight displacement for a more secure fit while on the go.

UPC CODE	ITEM
044435920380	NEB-HLP-0021



**Box Dimensions**  
(H) 3.54" x (W) 6.3" x (D) 3.58"  
**Display Dimensions**  
(H) 10.63" x (W) 12.87" x (D) 10.83"





# NEBO® IllumaTrace® Blood Tracker Headlamp

## LIGHT MODES

- Blood Tracker (100 lumens): 2.5 hours / 51 meters  
- 3 strobe rates (Fast, Medium, & Slow)
- White High (800 lumens): 3 hours / 93 meters
- White Medium (400 lumens): 4 hours / 69 meters
- White Low (200 lumens): 5 hours / 45 meters

## DESIGN

- Patented IllumaTrace® technology
- Flex-Power™ technology
- BackBalance Fit™
- Smart Power Control™ (SPC)
- Anodized aircraft-grade aluminum
- Water and impact-resistant (IPX6)

## OPERATION

- Dual top-positioned ON/OFF buttons: White & Blood-Tracker

## ACCESSORIES

- Adjustable, reflective head strap; one size fits all
- USB-A to USB-C charging cable

## BATTERIES

- Powered by lithium-ion rechargeable battery (included)  
or 2x CR123A batteries (not included)

## SPECS

- 0.5 lbs.
- (H) 1.62" x (W) 2.47" x (D) 0.6"

## U.S. PATENT

- 11,796,140 B1



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## LIGHT YOUR PATH FIND YOUR GAME

The IllumaTrace Blood Tracker Headlamp is a revolutionary tool that allows hunters to see blood trails in a whole new light. Our patented **IllumaTrace technology** makes the blood appear to strobe like a neon sign to **easily detect and identify blood trails** against various backgrounds.

### UPC CODE

### ITEM

044435919971 NEB-HLP-0020



**PDQ Dimensions**  
(H) 2.56" x (W) 6.378" x (D) 13.78"  
**Natralock Dimensions**  
(H) 8.27" x (W) 5.7" x (D) 2.5"





# NEBO<sup>®</sup> MYCRO<sup>®</sup> 250

## HEADLAMP & CAP LIGHT

### LIGHT MODES

- High (250 lumens): 1 hour / 65 meters
- Medium (50 lumens): 2 hours / 28 meters
- Low (15 lumens): 5 hours / 15 meters

### DESIGN

- USB-C rechargeable
- Smart Power Control<sup>™</sup> (SPC)
- Direct-to-Low
- Detachable cap light clip with adjustable tilt
- Battery charging indicator
- Water and dust-resistant (IP44)

### OPERATION

- Side-positioned button controls power and mode selection

### ACCESSORIES

- 2 adjustable head straps; one size fits all
- 1 USB-A to USB-C charging cable

### BATTERIES

- Powered by internal rechargeable battery
- (Recharge time: 3 hours)

### SPECS

- 0.3 lbs.
- (H) 1.75" x (W) 2.75" x (D) 0.6"



## 2-PACK HEADLAMP & CAP-LIGHT

The MYCRO 250 is a **rechargeable headlamp and cap-light** that includes an adjustable head strap. Small enough to fit in the palm of your hand, the **integrated tilt feature** allows you to position the beam exactly where you want it.

UPC CODE	ITEM
645397941064	NEB-HLP-1010

**PDQ Dimensions**  
(H) 1.92" x (W) 6.3" x (D) 9.4"  
**Natralock Dimensions**  
(H) 8.65" x (W) 4.88" x (D) 1.5"





# NEBO<sup>®</sup> TRANSCEND

## LIGHT MODES

- Turbo (1,000 lumens): 40 seconds\* / 105 meters  
\*After 40 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (450 lumens): 4 hours / 62 meters
- Medium (170 lumens): 5.5 hours / 40 meters
- Low (30 lumens): 27.5 hours / 18 meters
- Strobe (450 lumens): 4 hours / 62 meters

## DESIGN

- USB rechargeable
- Smart Power Control (SPC)
- Detachable head strap mount with adjustable tilt
- Powerful magnetic base
- Direct-to-Low feature
- Battery charging indicator
- Anodized aircraft-grade aluminum
- Waterproof (IPX7) and impact-resistant

## OPERATION

- Side-positioned button for power and mode selection

## ACCESSORIES

- Adjustable, reflective head strap; one size fits all
- USB-A to Micro USB charging cable

## BATTERIES

- Powered by internal rechargeable battery  
(Recharge time: 2.5 - 5 hours, depending on output of USB)

## SPECS

- 0.3125 lbs.
- (H) 1.02" x (W) 3.72" x (D) 1.57" (light only)



## RECHARGEABLE HEADLAMP WITH 1,000 LUMEN TURBO MODE

The TRANSCEND is a powerful, **rechargeable** headlamp that features a **1,000 lumen Turbo Mode** and new **Smart Power Control** that allows the TRANSCEND to seamlessly transition through the different light modes.

UPC CODE	ITEM
645397935827	7001
645397935834	NEB-DSP-0027



Display sold separately

Display Dimensions:

(H) 8" x (W) 6.5" x (D) 11.5"

Gift Box Dimensions:

(H) 4.625" x (W) 4.25" x (D) 2.375"





# NEBO<sup>®</sup>

## TRANSCEND

### 1 5 0 0

#### LIGHT MODES

- Turbo (1,500 lumens): 30 seconds\* / 129 meters  
\*After 30 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (750 lumens): 4 hours / 91 meters
- Medium (300 lumens): 5.5 hours / 58 meters
- Low (30 lumens): 28 hours / 18 meters
- Strobe - (750 lumens): 4 hours / 91 meters

#### DESIGN

- USB-C rechargeable
- Smart Power Control (SPC)
- Detachable head strap mount with adjustable tilt
- Powerful magnetic base
- Direct-to-Low feature
- Battery charging indicator
- Anodized aircraft-grade aluminum
- Waterproof (IPX7) and impact-resistant

#### OPERATION

- Side-positioned, ON/OFF button
- Mode Selector Dial

#### ACCESSORIES

- Adjustable, reflective head strap; one size fits all
- USB-A to USB-C charging cable

#### BATTERIES

- Powered by internal rechargeable battery  
(Recharge time: 3.5 - 7 hours, depending on output of USB)

#### SPECS

- 0.3125 lbs.
- (H) 1.34" x (W) 3.73" X (D) 1.66" (light and mount)



## RECHARGEABLE HEADLAMP WITH 1,500 LUMEN TURBO MODE

The TRANSCEND 1500 is a powerful, **USB-C rechargeable** headlamp that features a **1,500 lumen Turbo Mode**. The **Mode Selector Dial** and **Smart Power Control** enable the TRANSCEND to seamlessly transition through the different light modes.

UPC CODE	ITEM
645397002123	NEB-HLP-1001
645397002062	NEB-DSP-1010

Display sold separately

**Display Dimensions**  
(H) 9" x (W) 7.4" x (D) 10.75"  
**Gift Box Dimensions**  
(H) 3.98" x (W) 5" x (D) 2.28"





**NEBO**

# TRANSCEND™ 3000 HEADLAMP + WORK LIGHT

## LIGHT MODES

- Turbo (3,000 lumens): 30 seconds\* / 223 meters  
\*After 30 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (1,500 lumens): 2 hours / 149 meters
- Medium (750 lumens): 4.5 hours / 107 meters
- Low (50 lumens): 45 hours / 31 meters
- Strobe

## DESIGN

- USB-C rechargeable
- Smart Power Control™ (SPC)
- Detachable head strap mount with adjustable tilt
- Powerful magnetic base
- Direct-to-Low™
- Lockout feature
- Battery charging indicator
- Anodized aircraft-grade aluminum
- Waterproof (IPX7) and impact-resistant

## OPERATION

- Side-positioned, ON/OFF button
- Mode Selector Dial

## ACCESSORIES

- 2-way adjustable, reflective head strap
- (4) hard hat clips
- USB-A to USB-C charging cable

## BATTERIES

- Powered by internal lithium-ion rechargeable battery (4,000mAh, 3.7V, 14.8Wh) (Recharge time: 3-6 hours)

## SPECS

- 0.514 lbs. (without hard hat clips)
- (H) 1.15" x (W) 4.2" x (D) 1.5" (light only)

## U.S. PATENT

- 11,516,897



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



RECHARGEABLE

## 3,000 LUMEN HEADLAMP + DETACHABLE WORK LIGHT

The TRANSCEND 3000 is a powerful, **USB-C rechargeable headlamp & detachable work light**. The **Mode Selector Dial** and **Smart Power Control** enable the TRANSCEND to seamlessly transition through the **5 impressive light modes**, while the **magnetic base** and **adjustable strap** provide endless hands-free lighting solutions.

UPC CODE

ITEM

044435921677

NEB-HLP-0035



**Box Dimensions**  
(H) 4.5" x (W) 5.51" x (D) 2.75"  
**Display Dimensions**  
(H) 10.63" x (W) 8.58" x (D) 10.95"







**NEBO®**  
POCKET LIGHTS



## LIGHT MODES

- Turbo (400 lumens): 40 seconds\* / 82 meters  
\*After 40 seconds, light returns to the previously used mode to prevent overheating and protect the battery. Turbo mode can be reactivated at any time.
- High (150 lumens): 1 hour / 51 meters
- Medium (50 lumens): 2 hours / 31 meters
- Low (15 lumens): 5 hours / 18 meters
- Green: 40 hours / 1 meter
- Red: 40 hours / 1 meter

- ALARM & STROBE (115dB / 400 lumens)

## DESIGN

- Rechargeable
- 115dB emergency alarm
- Power Memory Setting
- Battery charging indicator
- Keyring and carabiner clip
- Anodized aircraft-grade aluminum
- Water and impact-resistant

## OPERATION

- 2 top-positioned buttons to independently control light and alarm

## ACCESSORIES

- USB-A to Micro USB charging cable

## BATTERIES

- Powered by internal rechargeable battery (Recharge time: 2 hours)

## SPECS

- 0.08 lbs.
- (H) 2.125" x (W) 1.4" x (D) 0.75"

## AVAILABLE COLORS

- Black (0001) 
- Pink (0002) 



Actual Size

## THE PERSONAL ALARM AND LIGHT DESIGNED JUST FOR WOMEN

The MYPAL personal alarm and light features various light modes for any task at hand and a **400 lumen TURBO mode** to light up any space. The MYPAL is also equipped with an ear-piercing, **115dB safety alarm** and distress strobe to provide safety right at your fingertips. The compact size fits perfectly in a purse or on a key chain.

UPC CODE	ITEM
645397936626	NEB-KEY-0001
645397936633	NEB-KEY-0002



**Gift Box Dimensions:**  
(H) 4.3" x (W) 0.9" x (D) 0.9"





**NEBO<sup>®</sup>**  
UTILITY LIGHTS



# NEBO<sup>®</sup>

## GRILLA LIGHT™ 300

### LIGHT MODES

- High (300 lumens): 6 hours / 20 meters
- Low (100 lumens): 16 hours / 10 meters

### DESIGN

- ChromaView™ Technology
- >80 CRI rating (Color Rendering Index)
- Smart Power Control™ (SPC)
- Universal clamp with 180° tilt
- Fits most grills
- Detachable design
- Integrated bottle opener
- Heat-resistant silicone grip
- Anodized aircraft-grade aluminum
- Water and impact-resistant
- Powerful magnetic base

### OPERATION

- Top-positioned button

### BATTERIES

- Powered by 3 AA batteries (included)

### SPECS

- 0.73 lb.
- Light only: (L) 6.5625" x (W) 1" x (D) 1.5"
- Light with clamp: (L) 9.8125" x (W) 3.75" x (D) 1.5"

### U.S. PATENTS

- 11,076,460 & 11,516,897



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## 300 LUMEN GRILL LIGHT WITH CHROMAVIEW™ TECHNOLOGY

The GRILLA Light uses **ChromaView™ Technology** to display true and accurate color clarity with a **high CRI rating (>80)**, so that your food will look as good as it will taste. This detachable **300 lumen work light** features a **powerful magnetic base** and a **universal clamp** designed to fit most grills.

### UPC CODE

### ITEM

645397942801 NEB-ARE-0009

**Natralock Dimensions**  
(H) 13.58" x (W) 7" x (D) 1.75"  
**PDQ Dimensions**  
(H) 2" x (W) 8.42" x (D) 11.1"





# NEBO<sup>®</sup>

## BLACKOUT BACKUP<sup>™</sup>

### EMERGENCY LED BULB

#### LIGHT MODES

- Fixture (850 lumens): 24 meters
- Backup High (500 lumens): 2 hours / 18 meters
- Backup Medium (185 lumens): 6 hours / 9 meters
- Backup Low (80 lumens): 12 hours / 6 meters

#### DESIGN

- Remains on without power
- Replaces standard (A70/A21) bulbs with E26 base
- Soft, white light (3,000K)
- 60W equivalent

#### OPERATION

- Standard screw base - turn ON fixture to activate
- Power cap with button - press to activate

#### ACCESSORIES

- Power cap for handheld use

#### SPECS

- 0.3 lb.
- (H) 5.12" x (W) 2.56" x (D) 2.56"



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



Actual Size



## REMAINS ON EVEN WITHOUT POWER

The Blackout Backup Emergency LED Bulb functions just like a standard bulb, using a wall or lighting fixture, but its **rechargeable internal battery** stays charged and ready to provide your home with up to **12 hours of emergency lighting** during power outages.

UPC CODE	ITEM
645397940586	NEB-ARE-0003
645397941866	NEB-DSP-0036

**Box Dimensions**  
(H) 5.51" x (W) 2.84" x (D) 2.84"  
**PDQ Dimensions**  
(H) 9" x (W) 7" x (D) 11.78"





# NEBO<sup>®</sup> BLACKOUT BACKUP<sup>™</sup> EMERGENCY LED BULB 2-PACK

## LIGHT MODES

- Fixture (850 lumens): 24 meters
- Backup High (500 lumens): 2 hours / 18 meters
- Backup Medium (185 lumens): 6 hours / 9 meters
- Backup Low (80 lumens): 12 hours / 6 meters

## DESIGN

- Remains on without power
- Replaces standard (A70/A21) bulbs with E26 base
- Soft, white light (3,000K)
- 60W equivalent

## OPERATION

- Standard screw base - turn ON fixture to activate
- Power cap with button - press to activate

## ACCESSORIES

- Power cap for handheld use

## SPECS

- 0.3 lb. (ea.)
- (H) 5.12" x (W) 2.56" x (D) 2.56" (ea.)



Actual Size



## REMAINS ON EVEN WITHOUT POWER

The Blackout Backup Emergency LED Bulb functions just like a standard bulb, using a wall or lighting fixture, but its **rechargeable internal battery** stays charged and ready to provide your home with up to **12 hours of emergency lighting** during power outages.

### UPC CODE

### ITEM

044435919704 NEB-ARE-0012

044435920373 NEB-DSP-0039

### FREE WITH 48 PIECE ORDER

#### Floor Display Dimensions

(H) 51.61" x (W) 18.12" x (D) 12.21"

#### Box Dimensions

(H) 5.51" x (W) 2.84" x (D) 2.84"

#### PDQ Dimensions

(H) 9" x (W) 7" x (D) 11.78"





# NEBO® Flipit400

## LIGHT MODES

- High (400 lumens): 5 hours / 28 meters
- Low (100 lumens): 20 hours / 16 meters

## DESIGN

- Water and impact-resistant plastic design
- Powerful magnets, double-sided hook and loop tape, and screw hole for mounting

## OPERATION

- Front-positioned, ON/OFF switch

## ACCESSORIES




- Double-sided hook and loop tape

## BATTERIES

- Powered by 3 AA batteries (included)

## SPECS

- 0.35 lbs.
- Size: (L) 4.5" x (W) 3.15" x (D) 1.25"



Actual Size

## 2 PACK 400 LUMEN HOUSEHOLD LIGHT

The Flipit400 is a **400 lumen C-O-B LED light** with 2 light modes that operates like a standard household light switch. Flipit400 includes hook & loop double-sided tape and 2 magnets for two easy mounting options, as well as a drywall screw hole for permanent mounting.

UPC CODE	ITEM
645397936572	NEB-WLT-0010
645397936589	NEB-DSP-0023

### Display Dimensions:

(H) 11.375" x (W) 7.375" x (D) 11"

### Gift Box Dimensions:

(H) 11.375" x (W) 4.75" x (D) 1.25"





# NEBO<sup>®</sup> GLOW<sup>™</sup>

## LIGHT MODES

- Task Light (220 lumens): 3 hours / 24 meters
- Lantern (130 lumens): 3 hours / 15 meters
- Task + Lantern: 2 hours / 24 meters

## DESIGN

- Ergonomic handle for 30 oz. tumbler
- ARCUS<sup>™</sup> Technology
- Dimmable + Power Memory Setting
- Direct-to-Lantern feature
- Rubberized non-slip grip
- Water and impact-resistant

## OPERATION

- Top-positioned, ON/OFF button; hold to dim

## ACCESSORIES

- Insert to fit 20 oz. tumbler

## BATTERIES

- Powered by 3 AAA batteries (included)

## SPECS

- 0.47 lbs.
- (H) 4.625" x (W) 4.625" x (D) 6.75"

## PATENT PENDING



*The GLOW fits a variety of 30 & 20 oz. tumblers, including, but not limited to:*

YETI, RTIC, Glacier Point, Ozark Trail,  
NEBO, Member's Mark,  
Mossy Oak & zak!



## POWER OF LIGHT AT YOUR FINGERTIPS

The GLOW Light + Handle fits most of the popular 30 oz. and 20 oz. tumblers. The GLOW not only makes it **easier to hold and carry your beverage**, it also provides **convenient area lighting**. The GLOW fits most standard vehicle cup holders, and perfectly holds your tumbler secure with the rubberized grip ring.

### UPC CODE

### ITEM

645397932178

6668



### Display Dimensions

(H) 13" x (W) 4.75" x (D) 5.5"

### Gift Box Dimensions

(H) 4.825" x (W) 6.7" x (D) 4.75"



**NEBO**

# HIGH BRIGHT 6000

## LIGHT MODE

- 6,000 lumens: 80 meters

## DESIGN

- Three 90° adjustable LED panels
- Quick and easy installation
- 600% more light than standard 60W bulb
- Energy efficient - only 60W

## OPERATION

- Standard screw base; switch ON to activate

## SPECS

- 0.75 lbs.
- Collapsed size: (H)4.97" x (W) 5.1" x (D) 4.55"



## EXTREMELY BRIGHT 6,000 LUMEN UTILITY LIGHT


Instantly upgrade garages, closets, basements and attics without batteries, rewiring or changing the fixture. This powerful **6,000 lumen light** fits in any standard household light socket and each of the **adjustable LED panels** can be tilted 90° to direct the light exactly where you need it.

### UPC CODE

### ITEM

645397001102 NEB-OTH-0001

645397001157 NEB-DSP-1005



Display sold separately

**Display Dimensions**  
(H) 50" x (W) 19" x (D) 12.5"  
**Gift Box Dimensions**  
(H) 6" x (W) 5.9" x (D) 5.86"

⚠ **WARNING CALIFORNIA REQUIRED** | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



# NEBO<sup>®</sup>

## HIGH BRIGHT 9000

### LIGHT MODE

- 9,000 lumens: 80 meters

### DESIGN

- Four 90° adjustable LED panels
- Quick and easy installation
- 1100% more light than standard 60W bulb
- Energy efficient - only 60W

### OPERATION

- Standard screw base; switch ON to activate

### SPECS

- 0.75 lbs.
- Collapsed size: (H) 4.97" x (W) 5.1" x (D) 4.55"



## EXTREMELY BRIGHT 9,000 LUMEN UTILITY LIGHT

Instantly upgrade garages, closets, basements and attics without batteries, rewiring or changing the fixture. This powerful **9,000 lumen light** fits in any standard household light socket and each of the **four adjustable LED panels** can be tilted 90° to direct the light exactly where you need it.

### UPC CODE

### ITEM

645397002215 NEB-ARE-0001

645397002550 NEB-DSP-1015



⚠ **WARNING CALIFORNIA REQUIRED** | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



Display sold separately

**Display Dimensions**  
(H) 50" x (W) 19" x (D) 12.5"  
**Gift Box Dimensions**  
(H) 6" x (W) 5.9" x (D) 5.86"





**NEBO<sup>®</sup>**  
LANTERNS



# NEBO™ TEMPEST™ 500

## LIGHT MODES

- 120° C-O-B High (200 lumens): 8.5 hours / 18 meters
- 120° C-O-B Low (32 lumens): 22 hours / 8 meters
- 360° C-O-B High (500 lumens): 3.5 hours / 18 meters
- 360° C-O-B Low (100 lumens): 7.5 hours / 8 meters
- 360° C-O-B Eco (12 lumens): 96 hours / 4 meters
- 360° Red C-O-B High (18 lumens): 11 hours / 4 meters
- 360° Red C-O-B Low (3 lumens): 34 hours / 2 meters
- Spot High (200 lumens): 8 hours / 112 meters
- Spot Low (40 lumens): 12 hours / 59 meters

## DESIGN

- USB-C rechargeable
- 360° ARCUS™ C-O-B Technology
- Dimming + Power Memory Recall
- Smart Power Control™ (SPC)
- Direct-to-Red
- Folding metal hanging hooks
- Powerful magnetic base
- Durable, ABS construction
- Waterproof (IPX7) and impact-resistant

## OPERATION

- Side-positioned, power/mode button

## ACCESSORIES

- Multi-use lanyard

## BATTERIES

- Powered by internal Li-Ion rechargeable battery (18650, 3.7V, 2000 mAh)
- (Recharge time: 2 hours @ 1.0A, 4 hours @ 0.5A)

## SPECS

- 0.6 lbs.
- (H) 5.27" x (W) 1.97" x (D) 1.69"

## U.S. PATENT

- 11,516,897



Actual Size



## 500-LUMEN ARCUS™ C-O-B LANTERN & SPOT LIGHT

The TEMPEST 500 is a powerful **500-lumen, rechargeable, waterproof** lantern and spot light that utilizes **ARCUS C-O-B Technology** to produce 360° or 120° of brilliant white or red light. The **multi-use lanyard** provides easy portability and hands-free convenience.

### UPC CODE

### ITEM

044435922360 NEB-LTN-0012



**Naturalock Dimensions**  
(H) 9.05" x (W) 5.83" x (D) 2.5"  
**PDQ Dimensions**  
(H) 1.97" x (W) 6.6" x (D) 13"



# NEBO<sup>®</sup> LUNA<sup>™</sup> 400+

## LIGHT MODES

- Lantern High (400 lumens): 2 hours / 25 meters
- Lantern Low (200 lumens): 3 hours / 18 meters
- Lantern Red S.O.S.
- RGB String Light
  - 16 color modes (Red, Green, Blue, Yellow, Light Blue, Purple, White, Rainbow Fade, Rainbow Slow Chasing, Rainbow Fast Chasing, Color Cycling, Single White Chasing, Rainbow Dancing, Rainbow Strobe 1, Rainbow Strobe 2, Color Chasing)

## DESIGN

- USB-C rechargeable
- Retractable, 26ft. RGB string light with 16 color modes
- Collapsible hanging hook doubles as string light retraction handle
- Carabiner attachment
- LED power/charging indicator
- Durable, ABS construction
- Water and impact-resistant (IPX4)

## OPERATION

- Dual-function button controls lantern & string light

## ACCESSORIES

- USB-A to USB-C charging cable
- Keyring carabiner

## BATTERIES

- Powered by internal Li-Ion rechargeable battery (18650, 3.7V, 2000 mAh)
- (Recharge time: 2 hours @ 1.0A, 4 hours @ 0.5A)

## SPECS

- 0.9 lb.
- Lantern: (L) 4.96" x (W) 5.55" x (D) 1.61"
- String Light: (L) 26'



## 400-LUMEN LANTERN + 26FT. RETRACTABLE STRING LIGHT

The LUNA 400+ String Light & Lantern is compact and rechargeable with a unique retractable design. This **400-lumen lantern** has **3 light modes**, and also features a **26ft., retractable RGB string light** with **16 color modes**, perfect for enhancing your camping adventure or adding festive ambiance to your own backyard.

UPC CODE	ITEM
044435922353	NEB-LTN-0011

**PDQ Dimensions**  
(H) 1.96" x (W) 9.05" x (D) 11.89"  
**Natralock Dimensions**  
(H) 11.87" x (W) 8.26" x (D) 1.58"





## NEBO®

- High (500 lumens): 3 hours / 14 meters
- Medium (250 lumens): 6 hours / 10 meters
- Low (50 lumens): 15 hours / 4 meters
- Strobe (250 lumens): 3 hours / 10 meters
- Red (20 lumens): 5 hours / 5 meters
- Red Strobe (20 lumens): 5 hours / 5 meters

- Collapsible
- Smart Power Control™ (SPC)
- Direct-to-Red
- Folding carry handle
- Battery charging indicator
- Water-resistant (IPX4)

- Front-positioned, ON/OFF power button

- Powered by 3 AA batteries included)

- 0.69 lbs.
- (H) 5.5" x (W) 5.5" / Collapsed height: 2"



## COLLAPSIBLE

The GALILEO AIR 500 is a powerful **500 lumen** lantern that features a space-saving, **collapsible design** for convenient portability. The **warm white light** efficiently illuminates any space while the **red light** option helps preserve night vision in low light conditions.

UPC CODE	ITEM
645397940852	NEB-LTN-1008



**Natralock Dimensions**  
(H) 10.18" x (W) 7.5" x (D) 2"  
**PDQ Dimensions**  
(H) 11.5" x (W) 9.2" x (D) 10.4"



# NEBO<sup>®</sup> GALILEO<sup>®</sup> AIR 1000

## LIGHT MODES

- High (1,000 lumens): 1 hour / 20 meters
- Medium (500 lumens): 5 hours / 14 meters
- Low (100 lumens): 10 hours / 6 meters
- Strobe (500 lumens): 2.5 hours / 14 meters
- Red (40 lumens): 10 hours / 5 meters
- Red Strobe (40 lumens): 5 hours / 5 meters

## DESIGN

- USB-C rechargeable
- Collapsible
- Smart Power Control<sup>™</sup> (SPC)
- Power Bank
- Direct-to-Red
- Folding carry handle
- Battery charging indicator
- Water-resistant (IPX4)

## OPERATION

- Front-positioned, ON/OFF power button

## ACCESSORIES

- USB-A to USB-C charging cable

## BATTERIES


- Powered by rechargeable lithium polymer battery (104050, 3.7V, 2500mAh included)
- Recharge time: 2 hours (1.0A) - 4 hours (0.5A)

## SPECS

- 0.73 lbs.
- (H) 5.5" x (W) 5.5" / Collapsed height: 2"



Actual Size



## COLLAPSIBLE 1,000 LUMEN LANTERN + POWER BANK

The Galileo AIR 1000 is a powerful **1,000 lumen** lantern that features a space-saving, **collapsible design** for convenient portability. The **warm white light** efficiently illuminates any space while the **red light** option helps preserve night vision in low light conditions. This **rechargeable** lantern also serves as a **power bank** to charge your USB powered devices.

UPC CODE	ITEM
645397002130	NEB-LTN-1003
645397002284	NEB-DSP-1011



**Naturallock Dimensions**  
(H) 10.18" x (W) 7.5" x (D) 2"  
**Display Dimensions**  
(H) 11.5" x (W) 9.2" x (D) 10.4"





# NEBO<sup>®</sup> BIGPOPPY<sup>™</sup>

## LIGHT MODES

- Lantern (300 lumens): 3 hours / 14 meters
- Spot Light (200 lumens): 15 hours / 150 meters
- Flickering Flame (10 lumens): 8 hours / 4 meters

## DESIGN

- Rechargeable
- Power bank for USB powered devices
- Dimmable (lantern and spot light)
- Power Memory Recall
- Adjustable handle
- Charging indicator
- Rubberized body design
- Water and impact-resistant

## OPERATION

- Side-positioned, ON/OFF button

## BATTERIES

- Powered by rechargeable battery (included)  
(Recharge time: 2 hours)

## SPECS

- 0.3 lbs.
- Height: Closed - 5.94" / Open - 8.375"
- Diameter: 4.0625"



## RECHARGEABLE 4-IN-1 LANTERN AND POWER BANK

The BIG Poppy is a combination **300 lumen lantern**, bright **200 lumen spot light** and realistic flickering flame lantern. The BIG Poppy is **rechargeable** and also serves as a **power bank** to charge other USB powered devices. The **Flame Emulator** produces a realistic flame without the heat and danger of real fire, creating the perfect, safe indoor or outdoor ambiance.

UPC CODE	ITEM
645397935636	6908



**Display Dimensions**  
(H) 12.2" x (W) 8.9" x (D) 6.85"  
**Gift Box Dimensions**  
(H) 3.5" x (W) 3.25" x (D) 1.75"






**NEBO®**  
FISHING SERIES



# NEBO® FISHING LIGHT SERIES


Whether it's by the shore, on the dock, or in a boat with no land in sight, the perfect fishing spot exists for each of us—and our fishing lights were created for each one of them. From illuminating fluorescent fishing line with our **OMNI Fish Dock Light**, to causing a food chain reaction in the depths with our **SUBMERSER** series, our fishing lights are designed to attract the game fish you've told so many stories about.



**SUBMERSER™ 400C**

- 400 lumens
- Waterproof (IPX8)
- 20' watertight cable
- Low power consumption
- Submersible up to 30 feet
- Two 12V DC battery clamps


UPC 645397003519  
ITEM # NEB-OTH-0005



**SUBMERSER™ 800C**

- 800 lumens
- Waterproof (IPX8)
- 20' watertight cable
- Low power consumption
- Submersible up to 30 feet
- Two 12V DC battery clamps

UPC 645397003526  
ITEM # NEB-OTH-0006



**SUBMERSER™ 1600C**

- 1,600 lumens
- Waterproof (IPX8)
- 20' watertight cable
- Low power consumption
- Submersible up to 30 feet
- Two 12V DC battery clamps

UPC 645397003540  
ITEM # NEB-OTH-0008



**SUBMERSER™ 300**

- 300 lumens
- Waterproof (IPX8)
- Water-activated
- 6 meter Nylon rope
- Submersible up to 30 feet
- Powered by 3 AA batteries

UPC 645397003533  
ITEM # NEB-OTH-0007



**SUBMERSER™ 500**

- 500 lumens
- Rechargeable
- Waterproof (IPX8)
- Water-activated
- 6 meter Nylon rope
- Submersible up to 30 feet

UPC 645397003557  
ITEM # NEB-OTH-0009



**OMNI FISH DOCK LIGHT**

- 450 lumens
- White, Green & UV Light
- USB-C rechargeable
- 4,000mAh power bank
- Rotating C-O-B panels
- Rotating magnetic handles

UPC 645397003502  
ITEM # NEB-OTH-0004





**NEBO<sup>®</sup>**  
PEST & SOLAR LIGHTS



# NEBO® MINI BUG ZAPPER & LANTERN

## LIGHT MODES

- Zapper: 16 hours
- Lantern (High): 150 lumens / 5 hours
- Lantern (Low): 50 lumens / 15 hours
- Lantern (High) + Zapper: 150 lumens / 4 hours
- Lantern (Low) + Zapper: 50 lumens / 8 hours

## DESIGN

- USB-C rechargeable
- Patent pending Dual-Band UV Attractant Technology
- 360° electric grid with protective grid covering
- Collapsible handle + hook
- Charging indicator
- Indoor or outdoor use

## OPERATION

- Side-positioned button

## ACCESSORIES

- USB-A to USB-C charging cable
- Zapper grid cleaning brush

## BATTERIES

- Powered by internal Li-Ion battery (included)  
(18650, 3.7V, 2000mAh)

## SPECS

- (H) 5.21" x (W) 2.76" x (D) 2.76"
- 1 lb.



Actual Size



## ATTRACTS AND ZAPS FLYING INSECTS

The Mini Bug Zapper & Lantern uses **UV light technology** to attract pesky flying insects inside where they are zapped by a **360° electrical grid**. This product also features a **lantern** to provide ambient light to the surrounding area. The **collapsible handle and hook** make it easy to hang or store when not in use.

### UPC CODE

### ITEM

645397942160 NEB-ZAP-0001



**Natural Dimensions**  
(H) 9.84" x (W) 5.67" x (D) 2.8"



# NEBO<sup>®</sup> SOLAR ZAPPER & LANTERN

## LIGHT MODES

- Warm Glow: 34 Hours
- UV: 22 Hours
- Warm Glow + UV: 13 Hours

## DESIGN

- Solar-powered
- USB-C rechargeable
- Patent pending Dual-Band UV Attractant Technology
- Warm LED light
- Auto On/Off light sensor
- Rubber carrying handle
- Removable base for easy cleaning
- 1,300V electric grid with protective grid covering
- Water-resistant

## OPERATION

- Top-positioned mode selection dial

## ACCESSORIES

- USB-C charging cable
- Cleaning brush

## BATTERIES

- Powered by internal Li-Ion battery (included)  
(18650, 3.7V, 2000mAh)  
(Recharge time: USB-C: 4 hours / Solar: 13 hours)

## SPECS

- (L) 7.5" x (W) 5" x (D) 5"
- 0.68 lbs.



⚠ **WARNING CALIFORNIA REQUIRED** | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## ATTRACTS AND ZAPS FLYING INSECTS

The Solar Zapper & Lantern uses **dual-band UV attractant technology** to attract pesky flying insects where they are zapped by the **1,300V electrical grid**. The Solar Zapper also features a **warm LED light** that elegantly transforms any outdoor space with its inviting ambient glow.

UPC CODE	ITEM
645397942108	NEB-ZAP-0003



**Box Dimensions**  
(H) 7.28" x (W) 5.47" x (D) 5.43"



# NEBO<sup>®</sup>

## SOLAR TORCH ZAPPER

### LIGHT MODES

- Warm Glow: 26 Hours
- UV: 10 Hours
- Warm Glow + UV: 7 Hours

### DESIGN

- Solar-powered
- Patent pending Dual-Band UV Attractant Technology
- Warm LED light
- Adjustable height (18" - 49")
- Removable tray for easy cleaning
- 1,300V electric grid with protective grid covering
- Water-resistant
- Tool-free assembly

### OPERATION

- Top-positioned mode selection dial

### ACCESSORIES

- (4) pole sections
- (1) ground stake
- (1) foot assist stake
- Cleaning brush

### BATTERIES


- Powered by internal Li-Ion battery (included)  
(18650, 3.7V, 1200mAh) (Recharge time: 13 hours)

### SPECS

- Full Height (4 pole sections + ground stake): 59"
  - 4 Pole Sections with in-ground installation: 49"
  - 3 Pole Sections with in-ground installation: 39"
  - 2 Pole Sections with in-ground installation: 29"
  - 1 Pole Section with in-ground installation: 18"
- 2.15 lbs.



⚠ WARNING CALIFORNIA REQUIRED | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## ATTRACTS AND ZAPS FLYING INSECTS

The Solar Torch Zapper uses **dual-band UV attractant technology** to attract pesky flying insects where they are zapped by the **1,300V electrical grid**. The Solar Zapper also features a **warm LED light** that elegantly transforms any outdoor space with an inviting ambient glow.

### UPC CODE

### ITEM

645397942092 NEB-ZAP-0002

**Box Dimensions**  
(H) 12.24" x (W) 5.46" x (D) 5.6"





# NEBO<sup>®</sup> FLYING INSECT TRAP

**LIGHT MODES**

- UV (365nm+395nm)

**DESIGN**

- AC plug-in
- Patent pending Dual-Band UV Attractant Technology
- Refillable glue cards
- Odorless
- No chemical insecticides
- Indoor or outdoor use

**ACCESSORIES**

- (2) glue cards

**SPECS**

- (H) 5.21" x (W) 2.76" x (D) 2.76"
- 1 lb.



NEB-TRP-0002  
**GLUE CARD REFILLS (6pk)**



⚠ **WARNING CALIFORNIA REQUIRED** | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## SAFE FOR YOU NOT FOR BUGS

The Flying Insect Trap uses **dual-band UV attractant technology** to attract pesky flying insects where they are trapped indefinitely by the easily **refillable glue cards**. This product conveniently plugs into any standard 100-240V household power outlet.

UPC CODE	ITEM
645397942115	NEB-TRP-0001
645397942122	NEB-TRP-0002



**GLUE CARD REFILLS**  
**PDQ Dimensions**  
(H) 5.315" x (W) 3.94" x (D) 4.3"  
**Natralock Dimensions**  
(H) 5.13" x (W) 3.54" x (D) 0.25"

**FLYING INSECT TRAP**  
**Natralock Dimensions**  
(H) 9.25" x (W) 4.88" x (D) 2"



# NEBO<sup>®</sup> SOLAR LANTERN

## LIGHT MODES

- Flicker: 45 hours
- Glow: 25 hours
- Flicker + Glow: 15 hours

## DESIGN

- Solar-powered
- USB-C rechargeable
- Realistic flickering flame
- Diffused LED light
- Automatic On/Off light sensor (dusk-to-dawn)
- Removable rubber carry handle
- Weather-resistant (IPX4)

## OPERATION

- Top-positioned mode select dial

## ACCESSORIES

- USB-A to USB-C charging cable

## BATTERIES

- Powered by internal Li-Ion battery (included)  
(18650, 3.7V, 2000mAh, 7.4Wh)  
(Recharge time: USB-C: 4 hours / Solar: 13 hours)

## SPECS

- (L) 7.5" x (W) 5" x (D) 5"
- 0.68 lbs.



⚠ **WARNING CALIFORNIA REQUIRED** | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## SOLAR-POWERED LANTERN WITH REALISTIC FLICKERING FLAME

The Solar Lantern features a **warm LED light** and **realistic flickering flame** that elegantly transforms any outdoor space with an inviting ambient glow.

UPC CODE	ITEM
645397942863	NEB-LTN-0006

**Box Dimensions**  
(H) 7.28" x (W) 5.47" x (D) 5.43"





# NEBO<sup>®</sup>

# SOLAR TORCH

## LIGHT MODES

- Flicker: 42 hours
- Glow: 18 hours
- Flicker + Glow: 10 hours

## DESIGN

- Solar-powered
- Realistic flickering flame
- Diffused LED light
- Automatic On/Off light sensor (dusk-to-dawn)
- Weather-resistant (IPX4)
- Adjustable height (18" - 49")
- Tool-free assembly

## OPERATION

- Top-positioned mode select dial

## ACCESSORIES

- (4) pole sections
- (1) ground stake
- (1) foot assist stake

## BATTERIES


- Powered by internal Li-Ion battery (included)  
(18650, 3.7V, 1200mAh, 4.44Wh)  
(Recharge time: 12 hours)

## SPECS

- Total assembled height: 59"
  - In-ground height (4 pole sections): 49"
  - In-ground height (3 pole sections): 39"
  - In-ground height (2 pole sections): 29"
  - In-ground height (1 pole section): 18"
- 2.15 lbs.



⚠ **WARNING CALIFORNIA REQUIRED** | Cancer and Reproductive Harm | [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## SOLAR-POWERED TORCH WITH REALISTIC FLICKERING FLAME

The Solar Torch uses a **warm LED light** and **realistic flickering flame** to elegantly transform any outdoor space with an inviting ambient glow. The convenient **adjustable height** works perfectly for any landscape setting.

UPC CODE	ITEM
645397942870	NEB-LTN-0007

**Box Dimensions**  
(H) 12.24" x (W) 5.46" x (D) 5.6"








**NEBO<sup>®</sup>**  
BATTERIES





NEB-BAT-0005  
**18650 BATTERY**  
(3200mAh, 3.7V, 11.84Wh)

**COMPATIBLE WITH:**  
NEB-FLT-1021 **SLYDE KING 2K (Mossy Oak)**  
NEB-FLT-1044 **SLYDE KING 1K**  
NEB-SPT-1004 **LUXTREME SL25R**  
NEB-WLT-0003 **SLYDE KING**  
NEB-WLT-1003 **SLYDE KING 2K**



NEB-BAT-0006  
**2x21700 BATTERY**  
(9000mAh, 3.7V, 33.3Wh)

**COMPATIBLE WITH:**  
NEB-SPT-1005 **MASTER SERIES SL25**



NEB-BAT-0010  
**21700 BATTERY**  
(4000mAh, 3.7V, 14.8Wh)

**COMPATIBLE WITH:**  
NEB-FLT-0026 **LUXTREME MZ60 BLUELINE**  
NEB-FLT-1008 **LUXTREME**  
NEB-FLT-1009 **MASTER SERIES FL3000**  
NEB-FLT-1036 **IllumaTrace Blood Tracker**  
NEB-HLP-0035 **TRANSCEND 3000**



NEB-BAT-0008  
**18650 BATTERY**  
(3200mAh, 3.7V, 11.84Wh)

**COMPATIBLE WITH:**  
NEB-FLT-0008 **REDLINE X**  
NEB-FLT-0052 **BLUELINE 1800**  
NEB-FLT-1017 **MASTER SERIES FL1500**  
NEB-FLT-1033 **BIG LARRY 600**  
NEB-HLP-0020 **IllumaTrace Blood Tracker**  
NEB-HLP-1001 **TRANSCEND 1500**  
NEB-HLP-1006 **MASTER SERIES HL1000**  
NEB-LTN-0004 **GALILEO 1000 FLEX**  
NEB-LTN-1000 **GALILEO 500**  
NEB-WLT-0031 **SLYDE KING 4K**



NEB-BAT-0007  
**3x26650 BATTERY**  
(5000mAh, 10.8V, 54Wh)

**COMPATIBLE WITH:**  
NEB-FLT-1015 **DAVINCI 18000**



NEB-BAT-0009  
**2x26650 BATTERY**  
(5000mAh, 7.4V, 37Wh)

**COMPATIBLE WITH:**  
NEB-FLT-1011 **DAVINCI 12000**  
NEB-FLT-1016 **DAVINCI 8000**



NEB-BAT-0012  
**802938 BATTERY**  
(1100mAh, 3.7V, 4.07Wh)

**COMPATIBLE WITH:**  
NEB-HLP-0021 **CURVBEAM 600 FLEX**



NEB-BAT-0013  
**16340 BATTERY**  
(800mAh, 3.7V, 2.96Wh)

**COMPATIBLE WITH:**  
NEB-FLT-1018 **MASTER SERIES FL750**



# CUSTOM PRINTING & ENGRAVING

NEBO offers custom screen printing and laser engraving services on most products. Utilize our products to advertise your company or event!

## QUANTITY REQUIREMENTS

Custom printing orders must be a minimum of 100 pieces.

## LEAD TIME

Allow 15-20 business days for production time.

## SHIPPING

Free shipping with qualifying orders.

## PAYMENT

Orders will not be released for printing until payment has been received in full, via credit card or CIA.

## LOGO

Orders over 3,000 pieces may have the NEBO and product logos removed. (Allow 90 days for production time.)

## SCREEN PRINTING PRICES

- 100 - 499 pieces = Dealer Cost + \$2.00 per unit
- 500 - 999 pieces = Dealer Cost + \$1.50 per unit
- 1,000+ pieces = Dealer Cost + \$1.00 per unit

## LASER ENGRAVING PRICES

- 100 - 499 pieces = Dealer Cost + \$2.50 per unit
- 500 - 999 pieces = Dealer Cost + \$2.00 per unit
- 1,000+ pieces = Dealer Cost + \$1.50 per unit

\*There is a one-time \$35 fee (per custom print/engrave order), which includes the setup for either screen printing or laser engraving. This setup fee covers the logo/text printed in a single location on the product, using a single color. There is an additional charge for printing or laser engraving on multiple locations or printing in more than one color. There is a \$0.50 charge per unit for products that require removal from a box or natralock packaging.

## Top Customer Picks

### Laser Engraving

- NEB-FLT-0003 REDLINE FLEX (pg. 14)
- NEB-FLT-0008 REDLINE X (pg. 16)
- NEB-FLT-1041 Mini Larry 500 (pg. 37)
- NEB-WLT-0001 BIG Larry 2 (pg. 39)
- NEB-POC-0004 INSPECTOR (pg. 55)

### Screen Printing

- NEB-POC-0010 LUXTREME NANO (pg. 18)
- NEB-WLT-1008 OMNI 3K (pg. 49)
- NEB-ARE-0009 GRILLA Light 300 (pg. 70)
- #6668 GLOW (pg. 74)
- #6908 BIG POPPY (pg. 82)



**CONTACT YOUR SALES REPRESENTATIVE FOR ADDITIONAL INFORMATION: 800-255-6061**



# ORDER ALL YOUR NEBO ONLINE!

## Register Today at ACG Dealer

Introducing ACG Dealer, your home for online wholesale ordering of all NEBO, TRUE, THAW, and iPROTEC products. ACG Dealer is a convenient resource for you to manage your account, order products, and have easy access to all account information. Ordering your favorite NEBO products has never been easier!

Shop today at **[www.ACGDEALER.com](http://www.ACGDEALER.com)**.



For more information or to place an order, contact your NEBO sales representative.  
**CALL TOLL FREE: 800.255.6061 or VISIT OUR WEBSITE: [WWW.ACGCONNEX.COM](http://WWW.ACGCONNEX.COM)**

MKT-CAT-1022

