

NEBO[®]

POWER POSSIBILITIES[®]



THE GOOD STUFF

OTHERWISE KNOWN AS THE TABLE OF CONTENTS

NEBO Power has you covered with a comprehensive assortment of portable power solutions that are reliable, rugged and built for adventure. Whether you are seeking the peace of mind that comes with being prepared for the unexpected or seeking the liberation of being untethered from the grid, NEBO's line of jump starters, power banks, power stations, and solar panels will help empower your life with smart features, wireless capabilities, and fast charging.



03 NEW PRODUCTS

27 POWER BANKS

06 JUMP STARTERS

34 ELECTRIC COOLERS

14 POWER STATIONS

37 CUSTOM PRINTING
& ENGRAVING

22 SOLAR PANELS

NEBO[®]

NEW PRODUCTS



NEBO[®] INTREPID[®] 1800 POWER STATION



POWER STATION

- Capacity: 1843.2Wh, 51.2V (36,000mAh)
- Chemistry: Lithium-Iron Phosphate (LiFePO4)
- 12-way multi-device charging
- Versatile recharge options (AC, DC, & solar capable)
- Pass-through charging
- Recharge time: less than 2 hours

OUTPUTS

- (2) USB-C PD: 100W (200W Max)
- (2) USB-A QC: 18W (36W Max)
- (4) AC: 2,400W / 4,800 Surge (120V, 60Hz)
- (2) DC5521: 120W Max (12V/10A)
- (1) DC: 120W Max (12V/10A)
- (1) Wireless Charging Pad: 10W Max

INPUTS

- (1) AC: 100-130V, 10A, 60Hz (1,200W Max)
- (1) High Power Port (HPP): 12-75V, 25A (800W Max)

DESIGN

- Dynamic digital display
- Floodlight (4 modes: high, low, S.O.S. and strobe)
- Rugged rubber wheels & telescopic handle
- Integrated carry handles
- Onboard cable storage
- Sturdy anchor points
- Rugged construction with protective port covers

TECHNOLOGY

- Swift Charge™ Technology
- NEBO Overdrive™ (Limit: 3,000W)
- Pure Sine Wave Technology
- Patented Smart Battery Protection
- Smart Charge Technology

ACCESSORIES

- 120V AC power cord
- 12V DC to High Power Port (HPP) cable
- 5525 to High Power Port (HPP) cable

DIMENSIONS

- 59 lbs.
- (H) 13.6" x (W) 17.6" x (D) 15.3"



RUGGED PORTABILITY POWERFUL RELIABILITY

The INTREPID 1800 provides **1843.2 watt-hours** of portable power, an integrated **2400-watt inverter**, and **12-way device charging**. The **integrated cable storage**, **rugged rubber wheels**, and **telescopic handle** allow the versatility and portability to keep up with your outdoor adventures.

UPC CODE	ITEM
044435922612	NEB-PST-0010



Box Dimensions
(H) 14.14" x (W) 21.2" x (D) 14.7"

NEBO ASSIST™ MINI AIR COMPRESSOR

AIR COMPRESSOR

- 150 PSI max
- Digital pressure gauge
- Changeable air pressure units (PSI, Bar, kPa)
- Programmable air pressure modes
 - 🚗 Vehicle (Default: 36 PSI / Range: 26–51 PSI)
 - 🏍️ Motorcycle (Default: 35 PSI / Range: 26–44 PSI)
 - 🚲 Bike (Default: 45 PSI / Range: 30–145 PSI)
 - ⚽ Sports/Leisure (Default: 8 PSI / Range: 4–16 PSI)
- Auto-shutoff at target pressure
- Integrated air hose & nozzle storage compartments
- Rubberized non-slip grip

POWER BANK / BATTERY

- Chemistry: Lithium-Ion
- Capacity: 18Wh, 7.2V, 2,500mAh
- Input: USB-C PD 20W
- Output: USB-C 15W
- Pass-through charging
- UL-certified
- Recharge time: less than 2 hours

LED FLASHLIGHT

- 3 modes: (steady, S.O.S., strobe)

TECHNOLOGY

- Smart Battery Protection
- Smart Charge Technology

ACCESSORIES

- 18" USB-A to USB-C charging cable
- 6" air hose
- 3-piece interchangeable air nozzle kit

DIMENSIONS

- 1.3 lbs.
- (L) 7.8" x (W) 3.3" x (D) 2.2"



3-IN-1 ADVANTAGE INFLATE + CHARGE + ILLUMINATE

The ASSIST MINI offers **3-in-1 utility** in a rugged, compact design. Not only will it **air up your inflatables**, it can also serve as a **power bank** to charge your USB devices, and its **integrated floodlight** keeps you better prepared for emergency roadside situations.

UPC CODE	ITEM
044435925675	NEB-ACC-0011



Naturallock Dimensions
(H) 11.5" x (W) 5.83" x (D) 3.13"

NEBO[®]

JUMP STARTERS



3-STEP JUMP START

Super simple, 3-step process removes the anxiety of jump starting a vehicle. Perfect for anyone who is uncertain of how to jump start and adds independence to handle the situation without an additional vehicle.



SPARK-PROOF TECHNOLOGY

Our patented safety technology ensures that there is never a current running through the jumper cables while you are handling them, so you are never at risk of creating a dangerous spark or damaging your vehicle battery.



SMART BATTERY PROTECTION

Equipped with a suite of the latest in battery protection, including smart technology to protect against short-circuit, overload, and excessive temperatures, plus a patented comprehensive safety check gives you the peace-of-mind that it will operate properly and safely.



SMART CHARGE TECHNOLOGY

Adjusts charging compatibility and power delivery, to provide the fastest and safest charge to USB powered devices.



NEBO[®] ASSIST[®] 1000XP

JUMP STARTER

JUMP STARTER

- 1,000 Peak Amps
- Designed for 12V car, motorcycle & ATV batteries (Rated for gasoline engines up to 6 liters)
- LED status indicators
- TSA carry-on approved
- Rugged construction with protective port covers
- Dust-tight and water-resistant (IP65)

POWER BANK / BATTERY

- Chemistry: Lithium-Ion
- USB-C rechargeable
- Multi-device charging (2x USB-A)
- Pass-through charging
- Capacity: 24.4Wh, 11.1V (6,600mAh, 3.7V)
- Recharge time: less than 6 hours

FLOODLIGHT

- 3 modes: (white, red & red S.O.S.)

TECHNOLOGY

- 3-Step Jump Start
- Patented Spark-Proof Technology
- Patented Smart Battery Protection
- Smart Charge Technology

ACCESSORIES

- 12V car charger (10W)
- USB-A to USB-C charging cable
- Microfiber storage pouch

DIMENSIONS

- 1.1 lbs.
- (L) 6.5" x (W) 3.8" x (D) 1.7"

U.S. PATENTS

- 9,819,204, 10,075,000, 10,148,103 & 10,840,716



3-IN-1 ADVANTAGE

JUMP + CHARGE + ILLUMINATE

The ASSIST 1000XP offers **3-in-1 utility** in a rugged, compact design. Not only will it **jump start your vehicle**, it can **charge multiple USB devices**, and its **integrated floodlight** keeps you better prepared for emergency roadside situations.

UPC CODE	ITEM
645397943822	NEB-JMP-0002



Box Dimensions
(H) 7" x (W) 4.3" x (D) 4.55"

NEBO[®] ASSIST[®] 1500XP

JUMP STARTER

JUMP STARTER

- 1,500 Peak Amps
- Designed for 12V car, truck & SUV batteries (Rated for gasoline engines up to 7 liters)
- Integrated voltmeter
- Dynamic digital display
- TSA carry-on approved
- Rugged construction with protective port covers
- Dust-tight and water-resistant (IP65)

POWER BANK / BATTERY

- Chemistry: Lithium-Ion
- USB-C rechargeable
- Multi-device charging (2x USB-A)
- Pass-through charging
- Capacity: 44.4Wh, 11.1V (12,000mAh, 3.7V)
- Recharge time: less than 6 hours

FLOODLIGHT

- 3 modes: (white, red & red S.O.S.)

TECHNOLOGY

- 3-Step Jump Start
- Patented Spark-Proof Technology
- Patented Smart Battery Protection
- Smart Charge Technology

ACCESSORIES

- 12V car charger (Output: QC18W USB-A)
- 21" USB-A to USB-C charging cable
- Microfiber storage pouch

DIMENSIONS

- 1.62 lbs.
- (L) 7.1" x (W) 4.2" x (D) 2"

U.S. PATENTS

- 9,819,204, 10,075,000, 10,148,103 & 10,840,716



3-IN-1 ADVANTAGE

JUMP + CHARGE + ILLUMINATE

The ASSIST 1500XP offers **3-in-1 utility** in a rugged, compact design. Not only will it **jump start your vehicle**, it can **charge multiple USB devices**, and its **integrated floodlight** keeps you better prepared for emergency roadside situations.

UPC CODE	ITEM
645397943839	NEB-JMP-0003



Box Dimensions
(H) 7.52" x (W) 4.63" x (D) 4.43"

NEBO® ASSIST® AIR 1500XP

JUMP STARTER & AIR COMPRESSOR



JUMP STARTER

- 1,500 Peak Amps
- Designed for 12V car, truck & SUV batteries (Rated for gasoline engines up to 7 liters)
- Integrated voltmeter
- Dynamic digital display
- TSA carry-on approved
- Rugged construction with protective port covers

AIR COMPRESSOR

- 150 PSI max
- Auto-shutoff at target pressure
- Seamless air hose storage

POWER BANK / BATTERY

- Chemistry: Lithium-Ion
- USB-C rechargeable
- Multi-device charging (2x USB-A)
- Pass-through charging
- Capacity: 44.4Wh, 11.1V (12,000mAh, 3.7V)
- Recharge time: less than 6 hours

FLOODLIGHT

- 3 modes: (white, red & red S.O.S.)

TECHNOLOGY

- 3-Step Jump Start
- Patented Spark-Proof Technology
- Patented Smart Battery Protection
- Smart Charge Technology

ACCESSORIES

- 12V car charger (Output: QC18W USB-A)
- 21" USB-A to USB-C charging cable
- 24" air hose extension
- Interchangeable air nozzle kit
- Microfiber storage pouch

DIMENSIONS

- 2.7 lbs.
- (L) 9.8" x (W) 5.1" x (D) 2.8"

U.S. PATENTS

- 9,819,204, 10,075,000, 10,148,103, 10,840,716 & 11,824,383



4-IN-1 ADVANTAGE

JUMP + INFLATE + CHARGE + ILLUMINATE

The ASSIST AIR 1500XP offers **4-in-1 utility** in a rugged, compact design. Not only will it **jump start your vehicle**, it can **charge multiple USB devices**, and its **integrated floodlight** and **150PSI air compressor** keep you better prepared for emergency roadside situations.

UPC CODE	ITEM
645397943853	NEB-JMP-0005



Box Dimensions
(H) 10.28" x (W) 5.93" x (D) 3.96"

NEBO ASSIST® 2000XP JUMP STARTER

JUMP STARTER

- 2,000 Peak Amps
- Designed for 12V car, truck & SUV batteries (Rated for gasoline engines up to 8 liters; Diesel up to 6 liters)
- Integrated voltmeter
- Large digital color display screen
- TSA carry-on approved
- Rugged construction with protective port covers
- Dust-tight and water-resistant (IP65)

POWER BANK / BATTERY

- Chemistry: Lithium-Ion
- USB-C rechargeable
- Multi-device charging (1x USB-C, 2x USB-A)
- Pass-through charging
- Capacity: 55.5Wh, 11.1V (15,000mAh, 3.7V)
- Recharge time: less than 3.5 hours

FLOODLIGHT

- 3 modes: (white, red & red S.O.S.)

TECHNOLOGY

- 3-Step Jump Start
- Patented Spark-Proof Technology
- Patented Smart Battery Protection
- Smart Charge Technology

ACCESSORIES

- 12V car charger (Output: QC18W USB-A)
- 24" USB-A to USB-C charging cable
- Microfiber storage pouch

DIMENSIONS

- 1.8 lbs.
- (L) 7.1" x (W) 4.2" x (D) 2.1"

U.S. PATENTS

- 9,819,204, 10,075,000, 10,148,103 & 10,840,716



3-IN-1 ADVANTAGE JUMP + CHARGE + ILLUMINATE

The ASSIST 2000XP offers **3-in-1 utility** in a rugged, compact design. Not only will it **jump start your vehicle**, it can **charge multiple USB devices**, and its **integrated floodlight** keeps you better prepared for emergency roadside situations.

UPC CODE	ITEM
645397943846	NEB-JMP-0004



Box Dimensions
(H) 7.52" x (W) 4.6" x (D) 4.43"

NEBO® ASSIST® AIR 2000XP

JUMP STARTER & AIR COMPRESSOR

JUMP STARTER

- 2,000 Peak Amps
- Designed for 12V car, truck & SUV batteries (Rated for gasoline engines up to 8 liters; Diesel up to 6 liters)
- Integrated voltmeter
- Large digital color display screen
- TSA carry-on approved
- Rugged construction with protective port covers

AIR COMPRESSOR

- 150 PSI max
- Auto-shutoff at target pressure
- Seamless air hose storage

POWER BANK / BATTERY

- Chemistry: Lithium-Ion
- USB-C rechargeable
- Multi-device charging (1x USB-C, 2x USB-A)
- Pass-through charging
- Capacity: 55.5Wh, 11.1V (15,000mAh, 3.7V)
- Recharge time: less than 3.5 hours

FLOODLIGHT

- 3 modes: (white, red & red S.O.S.)

TECHNOLOGY

- 3-Step Jump Start
- Patented Spark-Proof Technology
- Patented Smart Battery Protection
- Smart Charge Technology

ACCESSORIES

- 12V car charger (Output: QC18W USB-A)
- 24" USB-A to USB-C charging cable
- 24" air hose extension
- Interchangeable air nozzle kit
- Microfiber storage pouch

DIMENSIONS

- 2.8 lbs.
- (L) 9.8" x (W) 5.1" x (D) 2.2"

U.S. PATENTS

- 9,819,204, 10,075,000, 10,148,103, 10,840,716 & 11,824,383



4-IN-1 ADVANTAGE

JUMP + INFLATE + CHARGE + ILLUMINATE

The ASSIST AIR 2000XP offers **4-in-1 utility** in a rugged, compact design. Not only will it **jump start your vehicle**, it can **charge multiple USB devices**, and its **integrated floodlight** and **150PSI air compressor** keep you better prepared for emergency roadside situations.

UPC CODE	ITEM
645397943860	NEB-JMP-0006



Box Dimensions
(H) 10.28" x (W) 5.93" x (D) 3.96"

NEBO[®] ASSIST[®] 2500XP

JUMP STARTER

JUMP STARTER

- 2,500 Peak Amps
- Designed for 12V car, truck & RV batteries (Rated for gasoline engines up to 9 liters; Diesel up to 7 liters)
- Integrated jumper cables
- Integrated voltmeter
- Large digital color display screen
- TSA carry-on approved
- Rugged construction with protective port covers
- Dust-tight and water-resistant (IP65)

POWER BANK / BATTERY

- Chemistry: Lithium Polymer
- USB-C rechargeable
- Multi-device charging (1x USB-C, 2x USB-A)
- Pass-through charging
- Capacity: 74Wh, 14.8V (20,000mAh, 3.7V)
- Recharge time: less than 3.5 hours

FLOODLIGHT

- 3 modes: (white, red & red S.O.S.)

TECHNOLOGY

- 3-Step Jump Start
- Patented Spark-Proof Technology
- Patented Smart Battery Protection
- Smart Charge Technology

ACCESSORIES

- 24" USB-C to USB-C charging cable
- 12V car charging adapter (Output: 65W, USB-C)
- Microfiber storage pouch

DIMENSIONS

- 3.42 lbs.
- (L) 8.5" x (W) 6.4" x (D) 2"

U.S. PATENTS

- 9,819,204, 10,075,000, 10,148,103 & 10,840,716



RECHARGEABLE

3-IN-1 ADVANTAGE

JUMP + CHARGE + ILLUMINATE

The ASSIST 2500XP offers **3-in-1 utility** in a rugged, compact design. Not only will it **jump start your vehicle** with its **integrated jumper cables**, it can also **charge multiple USB devices**, and its **400-lumen floodlight** keeps you better prepared for emergency roadside situations.

UPC CODE

ITEM

044435919582

NEB-JMP-0008



Box Dimensions

(H) 9.24" x (W) 6.96" x (D) 4.57"

NEBO®

ASSIST® AIR 2500XP

JUMP STARTER & AIR COMPRESSOR



JUMP STARTER

- 2,500 Peak Amps
- Designed for 12V car, truck & RV batteries
(Rated for gasoline engines up to 9 liters; Diesel up to 7 liters)
- Integrated voltmeter
- Large digital color display screen
- TSA carry-on approved
- Rugged construction with protective port covers

AIR COMPRESSOR

- 150 PSI max
- Auto-shutoff at target pressure
- Seamless air hose storage

POWER BANK / BATTERY

- Chemistry: Lithium Polymer
- USB-C rechargeable
- Multi-device charging (1x AC, 1x USB-C, 2x USB-A)
- Pass-through charging
- Capacity: 74Wh, 14.8V (20,000mAh, 3.7V)
- Recharge time: less than 3.5 hours

FLOODLIGHT

- 3 modes: (white, red & red S.O.S.)

TECHNOLOGY

- 3-Step Jump Start
- Patented Spark-Proof Technology
- Patented Smart Battery Protection
- Smart Charge Technology

ACCESSORIES

- 24" USB-C to USB-C charging cable
- 12V car charging adapter (Output: 65W, USB-C)
- 24" air hose extension
- Interchangeable air nozzle kit
- Microfiber storage pouch

DIMENSIONS

- 3.7 lbs.
- (L) 11.5" x (W) 5.8" x (D) 2.6"

U.S. PATENTS

- 9,819,204, 10,075,000, 10,148,103, 10,840,716 & 11,824,383



4-IN-1 ADVANTAGE

JUMP + INFLATE + CHARGE + ILLUMINATE

The ASSIST AIR 2500XP offers **4-in-1 utility** in a rugged, compact design. Not only will it **jump start your vehicle**, it can **charge multiple devices**, and its **150PSI air compressor** and **400-lumen floodlight** keep you better prepared for emergency roadside situations.

UPC CODE	ITEM
044435919575	NEB-JMP-0007



Box Dimensions
(H) 12.26" x (W) 6.78" x (D) 5.19"

NEBO[®]

POWER STATIONS



SWIFT CHARGE[™] TECHNOLOGY

Using simultaneous charge inputs, Swift Charge Technology provides one of the quickest recharging rates on the market.



SMART CHARGE TECHNOLOGY

Adjusts charging compatibility and power delivery, to provide the fastest and safest charge to USB powered devices.



NEBO OVERDRIVE[™]

Provides extra versatility to power devices beyond the standard Watt rating, by dynamically adjusting the output voltage and allowing you to run tools and appliances that require higher wattage.



PURE SINE WAVE TECHNOLOGY

Provides cleaner, smoother, quieter, and more reliable electricity than Modified Sine Wave Technology. Pure Sine Wave is especially important when powering appliances with motors, delicate medical equipment, or radios that can suffer from interference.



UNINTERRUPTED POWER SUPPLY (UPS)

An uninterruptible power supply (UPS) is a backup feature that provides near-instantaneous power in the event of an unexpected power failure or outage, which protects sensitive equipment from damage.



NEBO® RAMBLER® 100 POWER STATION

POWER STATION

- Capacity: 94.9Wh, 18.25V (26,000mAh, 3.65V)
- Chemistry: Lithium-Ion
- 5-way multi-device charging
- Versatile recharge options (AC, DC, & solar capable)
- Pass-through charging
- Recharge time: less than 2.5 hours @ 45W

OUTPUTS

- (1) USB-C PD: 45W
- (2) USB-A: 12W (5V/2.4A)
- (1) Wireless charging pad: 10W
- (1) Type B AC: 100W / 120W Surge (110V)

INPUTS

- (1) USB-C PD: 45W
- (1) DC 5525: 50W (12V-24V)

DESIGN

- Color LCD display
- Floodlight (3 modes: white, red & red S.O.S.)
- TSA carry-on approved
- Rugged construction with protective port covers

TECHNOLOGY

- Swift Charge™ Technology
- Patented Smart Battery Protection
- Smart Charge Technology

ACCESSORIES

- 24" USB-C to USB-C charging cable
- 20W PD charging adapter
- 12V DC power cord

DIMENSIONS

- 2.43 lbs.
- (L) 8.8" x (W) 5.1" x (D) 1.62"



ON-THE-GO MULTI-DEVICE CHARGING

The RAMBLER 100 is a hand-held, portable power station that offers **5-way multi-device charging**. This rugged, travel-ready design meets **TSA & FAA** regulations, making the RAMBLER 100 ready to go wherever you may roam.

UPC CODE	ITEM
645397940333	NEB-PST-0004



Box Dimensions
(H) 9.45" x (W) 5.5" x (D) 3.32"

NEBO® RAMBLER® 200 POWER STATION

POWER STATION

- Capacity: 230.4Wh, 18.0V (64,000mAh, 3.6V)
- Chemistry: Lithium-Ion
- 6-way multi-device charging
- Versatile recharge options (AC, DC, & solar capable)
- Pass-through charging
- Recharge time: less than 2.5 hours @ 45W

OUTPUTS

- (1) USB-C PD: 45W
- (2) USB-A: 12W (5V/2.4A)
- (1) Wireless charging pad: 10W
- (1) Type B AC: 200W / 400W Surge (110V)

INPUTS

- (1) USB-C PD: 45W
- (1) DC 5525: 120W (12V-24V)

DESIGN

- Color LCD display
- Floodlight (3 modes: white, red & red S.O.S.)
- Rugged construction with protective port covers

TECHNOLOGY

- Swift Charge™ Technology
- Patented Smart Battery Protection
- Smart Charge Technology

ACCESSORIES

- 60W AC charging adapter
- 12V DC power cord

DIMENSIONS

- 4.2 lbs.
- (L) 9.65" x (W) 5.35" x (D) 2.3"



ON-THE-GO MULTI-DEVICE CHARGING

The RAMBLER 200 is a hand-held, portable power station that offers **6-way multi-device charging**. Not only is it one of the lightest and most compact power stations, the RAMBLER 200 is also one of the only power stations to offer **wireless charging**.

UPC CODE	ITEM
645397940241	NEB-PST-0003



Box Dimensions
(H) 10.285" x (W) 5.72" x (D) 4"

NEBO[®] RAMBLER[®] 300 POWER STATION

POWER STATION

- Capacity: 288Wh, 19.2V (77,838mAh, 3.7V)
- Chemistry: Lithium-Iron Phosphate (LiFePO4)
- 6-way multi-device charging
- Versatile recharge options (AC, USB-C, & solar capable)
- Pass-through charging
- Recharge time: less than 2 hours

OUTPUTS

- (2) AC (1x Type A, 1x Type B): 300W / 600W Surge (110V)
- (2) USB-C PD: (1x 100W, 1x 20W)
- (2) USB-A: 18W

INPUTS

- (1) AC: 300W (100V-120V)
- (1) USB-C PD: 100W

DESIGN

- Dynamic digital display
- Floodlight (2 modes: steady & strobe)
- Adjustable carrying strap
- Sturdy anchor points
- Rugged construction with protective port covers

TECHNOLOGY

- Swift Charge™ Technology
- NEBO Overdrive™ (Limit: 600W)
- Pure Sine Wave Technology
- Patented Smart Battery Protection
- Smart Charge Technology

COMPATIBILITY

- Designed specifically for the RELIANCE 30W Solar Panel
(Compatible with the entire line of RELIANCE Solar Panels)

ACCESSORIES

- 120V AC power cord

DIMENSIONS

- 8.3 lbs.
- (L) 12.1" x (W) 9.3" x (D) 2.2"



ON-THE-GO MULTI-DEVICE CHARGING

The RAMBLER 300 is an ultra-slim, portable power station that provides **288 watt-hours**, an integrated **floodlight**, and **6-way multi-device charging**. Designed with **protective port covers** for increased durability, the RAMBLER'S **adjustable carry handle** and **solar capability** offer the portability and versatility to keep you powered on-the-go.

UPC CODE	ITEM
044435922643	NEB-PST-0011

Box Dimensions
(H) 16.93" x (W) 12.2" x (D) 3.54"



NEBO[®] INTREPID[®] 600 POWER STATION



POWER STATION

- Capacity: 588.8Wh (25.6V)
- Chemistry: Lithium-Iron Phosphate (LiFePO4)
- 10-way multi-device charging
- Versatile recharge options (AC, DC, & solar capable)
- Pass-through charging
- Recharge time: less than 2 hours

OUTPUTS

- (2) AC (120V, 60Hz, 600W / 1200W Surge)
- (2) DC5525 (108W Max)
- (1) 12V Car Output Port (135W Max)
- (1) USB-C (PD 100W Max)
- (1) USB-C (PD 30W Max)
- (2) USB-A (18W Max)
- (1) Wireless charging pad (10W Max)

INPUTS

- (1) AC (120V, 60Hz, 500W Max)
- (1) HPP (11.5-60V, 10A, 200W Max)
- (1) USB-C (PD 100W Max)

DESIGN

- Color LCD display
- Floodlight (3 modes: flood, strobe & S.O.S.)
- Integrated carry handles
- Sturdy anchor points
- Rugged construction with protective port covers

TECHNOLOGY

- Swift Charge™ Technology
- Pure Sine Wave Technology
- Patented Smart Battery Protection
- Smart Charge Technology
- Emergency Power Supply (EPS)

ACCESSORIES

- 120V AC charging cable
- 12V DC car charging cable
- DC5525 to HPP charging cable
- Cable management clips

DIMENSIONS

- 18.3 lbs.
- (L) 8.9" x (W) 12.2" x (D) 7.9"



RUGGED PORTABILITY POWERFUL RELIABILITY

The INTREPID 600 provides **588 watt-hours** of portable power, an **integrated 600-watt pure sine wave inverter**, and **10-way device charging**. **Rugged design, sturdy anchor points, protective port covers, and solar capability** allow the versatility and portability to keep up with your outdoor adventures.

UPC CODE ITEM

044435922940 NEB-PST-0012



Box Dimensions
(H) 11.3" x (W) 14.3" x (D) 9.33"

NEBO[®] INTREPID[®] 1000 POWER STATION

POWER STATION

- Capacity: 960Wh, 48V (260,000mAh, 3.7V)
- Chemistry: Lithium-Iron Phosphate (LiFePO4)
- 15-way multi-device charging
- Versatile recharge options (AC, DC, & solar capable)
- Pass-through charging
- Recharge time: less than 2 hours

OUTPUTS

- (1) USB-C PD: 100W
- (3) USB-C PD: 20W
- (2) USB-A: 18W (5V/2.4A)
- (3) Type A AC: 1,200W / 2,400 Surge (110V)
- (3) Type B AC: 1,200W / 2,400 Surge (110V)
- (2) DC: 72W (12V/6A)
- (1) DC: (12V/10A)

INPUTS

- (1) AC C14: 700W (85V-135V)
- (1) HPP: 500W (11.5V-50V)

DESIGN

- Dynamic digital display
- Floodlight (3 modes: steady, strobe & S.O.S.)
- Integrated carry handles
- Sturdy anchor points
- Rugged construction with protective port covers

TECHNOLOGY

- Swift Charge™ Technology
- NEBO Overdrive™ (Limit: 2,000W)
- Pure Sine Wave Technology
- Patented Smart Battery Protection
- Smart Charge Technology

ACCESSORIES

- 120V AC power cord
- 12V DC to High Power Port (HPP) cable
- 5525 to High Power Port (HPP) cable

DIMENSIONS

- 27.6 lbs.
- (L) 15.2" x (W) 12.5" x (D) 8.9"



RUGGED PORTABILITY POWERFUL RELIABILITY

The INTREPID 1000 provides **960 watt-hours** of portable power, an integrated **1200-watt inverter**, and **15-way device charging**. **Rugged design, sturdy anchor points, protective port covers, and solar capability** allow the versatility and portability to keep up with your outdoor adventures.

UPC CODE	ITEM
044435920885	NEB-PST-0008



Box Dimensions
(H) 17.9" x (W) 18.9" x (D) 12.6"

NEBO[®] PINNACLE[®] 1600 POWER STATION



POWER STATION

- Capacity: 1228.8Wh, 24,000mAh, 51.2V
- Chemistry: Lithium-Iron Phosphate (LFP)
- 12-way multi-device charging
- Versatile recharge options (AC, DC, & solar capable)
- Pass-through charging
- Recharge time: less than 2 hours

OUTPUTS

- (4) Type B AC: 1,600W / 3,200 Surge (120V)
- (2) DC 5521: 120W (12V/10A)
- (1) DC CLA: 120W (12V/10A)
- (2) USB-A Quick Charge: 18W (36W max)
- (2) USB-C PD: 100W (200W max)
- (1) Wireless Charging Pad: 10W

INPUTS

- (1) AC: 1,200W (100V-130V)
- (1) HPP: 800W (12V-75V)

DESIGN

- Color LCD display
- Floodlight (4 modes: low, high, strobe & S.O.S.)
- Integrated carry handles / anchor points
- Rugged construction with protective port covers

TECHNOLOGY

- Swift Charge[™] Technology
- NEBO Overdrive[™] (Limit: 2,000W)
- Pure Sine Wave Technology
- Uninterrupted Power Supply (UPS)
- Patented Smart Battery Protection
- Smart Charge Technology

ACCESSORIES

- 120V AC power cord
- 12V DC to Anderson cable
- DC5525 to Anderson cable

DIMENSIONS

- 44.42 lbs.
- (L) 11.3" x (W) 16.9" x (D) 11.8"



PEAK PERFORMANCE RUGGED RELIABILITY

The PINNACLE 1600 provides **1600-watts** of off-grid power and **12-way device charging**. **Rugged design, sturdy anchor points, protective port covers, and solar capability** allow the versatility and portability to empower your outdoor experience.

UPC CODE	ITEM
645397942191	NEB-PST-0007



Box Dimensions
(H) 14.45" x (W) 21.2" x (D) 14.8"

NEBO® PINNACLE® 2400 POWER STATION



POWER STATION

- Capacity: 1843.2Wh, 36,000mAh, 51.2V
- Chemistry: Lithium-Iron Phosphate (LFP)
- 12-way multi-device charging
- Versatile recharge options (AC, DC, & solar capable)
- Pass-through charging
- Recharge time: less than 2 hours

OUTPUTS

- (4) Type B AC: 2,400W / 4,800 Surge (120V)
- (2) DC 5521: 120W (12V/10A)
- (1) DC CLA: 120W (12V/10A)
- (2) USB-A Quick Charge: 18W (36W max)
- (2) USB-C PD: 100W (200W max)
- (1) Wireless Charging Pad: 10W

INPUTS

- (1) AC: 1,200W (100V-130V)
- (1) HPP: 800W (12V-75V)

DESIGN

- Color LCD display
- Floodlight (4 modes: low, high, strobe & S.O.S.)
- Integrated carry handles / anchor points
- Rugged construction with protective port covers

TECHNOLOGY

- Swift Charge™ Technology
- NEBO Overdrive™ (Limit: 2,000W)
- Pure Sine Wave Technology
- Uninterrupted Power Supply (UPS)
- Patented Smart Battery Protection
- Smart Charge Technology

ACCESSORIES

- 120V AC power cord
- 12V DC to Anderson cable
- DC5525 to Anderson cable

DIMENSIONS

- 54.2 lbs.
- (L) 11.3" x (W) 16.9" x (D) 11.8"



PEAK PERFORMANCE RUGGED RELIABILITY

The PINNACLE 2400 provides **2400-watts** of off-grid power and **12-way device charging**. **Rugged design, sturdy anchor points, protective port covers, and solar capability** allow the versatility and portability to empower your outdoor experience.

UPC CODE	ITEM
----------	------

645397942184	NEB-PST-0006
--------------	--------------



Box Dimensions
(H) 14.45" x (W) 21.2" x (D) 14.8"

NEBO[®]

SOLAR PANELS



MONOCRYSTALLINE SOLAR CELL TECHNOLOGY

Advanced monocrystalline solar cell technology outclasses polycrystalline and thin film solar cells. In less-than-ideal environments with high heat and low light conditions, mono solar cells are more efficient and produce energy closer to their rated output.



SMART CHARGE[™] DELIVERY

Monitors solar conditions and intelligently adjusts output to avoid interruptions and surges caused by cloud cover and other environmental changes.



SMART OVERCHARGE PROTECTION

Preserves your device's battery by automatically adjusting power output once charging is complete. This allows your device to trickle charge, as needed, to maintain full power while plugged in.



NEBO[®] RELIANCE[®] 10W SOLAR PANEL

DESIGN

- Monocrystalline solar cell technology
- High-efficiency 24.7% energy conversion
- 2-way multi-device charging
- Compact and lightweight 5-panel folding design
- Snap closure
- Integrated grommet tabs for hanging & mounting
- Rugged construction with protective port covers
- Water-resistant and dust-proof (IP65)

OUTPUTS

- (1) USB-A: (5V/1.5A)
- (1) USB-C: (5V/1.5A)

TECHNOLOGY

- Smart Charge™ Delivery
- Smart Overcharge Protection

COMPATIBILITY

- Ideal phones, power banks and other smaller devices
- Compatible with:
 - NEB-PBK-0012 NEBO 5K Power Bank
 - NEB-PBK-0013 NEBO 10K Power Bank
 - NEB-PBK-0015 NEBO 10K Wireless Power Bank
 - NEB-PBK-0016 NEBO 10K Power Bank IC
 - NEB-JMP-0002 NEBO ASSIST 1000XP
 - NEB-JMP-0003 NEBO ASSIST 1500XP
 - NEB-JMP-0005 NEBO ASSIST AIR 1500XP

DIMENSIONS

- 0.53 lb.
- Folded: (H) 9.1" x (W) 3.3" x (D) 1.4"
- Unfolded: (H) 9.1" x (W) 18.2" x (D) 0.78"



HARNESS CLEAN POWER ON-THE-GO

The RELIANCE 10W Portable Solar Panel features advanced **Monocrystalline cell technology** to harness clean power from the sun with a high-efficiency **24.7% energy conversion**. This easily-portable power source is ideal for pocket-sized power banks and smaller USB powered devices.

UPC CODE

ITEM


044435922957

NEB-SLP-0002



Box Dimensions
(H) 9.33" x (W) 3.7" x (D) 1.5"

NEBO® RELIANCE® 30W SOLAR PANEL



DESIGN

- Portable solar charging
- 3-way multi-device charging
- Monocrystalline solar cell technology
- High-efficiency 24.7% energy conversion
- Compact and lightweight 3-panel folding design
- Collapsible kickstand base
- Rugged construction

OUTPUTS

- (1) USB-A: 18W (5V/3A)
- (1) USB-C: 20W (5V/3A)
- (1) DC5525: 30W (12V-20.88V)

TECHNOLOGY

- Smart Charge™ Delivery
- Smart Overcharge Protection

COMPATIBILITY

- Designed specifically for the RAMBLER 300 Power Station (Compatible with the entire line of RAMBLER & INTREPID Portable Power Stations)

ACCESSORIES

- 3.3' USB-C to USB-C cable

DIMENSIONS

- 2.1 lbs.
- Folded: (H) 12" x (W) 9.3" x (D) 1.27"
- Unfolded: (H) 12" x (W) 28.6" x (D) 0.88"



HARNESS CLEAN POWER ON-THE-GO

The RELIANCE 30W Portable Solar Panel features advanced **Monocrystalline cell technology** to harness clean power from the sun with a high-efficiency **24.7% energy conversion**. This easily-portable power source is compatible with RAMBLER & INTREPID portable power stations.


UPC CODE	ITEM
----------	------

044435922964	NEB-SLP-0003
--------------	--------------



Box Dimensions
(H) 10.35" x (W) 13.58" x (D) 2.36"

NEBO RELIANCE[®] 50W SOLAR PANEL



DESIGN

- Versatile solar charging
- 3-way multi-device charging
- Monocrystalline solar cell technology
- High-efficiency 22% energy conversion
- Compact and lightweight folding design
- Integrated storage pouch
- Dual kickstand base
- Rugged construction
- Dust-tight and water-resistant (IP65)

OUTPUTS

- (1) USB-A: 18W (5V/3A)
- (1) USB-C: 24W (5V/3A)
- (1) DC5525: 50W (12V-21.88V)

COMPATIBILITY

- Compatible with the entire line of RAMBLER, INTREPID & PINNACLE Power Stations

ACCESSORIES

- 10' DC5525 cable

DIMENSIONS

- 5.3 lbs.
- Folded: (H) 16.7" x (W) 19" x (D) 0.4"
- Unfolded: (H) 16.7" x (W) 37.8" x (D) 0.2"



HARNESS CLEAN POWER FROM THE SUN

The RELIANCE 50W Solar Panel features advanced **Monocrystalline cell technology** to harness clean power from the sun with a high-efficiency **22% energy conversion**. This easily-portable power source is compatible with RAMBLER, INTREPID & PINNACLE power stations.

UPC CODE

ITEM

645397942078

NEB-SLP-0001



Box Dimensions
(H) 18.3" x (W) 20.87" x (D) 3.07"

NEBO[®] RELIANCE[®] 100W SOLAR PANEL

DESIGN

- Versatile solar charging
- 3-way multi-device charging
- Monocrystalline solar cell technology
- High-efficiency 22% energy conversion
- Compact and lightweight folding design
- Integrated storage pouch
- Dual kickstand base
- Rugged construction
- Water-resistant and dust-proof (IP65)

OUTPUTS

- (1) USB-A: 18W (5V/3A)
- (1) USB-C: 27W (5V/3A)
- (1) DC5525: 100W (12V-20.52V)

COMPATIBILITY

- Compatible with the entire line of RAMBLER, INTREPID & PINNACLE Power Stations

ACCESSORIES

- 10' DC5525 cable

DIMENSIONS

- 9.7 lbs.
- Folded: (H) 23.5" x (W) 23" x (D) 1.3"
- Unfolded: (H) 23.5" x (W) 46" x (D) 0.75"



HARNESS CLEAN POWER FROM THE SUN

The RELIANCE 100W Solar Panel features advanced **Monocrystalline cell technology** to harness clean power from the sun with a high-efficiency **22% energy conversion**. This easily-portable power source is compatible with RAMBLER, INTREPID & PINNACLE power stations.

UPC CODE

ITEM

645397940760

NEB-ACC-0001



Box Dimensions
(H) 25.11" x (W) 26.1" x (D) 3.46"

NEBO[®]

POWER BANKS



SMART BATTERY PROTECTION

Equipped with a suite of the latest in battery protection, including smart technology to protect against short-circuit, overload, and excessive temperatures, plus a patented comprehensive safety check gives you the peace-of-mind that it will operate properly and safely.



SMART CHARGE TECHNOLOGY

Adjusts charging compatibility and power delivery, to provide the fastest and safest charge to USB powered devices.



AIR TRAVEL READY

Power banks meet TSA & FAA regulations as approved carry-on items. However, the final decision rests with the TSA officer on whether any item is allowed through the security checkpoint.



NEBO[®] 5K POWER BANK

DESIGN

- 3-way multi-device charging
- LED power indicator
- TSA carry-on approved
- Durable, lightweight ABS construction

INPUTS

- (1) USB-C: 10W (5V/2.0A)
- (1) Micro USB: (5V/2.0A)

OUTPUTS

- (1) USB-C: 10.5W (5V/2.1A)
- (2) USB-A: 10.5W (5V/2.1A)

ACCESSORIES

- USB-C to USB-C charging cable
- USB-A to USB-C adapter

BATTERY

- Capacity: 18.5Wh, 5,000mAh, 3.7V
- Pass-through charging
- Recharge time: 2-3 hours

DIMENSIONS

- 0.23 lbs.
- (L) 3.86" x (W) 2.48" x (D) 0.51"



POCKET-SIZED PORTABLE POWER

Easily charge your devices on-the-go with the compact and lightweight 5K Power Bank. This pocketable battery backup is **USB-C and Micro-USB rechargeable**, featuring **dual USB-A outputs** to charge two devices at once, and an **LED power indicator** to let you know exactly how much power you have remaining.

UPC	ITEM
044435921707	NEB-PBK-0012



Natralock Dimensions
(H) 7.8" x (W) 4.9" x (D) 1"

NEBO[®] 10K POWER BANK

DESIGN

- 2-way multi-device charging
- Digital charge indicator
- TSA carry-on approved
- Durable, lightweight ABS construction

INPUTS

- (1) USB-C: 18W (5V/3.0A)

OUTPUTS

- (1) USB-C: 20W (5V/3.0A)
- (2) USB-A: 18W (5V/3.0A)

ACCESSORIES

- USB-C to USB-C charging cable
- USB-A to USB-C adapter

BATTERY

- Capacity: 37Wh, 10,000mAh, 3.7V
- Pass-through charging
- Recharge time: 4-5 hours

DIMENSIONS

- 0.55 lbs.
- (L) 5.61" x (W) 2.83" x (D) 0.67"



PORTABLE POWER WITH RAPID CHARGE

Quickly charge your devices on-the-go with the compact and lightweight 10K Power Bank. This pocketable battery backup is equipped with **USB-C rapid charge** and **USB-C/USB-A outputs** to charge two devices at once. The **digital power indicator** lets you know exactly how much power you have remaining.

UPC	ITEM
044435921714	NEB-PBK-0013



Naturalock Dimensions
(H) 9.05" x (W) 4.92" x (D) 1.1"

NEBO[®] 10K POWER BANK WIRELESS

DESIGN

- 3-way multi-device charging
- Flip-out phone holder
- Integrated kickstand
- LED power indicators
- TSA carry-on approved
- Durable, lightweight ABS construction

INPUTS

- (1) USB-C: 18W (5V/3.0A)

OUTPUTS

- (1) USB-C: 20W (5V/3.0A)
- (2) USB-A: 18W (5V/3.0A)
- (1) Wireless Charging Pad: 15W

ACCESSORIES

- USB-C to USB-C charging cable
- USB-A to USB-C adapter

BATTERY

- Capacity: 37Wh, 10,000mAh, 3.7V
- Pass-through charging
- Recharge time: 4-5 hours

DIMENSIONS

- 0.53 lbs.
- (L) 5.83" x (W) 2.7" x (D) 0.75"



WIRELESS PORTABLE POWER WITH RAPID CHARGE

Wirelessly charge your devices on-the-go with the compact and lightweight 10K Wireless Power Bank. This pocketable battery backup is equipped with **wireless charging**, **USB-C rapid charge**, and a **USB-A output** to charge multiple devices at once. The **LED power indicators** let you know how much power you have remaining.

UPC	ITEM
044435921738	NEB-PBK-0015



Natural Dimensions
(H) 9.45" x (W) 4.92" x (D) 1"

NEBO® 10K POWER BANK IC

DESIGN

- 4-way multi-device charging
- Integrated cables (USB-C & Micro USB)
- Integrated adapter storage
- LED power indicators
- TSA carry-on approved
- Durable, lightweight ABS construction

INPUTS

- (1) USB-C: 15W (5V/3.0A)
- (1) Micro USB: 10W (5V/2.0A)

OUTPUTS

- (1) USB-C: 12W (5V/2.4A)
- (1) USB-A: 12W (5V/2.4A)
- (1) Micro USB: 12W (5V/2.4A)
- (1) Lightning: 12W (5V/2.4A)

ACCESSORIES

- USB-C to USB-C charging cable
- Micro USB to iPhone® lightning adapter

BATTERY

- Capacity: 37Wh, 10,000mAh, 3.7V
- Pass-through charging
- Recharge time: 4-5 hours

DIMENSIONS

- 0.51 lbs.
- (L) 5.85" x (W) 2.74" x (D) 0.62"



PORTABLE POWER WITH INTEGRATED CABLES

Never leave your charging cables at home again with the compact, lightweight 10K Power Bank IC. This pocketable battery backup is equipped with **integrated charging cables**, plus **USB-C**, **USB-A**, and **Micro USB outputs** to charge multiple devices at once. The **LED power indicators** let you know how much power you have remaining.

UPC	ITEM
044435922452	NEB-PBK-0016



Natural Dimensions
(H) 9.45" x (W) 4.92" x (D) 1"

NEBO[®] 20K POWER BANK

DESIGN

- 2-way multi-device charging
- Digital charge indicator
- TSA carry-on approved
- Durable, lightweight ABS construction

INPUTS

- (1) USB-C: 18W (5V/3.0A)

OUTPUTS

- (1) USB-C: 20W (5V/3.0A)
- (1) USB-A: 18W (5V/3.0A)

ACCESSORIES

- USB-C to USB-C charging cable
- USB-A to USB-C adapter

BATTERY

- Capacity: 74Wh, 20,000mAh, 3.7V
- Pass-through charging
- Recharge time: 6-7 hours

DIMENSIONS

- 0.95 lbs.
- (L) 5.72" x (W) 2.84" x (D) 1.16"



PORTABLE POWER WITH RAPID CHARGE

Quickly charge your devices on-the-go with the compact and lightweight 20K Power Bank. This pocketable battery backup is equipped with **USB-C rapid charge** and **USB-C/USB-A outputs** to charge two devices at once. The **digital power indicator** lets you know exactly how much power you have remaining.

UPC	ITEM
044435921721	NEB-PBK-0014



Natural Dimensions
(H) 9.37" x (W) 4.92" x (D) 1.25"



NEBO® RAMBLER® 20K POWER BANK & LIGHT

DESIGN

- 2-way multi-device charging
- Dual integrated kickstands / cable management
- C-0-B LED Floodlight
- Digital charge indicator
- TSA carry-on approved
- Durable, lightweight ABS construction

INPUTS

- (1) USB-C: 18W (5V/3.0A)

OUTPUTS

- (1) USB-C: 20W (5V/3.0A)
- (1) USB-A: 18W (5V/3.0A)

TECHNOLOGY

- Patented Smart Battery Protection
- Smart Charge Technology

ACCESSORIES

- 24" USB-C to USB-C charging cable

BATTERY

- Chemistry: Lithium-Ion
- Capacity: 74Wh, 20,000mAh, 3.7V
- Pass-through charging
- Recharge time: less than 5.5 hours

DIMENSIONS

- 0.98 lb.
- (L) 5.7" x (W) 2.95" x (D) 1.14"



TRAVEL-READY 20,000mAh POWER BANK

The RAMBLER 20K is a hand-held, portable power bank that offers **USB-A** and **USB-C multi-device charging**, **digital display**, **LED floodlight**, and **adjustable kickstands** that also provide convenient cable management.

UPC CODE

ITEM

645397943457

NEB-PBK-0011



Natural Dimensions
(H) 9.13" x (W) 5.22" x (D) 1.7"
PDQ Dimensions
(H) 5.9" x (W) 5.9" x (D) 10.4725"

NEBO[®]

ELECTRIC COOLER/WARMER



HYBRID THERMO-COOL[™] TECHNOLOGY

Cools to 27°F below ambient temperature,
and warms up to 140°F.



NEBO[®]

POLARPAK[™]

ELECTRIC COOLER AND WARMER BAG

DESIGN

- AC/DC powered
- Hybrid Thermo-Cool[™] Technology cools to 27°F below ambient temperature and warms up to 140°F
- Iceless cooling design
- Whisper-quiet fan
- 16-qt. (15L) capacity
- Zippered flip-top main compartment
- Soft-sided and insulated
- Food-safe, BPA-free interior
- Compact and portable
- Carry handles with hook and loop closure
- Dual zippered mesh stretch storage pockets
- MOLLE webbing organization
- 600D Polyester outer construction

ACCESSORIES

- Removable shoulder strap (adjustable length: 29" - 53")
- AC power cord
- 12V DC power cord

DIMENSIONS

- 3.9 lbs.
- (H) 10.5" x (W) 12" x (D) 11.3"



16-QT. (15L) SOFT-SIDED ELECTRIC COOLER & WARMER BAG

The PolarPak[™] Electric Cooler & Warmer uses hybrid **Therma-Cool[™] Technology** to provide convenient, on-the-go, temperature control for your food and beverages. The **iceless design** allows the **16-qt. capacity** to hold up to twenty-four 12-oz. cans.

UPC CODE

ITEM

645397942757

NEB-CLR-0001



PRODUCT	TYPE	POWER CLAIM	CAPACITY	CHARGING	CLAIM
ASSIST 1000XP	Jump Starter	1,000 Amps	24.4 Watt hours	2 devices	Up to 6L (gas)
ASSIST 1500XP	Jump Starter	1,500 Amps	44.4 Watt hours	2 devices	Up to 7L (gas)
ASSIST AIR 1500XP	Jump Starter	1,500 Amps	44.4 Watt hours	2 devices	Up to 7L (gas)
ASSIST 2000XP	Jump Starter	2,000 Amps	55.5 Watt hours	3 devices	Up to 8L (gas) / 6L (Diesel)
ASSIST AIR 2000XP	Jump Starter	2,000 Amps	55.5 Watt hours	3 devices	Up to 8L (gas) / 6L (Diesel)
ASSIST 2500XP	Jump Starter	2,500 Amps	74 Watt hours	3 devices	Up to 9L (gas) / 7L (Diesel)
ASSIST AIR 2500XP	Jump Starter	2,500 Amps	74 Watt hours	3 devices	Up to 9L (gas) / 7L (Diesel)
ASSIST MINI	Air Compressor	15 Watts	18 Watt hours	1 device	Up to 150 PSI
5K POWER BANK	Power Bank	10.5 Watts	18.5 Watt hours	3 devices	Pass-through charging
10K POWER BANK	Power Bank	20 Watts	37 Watt hours	2 devices	Pass-through charging
10K WIRELESS POWER BANK	Power Bank	20 Watts	37 Watt hours	3 devices	Wireless charging
10K POWER BANK IC	Power Bank	12 Watts	37 Watt hours	4 devices	Integrated Cables
20K POWER BANK	Power Bank	20 Watts	74 Watt hours	2 devices	Pass-through charging
RAMBLER 20K	Power Bank	20 Watts	74 Watt hours	2 devices	Integrated kickstand & light
RAMBLER 100	Power Station	100 Watts	94.9 Watt hours	5 devices	100W/200W surge
RAMBLER 200	Power Station	200 Watts	230.4 Watt hours	6 devices	200W/400W surge
RAMBLER 300	Power Station	300 Watts	288 Watt hours	6 devices	300W/600W surge
INTREPID 600	Power Station	600 Watts	588.8 Watt hours	10 devices	600W/1,200W surge
INTREPID 1000	Power Station	1,000 Watts	960 Watt hours	15 devices	1,000W/2,000W surge
PINNACLE 1600	Power Station	1,600 Watts	1228.8 Watt hours	12 devices	1,600W/3,200W surge
PINNACLE 2400	Power Station	2,400 Watts	1843.2 Watt hours	12 devices	2,400W/4,800W surge
RELIANCE 10W	Solar Panel	10 Watts	N/A	3 devices	24.7% energy conversion
RELIANCE 30W	Solar Panel	30 Watts	N/A	3 devices	24.7% energy conversion
RELIANCE 50W	Solar Panel	50 Watts	N/A	3 devices	22% energy conversion
RELIANCE 100W	Solar Panel	100 Watts	N/A	3 devices	22% energy conversion

CUSTOM PRINTING & ENGRAVING

NEBO offers custom screen printing and laser engraving services on most products. Utilize our products to advertise your company or event!

QUANTITY REQUIREMENTS

Custom printing orders must be a minimum of 100 pieces.

LEAD TIME

Allow 15-20 business days for production time.

SHIPPING

Free shipping with qualifying orders.

PAYMENT

Orders will not be released for printing until payment has been received in full, via credit card or CIA.

LOGO

Orders over 3,000 pieces may have the NEBO and product logos removed. (Allow 90 days for production time.)

SCREEN PRINTING PRICES

- 100 - 499 pieces = Dealer Cost + \$2.00 per unit
- 500 - 999 pieces = Dealer Cost + \$1.50 per unit
- 1,000+ pieces = Dealer Cost + \$1.00 per unit

LASER ENGRAVING PRICES

- 100 - 499 pieces = Dealer Cost + \$2.50 per unit
- 500 - 999 pieces = Dealer Cost + \$2.00 per unit
- 1,000+ pieces = Dealer Cost + \$1.50 per unit

*There is a one-time \$35 fee (per custom print/engrave order), which includes the setup for either screen printing or laser engraving. This setup fee covers the logo/text printed in a single location on the product, using a single color. There is an additional charge for printing or laser engraving on multiple locations or printing in more than one color. There is a \$0.50 charge per unit for products that require removal from a box or natralock packaging.



CONTACT YOUR SALES REPRESENTATIVE FOR ADDITIONAL INFORMATION: 800-255-6061

ORDER ALL YOUR NEBO ONLINE!

Register Today at ACG Dealer

Introducing ACG Dealer, your home for online wholesale ordering of all NEBO, TRUE, THAW, and iPROTEC products. ACG Dealer is a convenient resource for you to manage your account, order products, and have easy access to all account information. Ordering your favorite NEBO Power products has never been easier!

Shop today at www.ACGDEALER.com.

NEBO[®] 700 Henrietta Creek Road
Roanoke, TX 76262

For more information or to place an order, contact your NEBO sales representative.
CALL TOLL FREE: 800.255.6061 or VISIT OUR WEBSITE: WWW.ACGDEALER.COM

