

ITEM NO.	PART NUMBER	DESCRIPTION	MATERIAL	QTY.
1	RSR-500-B	BODY	ALUMINUM	1
2	SRB-518	BUSHING	NEOPRENE	1
3	RSR-500-ND	NUT	ALUMINUM	1
4	LN-150	LOCK NUT	ADD: L, C.R.S. ZINC PLATED	1
5	R-518-D	MESH	STAINLESS WIRE	1



CATALOG NUMBER	SEALING RANGE	BODY B ORE
RSR-518-E	1.000 - 1.125	1.438

REV.	DATE	CHANGE	UNLESS OTHERWISE SPECIFIED		NAME	DATE		⊗		
Α	7/8/13	DRAWING RELEASED	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± 1/64	DRAWN	JCN	7/13	BBRID		EPORT	
	.,.,.		ANGULAR: MACH±1° BEND ±1° ONE PLACE DECIMAL ±.015 TWO PLACE DECIMAL ±.010 THREE PLACE DECIMAL ±.005 INTERPRET GEOMETRIC TOLERANCING PER:	CHECKED		<u> </u>				
				ENG APPR.			TITLE:	RSR-518-E SERIES		
				MFG APPR.			F			
				Q.A.						
				PROPRIETARY AND CONFIDENTIAL						
			MATERIAL ALLINAINIIINA	THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF REMKE INDUSTRIES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE		IN THIS	SIZE DWG	S. NO.		
			FINISH			DUCTION OUT THE	Α	RSR-518-E ASSEMBLY		
			DO NOT SCALE DRAWING	WRITTEN PERMISSION OF REMKE INDUSTIRES IS PROHIBITED.		SCALE: 1:2		SHEET 1 OF 1		
		5 4	3			2			1	