1 Identification of the substance a	nd manufacturer
Trade name:	SPRAY MATCH WATERBLEND(LATEX)
Product code: Recommended use: Uses advised against:	0000163393 Paint and coatings application. Any that differs from the recommended use.
Manufacturer/Supplier:	Seymour of SycamoreSeymour of Sycamore917 Crosby Avenue3041 Dougall Avenue, Suite 503Sycamore, IL 60178 USAWindsor, ONT N9E 1S3 CANADAphone: 815-895-9101phone: 800-435-4482www.seymourpaint.comwww.seymourpaint.com
Emergency telephone number:	1-800-255-3924
2 Hazard(s) identification	
Classification of the substance or n	
Flammable Aerosols 1	H222 Extremely flammable aerosol.
Additional information:	H280 Contains gas under pressure; may explode if heated.
GHS Hazard pictograms	\wedge \wedge
	GHS02 GHS04
Oliver all succed	
Signal word Hazard statements	Danger Extremely flammable aerosol.
	Contains gas under pressure; may explode if heated.
Precautionary statements	Keep away from heat/sparks/open flames/hot surfaces No smoking.
	Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.
	Protect from sunlight. Store in a well-ventilated place.
	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
3 Composition/information on ing Chemical characterization: Mixture	5
Chemical Description: Dangerous components:	This product is a mixture of the substances listed below with nonhazardous additions.
•	This product is a mixture of the substances listed below with nonhazardous additions. 25-50%
Dangerous components:	·
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures	25-50%
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation:	Supply fresh air; consult doctor in case of complaints.
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation: After skin contact:	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water.
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation:	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse out mouth and then drink plenty of water.
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation: After skin contact: After eye contact: After swallowing:	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation: After skin contact: After eye contact: After swallowing: Most important symptoms and	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting.
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation: After skin contact: After eye contact: After swallowing:	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting. Dizziness
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation: After skin contact: After eye contact: After swallowing: Most important symptoms and effects:	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting. Dizziness
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation: After skin contact: After eye contact: After swallowing: Most important symptoms and effects: Indication of any immediate medica attention needed:	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting. Dizziness
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation: After skin contact: After eye contact: After swallowing: Most important symptoms and effects: Indication of any immediate medica attention needed: 5 Fire-fighting measures	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available.
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation: After skin contact: After eye contact: After swallowing: Most important symptoms and effects: Indication of any immediate medica attention needed: 5 Fire-fighting measures Extinguishing agents:	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available.
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation: After skin contact: After eye contact: After swallowing: Most important symptoms and effects: Indication of any immediate medica attention needed: 5 Fire-fighting measures Extinguishing agents: Special hazards:	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available.
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation: After skin contact: After eye contact: After swallowing: Most important symptoms and effects: Indication of any immediate medica attention needed: 5 Fire-fighting measures Extinguishing agents:	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available.
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation: After skin contact: After skin contact: After swallowing: Most important symptoms and effects: Indication of any immediate medica attention needed: 5 Fire-fighting measures Extinguishing agents: Special hazards: Protective equipment for firefighters:	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available.
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation: After skin contact: After skin contact: After swallowing: Most important symptoms and effects: Indication of any immediate medica attention needed: 5 Fire-fighting measures Extinguishing agents: Special hazards: Protective equipment for firefighters: 6 Accidental release measures	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available.
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation: After skin contact: After skin contact: After swallowing: Most important symptoms and effects: Indication of any immediate medica attention needed: 5 Fire-fighting measures Extinguishing agents: Special hazards: Protective equipment for firefighters: 6 Accidental release measures Personal precautions, protective	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available.
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation: After skin contact: After skin contact: After swallowing: Most important symptoms and effects: Indication of any immediate medica attention needed: 5 Fire-fighting measures Extinguishing agents: Special hazards: Protective equipment for firefighters: 6 Accidental release measures Personal precautions, protective equipment and emergency	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available. CO2, extinguishing powder or water spray. Fight larger fires with water spray. Can form explosive gas-air mixtures. A respiratory protective device may be necessary.
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation: After skin contact: After skin contact: After swallowing: Most important symptoms and effects: Indication of any immediate medica attention needed: 5 Fire-fighting measures Extinguishing agents: Special hazards: Protective equipment for firefighters: 6 Accidental release measures Personal precautions, protective equipment and emergency procedures:	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available.
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation: After skin contact: After eye contact: After swallowing: Most important symptoms and effects: Indication of any immediate medica attention needed: 5 Fire-fighting measures Extinguishing agents: Special hazards: Protective equipment for firefighters: 6 Accidental release measures Personal precautions, protective equipment and emergency procedures: Methods and material for	25-50% Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available. CO2, extinguishing powder or water spray. Fight larger fires with water spray. Can form explosive gas-air mixtures. A respiratory protective device may be necessary. Wear protective equipment. Keep unprotected persons away. Use respiratory protective device against the effects of fumes/dust/aerosol.
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation: After skin contact: After skin contact: After swallowing: Most important symptoms and effects: Indication of any immediate medica attention needed: 5 Fire-fighting measures Extinguishing agents: Special hazards: Protective equipment for firefighters: 6 Accidental release measures Personal precautions, protective equipment and emergency procedures:	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available. CO2, extinguishing powder or water spray. Fight larger fires with water spray. Can form explosive gas-air mixtures. A respiratory protective device may be necessary. Wear protective equipment. Keep unprotected persons away.
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation: After skin contact: After skin contact: After swallowing: Most important symptoms and effects: Indication of any immediate medica attention needed: 5 Fire-fighting measures Extinguishing agents: Special hazards: Protective equipment for firefighters: 6 Accidental release measures Personal precautions, protective equipment and emergency procedures: Methods and material for containment and cleaning up:	25-50% Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available. CO2, extinguishing powder or water spray. Fight larger fires with water spray. Can form explosive gas-air mixtures. A respiratory protective device may be necessary. Wear protective equipment. Keep unprotected persons away. Use respiratory protective device against the effects of fumes/dust/aerosol.
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation: After skin contact: After skin contact: After swallowing: Most important symptoms and effects: Indication of any immediate medica attention needed: 5 Fire-fighting measures Extinguishing agents: Special hazards: Protective equipment for firefighters: 6 Accidental release measures Personal precautions, protective equipment and emergency procedures: Methods and material for containment and cleaning up: 7 Handling and storage	Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available. CO2, extinguishing powder or water spray. Fight larger fires with water spray. Can form explosive gas-air mixtures. A respiratory protective device may be necessary. Wear protective equipment. Keep unprotected persons away. Use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation.
Dangerous components: 115-10-6 dimethyl ether 4 First-aid measures After inhalation: After skin contact: After skin contact: After swallowing: Most important symptoms and effects: Indication of any immediate medica attention needed: 5 Fire-fighting measures Extinguishing agents: Special hazards: Protective equipment for firefighters: 6 Accidental release measures Personal precautions, protective equipment and emergency procedures: Methods and material for containment and cleaning up:	25-50% Supply fresh air; consult doctor in case of complaints. Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting. Dizziness No further relevant information available. CO2, extinguishing powder or water spray. Fight larger fires with water spray. Can form explosive gas-air mixtures. A respiratory protective device may be necessary. Wear protective equipment. Keep unprotected persons away. Use respiratory protective device against the effects of fumes/dust/aerosol.

Trade name: SPRAY MATCH WATERBLEND(LATEX)

Revised On 01/25/2024

(Contd. of page 1)

8 Exposure controls/personal prot	tection
• • • • •	require monitoring at the workplace:
115-10-6 dimethyl ether	
WEEL (USA) Long-term value: 1000	ppm
Hygienic protection: Breathing equipment:	Immediately remove all soiled and contaminated clothing. Wash hands after use. Avoid contact with the eyes and skin. Do not eat or drink while working. A respirator is generally not necessary when using this product outdoors or in large open areas. cases where short and/or long term overexposure exists, a NIOSH approved respirator should t
Hand protection:	worn. If you suspect overexposure conditions exist, please consult an authority on chemic hygiene. Nitrile gloves. The glove material must be impermeable and resistant to the substance.
Eye protection:	Tightly sealed goggles
9 Physical and chemical propertie	S
Appearance: Odor: Odor threshold:	Aerosol. Aromatic Not determined.
pH-value: Melting point/Melting range Boiling point:	Not determined. Undetermined. -24 °C (-11.2 °F)
Flash point: Flammability (solid, gas):	> 55 °C (> 131 °F) Extremely flammable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not self-igniting.
Danger of explosion: Lower Explosion Limit: Upper Explosion Limit:	In use, may form flammable/explosive vapour-air mixture. 3 Vol % 18.6 Vol %
Vapor pressure at 20 °C (68 °F): Relative Density: Vapor density Evaporation rate Partition coefficient: n-octonal/wate	23 hPa (17.3 mm Hg) Between 0.77 and 0.85 (Water equals 1.00) Not determined. Not applicable. er: Not determined.
Solubility: Viscosity: Water:	Not determined. Not determined. 60.9 %
IO Stability and reactivity	
Reactivity: Conditions to avoid: Chemical stability: Possibility of hazardous reactions: Incompatible materials: Hazardous decomposition:	Stable at normal temperatures. No decomposition if used according to specifications. Not fully evaluated. No dangerous reactions known. No further relevant information available. No dangerous decomposition products known.
11 Toxicological information	
LD/LC50 values that are relevant for	r classification:
115-10-6 dimethyl ether	
Inhalative LC50/4 h 308 mg/l (rat)	
Information on toxicological effects Skin effects: Eye effects:	No irritant effect. Irritating effect.
Sensitization:	No sensitizing effects known.
2 Ecological information	
Aquatic toxicity: Persistence and degradability: Other information:	Hazardous for water, do not empty into drains. The product is degradable after prolonged exposure to natural weathering processes. This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbon (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinate solvents.
Bioaccumulative potential: Mobility in soil:	No further relevant information available. No further relevant information available. (Contd. on page

Revised On 01/25/2024

Page 3/3

Other adverse effects:	(Contd. of pa
Disposal considerations	
	state and federal regulations. Do not nuncture incinerate or compact. Partially empty cans mus
disposed of responsibly. Do not hea	l, state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans mus it or cut empty containers with electric or gas torches.
Recommendation:	Completely empty cans should be recycled.
Recommended cleansing agent:	Water, if necessary with cleansing agents.
Transport information	
UN-Number	UN1950
DOT	UN1950
	UN1950
DOT	Aerosols, flammable
ADR	1950 Aerosols
Transport hazard class(es): Class	2.2 Gases
Marine pollutant:	No
Special precautions for user:	Warning: Gases
EMS Number:	F-D,S-Ŭ
Packaging Group:	
UN "Model Regulation":	UN1950, Aerosols, 2.2
Regulatory information	
SARA Section 355 (extremely haz	
SARA Section 355 (extremely haz None of the ingredients in this produ	uct are listed.
SARA Section 355 (extremely haz None of the ingredients in this produced SARA Section 313 (Specific toxic	uct are listed.
SARA Section 355 (extremely haz None of the ingredients in this produced SARA Section 313 (Specific toxic None of the ingredients is listed.	uct are listed.
SARA Section 355 (extremely haz None of the ingredients in this produced SARA Section 313 (Specific toxic	uct are listed.
SARA Section 355 (extremely haz None of the ingredients in this produce SARA Section 313 (Specific toxic None of the ingredients is listed. Toxic Substances Control Act (TSCA): Canadian Domestic Substances I	All hazardous ingredients are found on the inventory list of substances.
SARA Section 355 (extremely haz None of the ingredients in this produ- SARA Section 313 (Specific toxic None of the ingredients is listed. Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL):	All hazardous ingredients are found on the inventory list of substances.
SARA Section 355 (extremely haz None of the ingredients in this produ SARA Section 313 (Specific toxic None of the ingredients is listed. Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL): Consumer Product Safety	uct are listed. chemical listings): All hazardous ingredients are found on the inventory list of substances. .ist All ingredients are listed or exempted.
SARA Section 355 (extremely haz None of the ingredients in this produ- SARA Section 313 (Specific toxic None of the ingredients is listed. Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL): Consumer Product Safety Comission (CPSC):	Loct are listed. chemical listings): All hazardous ingredients are found on the inventory list of substances. .ist All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.
SARA Section 355 (extremely haz None of the ingredients in this produce SARA Section 313 (Specific toxic None of the ingredients is listed. Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemic	Loct are listed. chemical listings): All hazardous ingredients are found on the inventory list of substances. .ist All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. als known to cause cancer:
SARA Section 355 (extremely haz None of the ingredients in this produce SARA Section 313 (Specific toxic None of the ingredients is listed. Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemic None of the ingredients in this produce	All hazardous ingredients are found on the inventory list of substances. All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. als known to cause cancer: uct are listed.
SARA Section 355 (extremely haz None of the ingredients in this produce SARA Section 313 (Specific toxic None of the ingredients is listed. Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemic None of the ingredients in this produce Prop 65 chemicals known to cause	Loct are listed. chemical listings): All hazardous ingredients are found on the inventory list of substances. .ist All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. als known to cause cancer:
SARA Section 355 (extremely haz None of the ingredients in this produce SARA Section 313 (Specific toxic None of the ingredients is listed. Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemic None of the ingredients in this produce	All hazardous ingredients are found on the inventory list of substances. All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. als known to cause cancer: uct are listed.
None of the ingredients in this produ SARA Section 313 (Specific toxic None of the ingredients is listed. Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemic None of the ingredients in this produ	All hazardous ingredients are found on the inventory list of substances. All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. als known to cause cancer: uct are listed.
SARA Section 355 (extremely haz None of the ingredients in this produce SARA Section 313 (Specific toxic None of the ingredients is listed. Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemic None of the ingredients in this produce Prop 65 chemicals known to cause 107-21-1 ethanediol	All hazardous ingredients are found on the inventory list of substances. All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. als known to cause cancer: uct are listed.
SARA Section 355 (extremely haz None of the ingredients in this produce SARA Section 313 (Specific toxic None of the ingredients is listed. Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemic None of the ingredients in this produce Prop 65 chemicals known to cause 107-21-1 ethanediol EPA:	All hazardous ingredients are found on the inventory list of substances. All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. als known to cause cancer: uct are listed.
SARA Section 355 (extremely haz None of the ingredients in this produce SARA Section 313 (Specific toxic None of the ingredients is listed. Toxic Substances Control Act (TSCA): Canadian Domestic Substances I (DSL): Consumer Product Safety Comission (CPSC): California Proposition 65 chemic None of the ingredients in this produce Prop 65 chemicals known to cause 107-21-1 ethanediol EPA:	All hazardous ingredients are found on the inventory list of substances. All ingredients are listed or exempted. This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. als known to cause cancer: uct are listed.