



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS
which includes the amended Hazardous Products Act (HPA) and the Hazardous Products
Regulation (HPR)

Revision Date 25-Nov-2025

Version 3

1. Identification

Product identifier

Product Name HIGH STRENGTH THREADLOCKER RED 10ML

Other means of identification

Product Code 27110

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Adhesive

Restrictions on use No information available

Details of the supplier of the safety data sheet

Manufacturer Address

ITW Permatex, Inc.
6875 Parkland Blvd.
Solon, Ohio 44139 USA
Telephone: 1-87-Permatex
(866) 732-9502

May Also Be Distributed by:

ITW Permatex Canada
101-2360 Bristol Circle
Oakville, ON Canada L6H 6M5
Telephone: (800) 924-6994

E-mail address mail@permatex.com

Emergency telephone number

Company Phone Number 866-732-9502

24 Hour Emergency Phone Number Chem-Tel: 800-255-3924
International Emergency:
00+1+ 813-248-0585
Contract Number: MIS0003453

24-hour emergency phone number No information available

2. Hazard(s) identification

Classification

| | |
|--|-------------|
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 2A |
| Carcinogenicity | Category 1B |
| Specific target organ toxicity (repeated exposure) | Category 2 |

Label elements

Contains CUMENE HYDROPEROXIDE; CUMENE



Danger

Hazard statements

Causes skin irritation.
Causes serious eye irritation.
May cause cancer.
May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements - Prevention

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves, protective clothing, eye protection and face protection.
Wash face, hands and any exposed skin thoroughly after handling.
Do not breathe dust.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention.
Specific treatment (see supplemental first aid instructions on this label).

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice and attention.

Skin

IF ON SKIN: Wash with plenty of water and soap.
If skin irritation occurs: Get medical advice and attention.
Take off contaminated clothing and wash it before reuse.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

5.6 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
8 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
54.50625 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
54.50625 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).
52.3 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Other Information

Harmful to aquatic life.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

| Chemical name | CAS No. | Weight-% | Hazardous Material Information Review Act registry number | Date HMIRA filed and date exemption granted (if applicable) |
|---------------|---------|----------|---|---|
| | | | | |

| | | | (HMIRA registry #) | |
|--|------------|----------|--------------------|---|
| HYDROXYALKYL METHACRYLATE | 27813-02-1 | 30-60% | - | - |
| POLYGLYCOL DIMETHACRYLATE | 25852-47-5 | 15-40% | - | - |
| URETHANE METHACRYLATE RESIN MIXTURE | MIXTURE | 3-7% | - | - |
| POLYETHYLENE GLYCOL DIMETHACRYLATE | 25852-47-5 | 3-7% | - | - |
| ALIPHATIC URETHANE METHACRYLATE | 3290-92-4 | 1-5% | - | - |
| CUMENE HYDROPEROXIDE | 80-15-9 | 1-5% | - | - |
| TREATED SILICON DIOXIDE, SYNTHETIC, CRYSTALLINE-FREE | 67762-90-7 | 1-5% | - | - |
| SACCHARIN | 81-07-2 | 0.5-1.5% | - | - |
| PROPYLENE GLYCOL | 57-55-6 | 0.1-1% | - | - |
| 1-ACETYL-2-PHENYLHYDRAZ INE | 114-83-0 | 0.1-1% | - | - |
| CUMENE | 98-82-8 | 0.1-1% | - | - |
| DIMETHYLBENZYL ALCOHOL | 617-94-7 | <0.1% | - | - |
| TETRASODIUM EDTA | 64-02-8 | <0.1% | - | - |
| C.I. SOLVENT RED 24 | 85-83-6 | <0.1% | - | - |
| SCANNING COMPOUND #5 | MIXTURE | <0.1% | - | - |
| P-BENZOQUINONE | 106-51-4 | <0.1% | - | - |

4. First-aid measures

Description of first aid measures

General advice

IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.

Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

Skin contact

Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms

May cause redness and tearing of the eyes. Burning sensation.

Effects of Exposure

May cause cancer. May cause damage to organs through prolonged or repeated exposure.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

5. Fire-fighting measures

| | |
|---|--|
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Small Fire | In case of fire, use water spray, foam, dry chemical, or CO ₂ . |
| Large Fire | In case of fire, use water spray, foam, dry chemical, or CO ₂ . |
| Unsuitable extinguishing media | Do not scatter spilled material with high pressure water streams. |
| Specific hazards arising from the chemical | No information available. |
| Hazardous combustion products | No information available. |
| Explosion data | |
| Sensitivity to mechanical impact | None. |
| Sensitivity to static discharge | None. |
| Special protective equipment and precautions for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| | |
|-----------------------------|--|
| Personal precautions | Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. |
| Other information | Refer to protective measures listed in Sections 7 and 8. |

Methods and material for containment and cleaning up

| | |
|--|--|
| Methods for containment | Prevent further leakage or spillage if safe to do so. |
| Methods for cleaning up | Pick up and transfer to properly labeled containers. |
| Prevention of secondary hazards | Clean contaminated objects and areas thoroughly observing environmental regulations. |

7. Handling and storage

Precautions for safe handling

| | |
|--------------------------------|---|
| Advice on safe handling | Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. |
|--------------------------------|---|

Conditions for safe storage, including any incompatibilities

| | |
|---------------------------|--|
| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. |
|---------------------------|--|

8. Exposure controls/personal protection

Control Parameters

Exposure Limits

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH |
|---------------|------------|-------------|--------------|
| CUMENE | TWA: 5 ppm | TWA: 50 ppm | TWA: 50 ppm; |

| | | | |
|----------------------------|--|--|--|
| 98-82-8 | | TWA: 245 mg/m ³ (vacated) TWA: 50 ppm (vacated) TWA: 245 mg/m ³ dSk Sdv | TWA: 245 mg/m ³ ; IDLH: 900 ppm |
| P-BENZOQUINONE 106-51-4 | SL: 0.005 mg/100 cm ² TWA: 0.1 ppm DS | TWA: 0.1 ppm TWA: 0.4 mg/m ³ (vacated) TWA: 0.1 ppm (vacated) TWA: 0.4 mg/m ³ | TWA: 0.1 ppm; TWA: 0.4 mg/m ³ ; IDLH: 100 mg/m ³ |

| Chemical name | Alberta | British Columbia | Ontario | Quebec |
|-----------------------------|---|-------------------------------|--|--|
| PROPYLENE GLYCOL 57-55-6 | - | - | TWA: 10 mg/m ³ ; aerosol only TWA: 50 ppm; aerosol and vapor TWA: 155 mg/m ³ ; aerosol and vapor | - |
| CUMENE 98-82-8 | TWA: 50 ppm; TWA: 246 mg/m ³ ; | TWA: 25 ppm; STEL: 75 ppm; | TWA: 50 ppm; | TWAEV: 5 ppm; |
| P-BENZOQUINONE 106-51-4 | TWA: 0.1 ppm; TWA: 0.4 mg/m ³ ; | TWA: 0.1 ppm; DS | TWA: 0.1 ppm; | TWAEV: 0.1 ppm; TWAEV: 0.44 mg/m ³ ; |

| Chemical name | Manitoba | New Brunswick | Newfoundland and Labrador | Nova Scotia |
|----------------|---|---------------|---|---|
| CUMENE | TWA: 5 ppm; | TWA: 50 ppm; | TWA: 5 ppm; | TWA: 5 ppm; |
| P-BENZOQUINONE | SL: 0.005 mg/100 cm ² ; TWA: 0.1 ppm; DS | TWA: 0.1 ppm; | TWA: 0.1 ppm; SL: 0.005 mg/100 cm ² ; DS | TWA: 0.1 ppm; SL: 0.005 mg/100 cm ² ; DS |

| Chemical name | Nunavut | Prince Edward Island | Saskatchewan | Yukon |
|----------------|---------------------------------|---|---------------------------------|---|
| CUMENE | TWA: 50 ppm; STEL: 74 ppm; | TWA: 5 ppm; | TWA: 50 ppm; STEL: 74 ppm; | TWA: 50 ppm; TWA: 245 mg/m ³ ; STEL: 75 ppm; STEL: 365 mg/m ³ ; Sk |
| P-BENZOQUINONE | TWA: 0.1 ppm; STEL: 0.3 ppm; | TWA: 0.1 ppm; SL: 0.005 mg/100 cm ² ; | TWA: 0.1 ppm; STEL: 0.3 ppm; | TWA: 0.1 ppm; TWA: 0.4 mg/m ³ ; STEL: 0.3 ppm; STEL: 1 mg/m ³ ; STEL: 1.2 mg/m ³ ; |

Appropriate engineering controls

Engineering controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Hand protection

Wear suitable gloves.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Use

appropriate respiratory protection.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

Thermal hazards No information available.

9. Physical and chemical properties

Information on basic physical and chemical properties

| | |
|----------------|--------------------------|
| Physical state | Liquid |
| Appearance | Viscous Liquid |
| Color | Red |
| Odor | No information available |
| Odor threshold | No information available |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|--------------------------------|------------------------|-------------------------|
| pH | No data available | |
| Melting point / freezing point | No data available | |
| Boiling point / boiling range | 200 °C / 392 °F | |
| Flash point | 131 °C / 267.8 °F | |
| Evaporation rate | Not applicable | |
| Flammability (solid, gas) | No data available | |
| Flammability Limit in Air | | |
| Upper flammability limit: | No data available | |
| Lower flammability limit: | No data available | |
| Vapor pressure | No data available | |
| Vapor density | No data available | |
| Relative density | 1.11 | |
| Water solubility | Immiscible in water | |
| Solubility(ies) | No data available | |
| Partition coefficient | No data available | |
| Autoignition temperature | No data available | |
| Decomposition temperature | No data available | |
| Kinematic viscosity | No data available | |
| Dynamic viscosity | 500 mPas @ 20°C (68°F) | |
| Particle characteristics | | |
| Particle Size | No data available | |
| Particle Size Distribution | No data available | |

Other information

| | |
|----------------------|--------------------------|
| Explosive properties | No information available |
| Oxidizing properties | No information available |
| Softening point | No information available |
| Molecular weight | No information available |
| VOC Content | No information available |
| Density | No information available |
| Bulk density | No information available |

10. Stability and reactivity

| | |
|------------------------------------|---------------------------------|
| Reactivity | No information available. |
| Chemical stability | Stable under normal conditions. |
| Possibility of hazardous reactions | None under normal processing. |
| Hazardous polymerization | No information available. |

| | |
|----------------------------------|--|
| Conditions to avoid | None known based on information supplied. |
| Incompatible materials | Strong acids. Strong bases. Strong oxidizing agents. |
| Hazardous decomposition products | None known based on information supplied. |

11. Toxicological information

Information on likely routes of exposure

Product Information

| | |
|---------------------|---|
| Inhalation | Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. |
| Eye contact | Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain. |
| Skin contact | Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components). |
| Ingestion | Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

Symptoms related to the physical, chemical and toxicological characteristics

| | |
|-----------------|---|
| Symptoms | Redness. May cause redness and tearing of the eyes. |
|-----------------|---|

Acute toxicity

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

| | |
|-------------------------------|----------------|
| ATEmix (oral) | 9,872.90 mg/kg |
| ATEmix (dermal) | 9,203.30 mg/kg |
| ATEmix (inhalation-gas) | 99,999.00 ppm |
| ATEmix (inhalation-vapor) | 99,999.00 mg/l |
| ATEmix (inhalation-dust/mist) | 10.832 mg/l |

5.6 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

8 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

54.50625 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

54.50625 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

52.3 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|-----------------------|--------------------------|------------------------|
| HYDROXYALKYL METHACRYLATE 27813-02-1 | = 11200 mg/kg (Rat) | > 5000 mg/kg (Rabbit) | - |
| ALIPHATIC URETHANE METHACRYLATE 3290-92-4 | = 5660 µL/kg (Rat) | - | - |
| CUMENE HYDROPEROXIDE 80-15-9 | = 382 mg/kg (Rat) | = 0.126 mL/kg (Rabbit) | = 220 ppm (Rat) 4 h |
| SACCHARIN 81-07-2 | = 14200 mg/kg (Rat) | - | - |
| PROPYLENE GLYCOL 57-55-6 | = 20 g/kg (Rat) | = 20800 mg/kg (Rabbit) | - |
| CUMENE 98-82-8 | = 1400 mg/kg (Rat) | = 12300 µL/kg (Rabbit) | > 3577 ppm (Rat) 6 h |
| DIMETHYLBENZYL ALCOHOL | = 1300 mg/kg (Rat) | = 1 mL/kg (Rabbit) | - |

| | | | |
|-----------------------------|----------------------|---|---|
| 617-94-7 | | | |
| TETRASODIUM EDTA 64-02-8 | = 1658 mg/kg (Rat) | - | - |
| P-BENZOQUINONE 106-51-4 | = 130 mg/kg (Rat) | - | - |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|--------------------------------|--|---|---|---------|
| SACCHARIN 81-07-2 | - | Group 3 - Unclassifiable as to carcinogenicity in humans | - | - |
| CUMENE 98-82-8 | A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans | Group 2B - Possibly carcinogenic to humans | Reasonably Anticipated To Be A Human Carcinogen | Present |
| C.I. SOLVENT RED 24 85-83-6 | - | Group 3 - Unclassifiable as to carcinogenicity in humans | - | - |
| P-BENZOQUINONE 106-51-4 | A4 - Not Classifiable as a Human Carcinogen | Group 3 - Unclassifiable as to carcinogenicity in humans | - | - |

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not classifiable as to carcinogenicity in humans

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity Harmful to aquatic life.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|---------------|----------------------|------|-------------|-----------|
| | | | | |

| | | | microorganisms | |
|---|---|---|----------------|--|
| ALIPHATIC URETHANE METHACRYLATE 3290-92-4 | - | LC50: =144mg/L (96h, Oncorhynchus mykiss) LC50: =160mg/L (96h, Pimephales promelas) LC50: =112mg/L (96h, Lepomis macrochirus) | - | - |
| CUMENE HYDROPEROXIDE 80-15-9 | - | LC50: =3.9mg/L (96h, Oncorhynchus mykiss) | - | - |
| SACCHARIN 81-07-2 | - | LC50: =18300mg/L (96h, Pimephales promelas) | - | - |
| PROPYLENE GLYCOL 57-55-6 | EC50: =19000mg/L (96h, Pseudokirchneriella subcapitata) | LC50: =51600mg/L (96h, Oncorhynchus mykiss) LC50: 41 - 47mL/L (96h, Oncorhynchus mykiss) LC50: =51400mg/L (96h, Pimephales promelas) LC50: =710mg/L (96h, Pimephales promelas) | - | EC50: >1000mg/L (48h, Daphnia magna) |
| CUMENE 98-82-8 | EC50: =2.6mg/L (72h, Pseudokirchneriella subcapitata) | LC50: 6.04 - 6.61mg/L (96h, Pimephales promelas) LC50: =4.8mg/L (96h, Oncorhynchus mykiss) LC50: =2.7mg/L (96h, Oncorhynchus mykiss) LC50: =5.1mg/L (96h, Poecilia reticulata) | - | EC50: =0.6mg/L (48h, Daphnia magna) EC50: 7.9 - 14.1mg/L (48h, Daphnia magna) |
| TETRASODIUM EDTA 64-02-8 | - | LC50: =41mg/L (96h, Lepomis macrochirus) LC50: =59.8mg/L (96h, Pimephales promelas) | - | - |
| P-BENZOQUINONE 106-51-4 | - | LC50: =0.045mg/L (96h, Oncorhynchus mykiss) | - | - |

Persistence and degradability No information available.

Bioaccumulation

Component Information

| Chemical name | Partition coefficient |
|--|-----------------------|
| HYDROXYALKYL METHACRYLATE 27813-02-1 | 0.97 |
| ALIPHATIC URETHANE METHACRYLATE 3290-92-4 | 4.193 |
| CUMENE HYDROPEROXIDE 80-15-9 | 1.6 |
| SACCHARIN 81-07-2 | -0.024 |
| PROPYLENE GLYCOL 57-55-6 | -1.07 |
| CUMENE 98-82-8 | 3.55 |
| P-BENZOQUINONE 106-51-4 | 0.3 |

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

| | |
|--|--|
| Waste from residues/unused products | Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. |
| Contaminated packaging | Do not reuse empty containers. |
| US EPA Waste Number | Waste designations and classifications should be determined by the end user based on the application for which the product was used. |

14. Transport information

| | |
|-------------|---------------|
| DOT | Not regulated |
| TDG | Not regulated |
| MEX | Not regulated |
| IATA | Not regulated |
| IMDG | Not regulated |

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

| | |
|----------------------|-----------------|
| TSCA | Complies |
| DSL/NDSL | Complies |
| EINECS/ELINCS | Does not comply |
| ENCS | Complies |
| IECSC | Complies |
| KECI | Complies |
| PICCS | Complies |
| AICS | Complies |
| NZIoC | Complies |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Chemical name | SARA 313 - Threshold Values % |
|--------------------------------|-------------------------------|
| CUMENE HYDROPEROXIDE - 80-15-9 | 1.0 |
| SACCHARIN - 81-07-2 | 1.0 |
| CUMENE - 98-82-8 | 0.1 |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | Reportable Quantity (RQ) |
|---------------------------------|----------------------------|------------------------------------|--|
| CUMENE HYDROPEROXIDE 80-15-9 | 10 lb / kg (final RQ) | - | RQ 10 lb final RQ RQ 4.54 kg final RQ |
| CUMENE 98-82-8 | 5000 lb / kg (final RQ) | - | RQ 5000 lb final RQ RQ 2270 kg final RQ |
| P-BENZOQUINONE 106-51-4 | 10 lb / kg (final RQ) | - | RQ 10 lb final RQ RQ 4.54 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

| Chemical name | California Proposition 65 |
|------------------|---------------------------|
| CUMENE - 98-82-8 | Carcinogen |

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|---------------------------------|------------|---------------|--------------|
| CUMENE HYDROPEROXIDE 80-15-9 | X | X | X |
| SACCHARIN 81-07-2 | X | X | X |
| PROPYLENE GLYCOL 57-55-6 | X | - | X |
| CUMENE 98-82-8 | X | X | X |
| P-BENZOQUINONE 106-51-4 | X | X | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

| | | | | |
|-------------|---------------------------|-----------------------|---------------------------|------------------------------|
| NFPA | Health hazards 2 | Flammability 1 | Instability 0 | Special hazards - |
| HMIS | Health hazards 2 * | Flammability 1 | Physical hazards 0 | Personal protection X |

Chronic Hazard Star Legend

* = Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate

LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| | | | |
|---------|-----------------------------|------|----------------------------------|
| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value | * | Skin designation |
| + | Sensitizers | | |

Key literature references and sources for data used to compile the SDS

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

U.S. Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications

International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program

International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set

United Nations World Health Organization (WHO)

Revision Date 25-Nov-2025

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.