

Product Name: WHEELS, TRAINS & FALLOUT

Date of Issue: 09 FEBRUARY 2024 Page 1 of Total 5

SECTION 1 – STATEMENT OF CHEMICAL PRODUCT AND COMPANY IDENTIFICATION			
SUPPLIER:	Spitwater		
ADDRESS:	953 Metry St, Albury, NSW, 2640		
Trade Name:	WHEELS, TRAINS & FALLOUT		
TELEPHONE:	1800 774 892	WEB:	spitwater.com.au
EMERGENCY TELEPHONE:	1300 774 575 in Australia (M-F 7am-7pm)	Synonym:	FRWTF
Substance:	Liquid detergent	Product Use:	Dissolves rust, fallout and brake dust
Creation Date:	09 February 2024	Revision Date:	09 February 2029

Classification of the substance	or mixture
Dangerous Goods	Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail".
GHS Classification	Acute Toxicity (Oral) – Category 4
	Skin Irritation – Category 2
	Sensitisation (Skin) – Category 1
	Eye Irritation – Category 2A
Poison Schedule	None allocated
Label elements	
GHS label pictograms	<u>!</u>
Signal word	WARNING
Hazard statement(s)	
H302	Harmful if swallowed
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
Precautionary statement(s): Ge	neral
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
Precautionary statement(s): Pro	evention
P261	Avoid breathing vapours or spray.
P264	Wash hands and all exposed skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective clothing, protective gloves and eye protection.
Precautionary statement(s): Re	sponse
P301+P312	IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.
P330	Rinse mouth.
P302+P352	IF ON SKIN: Wash with plenty of water.
P321	Specific treatment (see first aid section of this SDS).



Product Name: WHEELS, TRAINS & FALLOUT

Date of Issue: 09 FEBRUARY 2024 Page 2 of Total 5

P333+P313	If skin irritation or rash occurs: Get medical advice.		
P362+P364	Take off contaminated clothing and wash it before reuse.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if		
	present and easy to do. Continue rinsing.		
P337 + P313	If eye irritation persists: Get medical advice.		
Precautionary statement(s): Sto	Precautionary statement(s): Storage		
	Store in accordance with local regulations.		
Precautionary statement(s): Dis	posal		
P501	Dispose of contents and container in accordance with local regulations.		
Note			
IMPORTANT	This SDS and the Hazard Classifications contained therein, only apply to the product in its concentrated form, as supplied.		

SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS		
Ingredients:	CAS Number:	Proportion (%w/w):
Monoethanolamine thioglycolate	126-97-6	10 - 30
Ingredients determined to be non-		
hazardous at the concentrations used	-	balance
(including water)		

SECTION 4 – FIRST AID	MEASURES
Inhalation	Remove person to fresh air away from exposure. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Obtain medical attention if symptoms occur.
Skin contact	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance. Continue to flush skin and hair with plenty of water (and soap if material is insoluble).
Eye contact	Immediately irrigate with copious quantities of water for 15 minutes. Eyelids to be held open. If irritation persists, seek medical advice.
Ingestion	Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek medical advice (e.g., doctor).
Advice to Doctor	Treat symptomatically
First Aid Facilities	Eye wash station. Normal washroom facilities.

SECTION 5 – FIRE FIGHTIN	G MEASURES
Fire and Explosion Hazards	Non-combustible liquid. However, on evaporation of the aqueous component, the residual material may burn. Decomposes on heating and may produce toxic fumes of carbon dioxide, nitrogen oxides, sulphur oxides and other pyrolysis products typical of burning organic material.
Extinguishing Media	Water spray or fog, foam, dry chemical powder and carbon dioxide
Fire Fighting	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion or decomposition.
Flash Point	Does not flash
Hazchem	2X



**Emergency Procedures** 

### **SAFETY DATA SHEET**

Page 3 of Total 5

Product Name: WHEELS, TRAINS & FALLOUT

Date of Issue: 09 FEBRUARY 2024

Wear PPE in accordance with Section 8 of this SDS. Minor spills: Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal. In the event of a major spill, prevent spillage from entering drains or water courses. Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. As a water-based product, if spilt on electrical equipment the product will cause short-circuits. If possible, contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

SECTION 7 – HANDLING A	ND STORAGE
Handling	Avoid eye contact with concentrate. Wear protective clothing when risk of exposure occurs. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with water after handling. Launder contaminated clothing before re-use.
Storage	Store in original container in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Keep container standing upright. Keep containers closed when not in use - check regularly for leaks.

SECTION 8 – EXPOSURE	CONTROLS AND PERSONAL PROTECTION
Exposure Limits	National Occupational Exposure Limits, as published by Safe Work Australia  Time-weighted Average (TWA):  None established for product.  Short Term Exposure Limit (STEL):  None established for product.
Ventilation	No special requirements. Ensure adequate ventilation in use.
Personal Protective Equipment	Use good occupational work practice. The use of protective clothing and equipment depends upon the degree and nature of exposure. None required when handling small quantities. The following protective equipment should be available;
Eye Protection	Safety glasses or chemical goggles should be used for handling concentrate in large quantities, decanting, etc. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
Hand Protection	Gloves of impervious material such as polyvinyl chloride (PVC) – may be considered to handle in large quantities, decanting, etc. Final choice of appropriate gloves will vary according to individual circumstances. i.e., methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
Body Protection	Suitable protective workwear, e.g., overalls and safety footwear are recommended where large quantities are handled.
Respirator	If engineering controls are not effective in controlling airborne exposure, then an approved respirator with a replaceable mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.



Product Name: WHEELS, TRAINS & FALLOUT

Date of Issue: 09 FEBRUARY 2024 Page 4 of Total 5

Physical State	Liquid	Colour	Not available
Odour	Not available	Specific Gravity	approx. 1.07
<b>Boiling Point</b>	Not available	Freezing Point	Not available
Vapour Pressure	Not available	Vapour Density	Not available
Flash Point	Non-flammable	Flammable Limits	Not applicable
Water Solubility	Miscible	рН	approx. 7.5

SECTION 10 – STABILITY AND REACTIVITY		
Reactivity	Stable at normal temperatures and pressure.	
Conditions to Avoid	Extremes of temperature and direct sunlight	
Incompatibilities	Oxidising agents and strong acids	
Hazardous	Decomposes on heating and may produce toxic fumes of carbon dioxide, nitrogen oxides, sulphur	
Decomposition	oxides and other pyrolysis products typical of burning organic material.	

SECTION 11 – TOXICOLOGIC	CALINFORMATION
POTENTIAL HEALTH EFFECT	
No adverse health effects e	xpected if the product is handled in accordance with this Safety Data Sheet and the product label.
Symptoms or effects that m	nay arise if the product is mishandled and overexposure occurs are:
Inhalation	Inhalation of mists or aerosols can produce mucous membrane and respiratory irritation. Exposure to high concentrations of the product in liquid form or as a mist may lead to possible harmful irritation effects.
Skin contact	Contact with skin causes irritation. Severity depends on the concentration and duration of exposure.
Eye contact	Contact with eyes causes serious irritation. Severity depends on the concentration and duration of exposure.
Ingestion	Swallowing may result in nausea, irritation.
Chronic exposure	Causes irritation to eyes.
<b>Toxicology Information</b>	Not toxic, based on ingredient calculated values.
Carcinogen Status	No significant ingredient is classified as carcinogenic.
<b>Respiratory Sensitisation</b>	Not expected to be a respiratory sensitiser.
Skin Sensitisation	Classified as Sensitisation (Skin) – Category 1. May cause an allergic skin reaction.
Germ cell mutagenicity	Not considered to be a mutagenic hazard.
Reproductive Toxicity	Not considered to be toxic to reproduction.
STOT-single exposure	Not expected to cause toxicity to a specific target organ.
STOT-repeated exposure	Not expected to cause toxicity to a specific target organ.
Aspiration Hazard	Not expected to be an aspiration hazard.

<b>Eco-toxicity</b>	Not expected to be harmful to aquatic life.	
Product		
Persistence and degradability	No information available	
Bio accumulative potential	No information available	
Mobility in soil	No information available	
Other adverse effects	No information available	
<b>Environmental Protection</b>	Do not discharge this material into waterways.	



Product Name: WHEELS, TRAINS & FALLOUT

Date of Issue: 09 FEBRUARY 2024 Page 5 of Total 5

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

SECTION 14 – TRANSPORT INFORMATION	
AU DG	Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail"
Marine Pollutant	No
Land Transport (ADG)	
UN Number	2810
<b>Proper Shipping Name</b>	TOXIC LIQUID, ORGANIC, N.O.S. (contains MONOETHANOLAMINE THIOGLYCOLATE)
Class	POISON 6
HAZCHEM Code	2X
Packing Group	II
ERG	153
Limited Quantity	100ml
Segregation	None allocated

SECTION 15 – REGULATORY INFORMATION		
GHS Classification	This material is hazardous according to the criteria of Safe Work Australia GHS 7.	
ADG Code	Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail"	
Poison Schedule	None allocated	
AICIS	All ingredients present	

SECTION 16 – OTHER INFORMATION			
Issue Date	February 2024		
Version Number	V8: regular review		
Abbreviations and	CAS Number: Chemical Abstracts Service Registry Number.		
acronyms	GHS: Globally Harmonized System of Classification and Labelling of Chemicals		
	HAZCHEM: An emergency action code of numbers and letters which gives information to emergency		
	services.		
	SDS: Safety Data Sheet		
	STEL: Short Term Exposure Limit.		
	TWA: Time Weighted Average.		
	UN Number: United Nations Number.		
Disclaimer	This SDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.		
	End of SDS		