



1960 Cherry St., Louisville, CO 80027
 P: 303-531-0861 E: support@quicksilverscientific.com

PRODUCT SPECIFICATION AND CERTIFICATE OF ANALYSIS

Document #	FPS.046	Rev. 1	Effective Date 09/29/2023
Product Code #	QSCBSLP01		

And THC Product Name:	CBD SYNERGIES-SP+
Lot Number:	CBSLP2401/1
Manufacturing Date:	03/2024
Bottle Size:	50mL
Storage Recommendation:	Store at room temperature. Keep out of reach of children.
Shelf Life / EXP Date:	Freshness is commonly maintained 2 years from manufacturing date.

Final Product Tests

Test Performed	Method	Specification	Result	Pass/Fail
Aerobic Plate Count	USP2021	≤ 10 ⁵ cfu/mL	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Coliforms	AOAC 991.14	≤ 100cfu/mL	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
<i>E. Coli</i>	USP2022	Absent	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
<i>Staph aureus</i>	USP2022	Absent	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Yeast/Mold	USP2021	≤ 1000cfu/mL	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Salmonella	USP2022	Absent	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
<i>Pseudo. aeruginosa</i>	USP62	Absent	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Arsenic	ICPMS	≤ 2ppm	0.001 ppm	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Cadmium	ICPMS	≤ 2ppm	<0.001 ppm	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Lead	ICPMS	≤ 1ppm	0.001 ppm	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Mercury	ICPMS	≤ 1ppm	0.002 ppm	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
THC	LC/MS/MS or HPLC	≤ 0.3%	0.0%	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Cannabidiol (CBD)	LC/MS/MS or HPLC	≥ 10mg/2 mL	11 mg/2mL	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Cannabinol (CBN)	LC/MS/MS or HPLC	≥ 2mg/2 mL	2 mg/2mL	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Cannabigerol (CBG)	LC/MS/MS or HPLC	≥ 2mg/2 mL	2 mg/2mL	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Melatonin	HPLC	≥ 0.25mg/2 mL	Conforms	<input checked="" type="checkbox"/> Pass



1960 Cherry St., Louisville, CO 80027
P: 303-531-0861 E: support@quicksilverscientific.com

PRODUCT SPECIFICATION AND CERTIFICATE OF ANALYSIS

Document #	FPS.046	Rev. 1	Effective Date 09/29/2023
Product Code #	QSCBSLP01		

Test Performed	Method	Specification	Result	Pass/Fail
				<input type="checkbox"/> Fail
5-HTP (L-5-Hydroxytryptophan)	HPLC	≥ 16mg/2 mL	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail

*100% label claim at the time of manufacture

**Solvent, Mycotoxins, Terpene, and Pesticide testing performed annually

NOTES: N/A BM 04/01/2024

Released:

Brandon Morey

Electronically signed by: Brandon Morey
Reason: Reviewed and Approved
Date: Apr 1, 2024 13:18 MDT

Quality Control: _____

Date: _____



1960 Cherry St., Louisville, CO 80027
P: 303-531-0861 E: support@quicksilverscientific.com

PRODUCT SPECIFICATION AND CERTIFICATE OF ANALYSIS

Document #	FPS.046	Rev. 1	Effective Date 09/29/2023
Product Code #	QSCBSLP01		

REVISION HISTORY

Rev.	Effective Date	DCR No.	Description of Changes
1	09/29/2023	DCR20230908D	New Document.