

SAFETY DATA SHEET 1450 NVH DAMPENING MATERIAL - RESIN

Issue date 09/16/2024	Version 1	Page 1/13 Revised on 09/16/2024
		10/2024
1. Identification		
Product Identifier Product Name	1450 NVH Dampening Material - Resin	
Other means of identification SDS #	1450 NVH Dampening Material - Resin	
Recommended use of the chemical and rest Recommended Use	rictions on use For industrial use.	
Details of the supplier of the safety data she Supplier Address	eet	
Seymour of Sycamore 917 Crosby Avenue Sycamore, IL 60178 USA	Seymour of Sycamore 3041 Dougall Avenue, Suite 503 Windsor, ONT N9E 1S3 CANADA	
Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)	815-895-9101 800-435-4482 (Canada) 1-800-255-3924	
2. Hazards Identification		
Classification		
Acute toxicity - Inhalation (Dust/Mists)	Category 4	
Skin corrosion/irritation	Category 2	
Serious eye damage/eye irritation	Category 2	
Respiratory sensitization	Category 1	
Skin sensitization	Category 1	
Carcinogenicity	Category 2	
Specific target organ toxicity (single exposure)	Category 3	
Specific target organ toxicity (repeated exposure)	Category 2	
Signal Word	Danger	
Hazard Statements Precautionary Statements - Prevention	Harmful if inhaled Causes skin irritation Causes serious eye irritation May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause an allergic skin reaction Suspected of causing cancer May cause damage to organs through prolonged or repeated exposure May cause respiratory irritation. May cause drowsiness or dizziness Obtain special instructions before use.	
	Do not handle until all safety precautions have been read and understood Use personal protective equipment as required. Use only outdoors or in a well-ventilated area. Wash face, hands and any exposed skin thorou case of inadequate ventilation wear respiratory protection. Contaminated work clothing must not be allowed out of the workplace. Do not breathe dust/fume/gas/mist/ vapors/spray. Wear protective gloves/protective clothing/eye protection/face protection	ghly after handling In (Contd. on page 2)



Methylenediphenyl diisocyanate

safety data sheet 1450 NVH DAMPENING MATERIAL – RESIN

		Page 2/13
Issue date 09/16/2024	Version 1	Revised on 09/16/2024
Precautionary Statements - Response	If exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove continue rinsing If eye irritation persists: Get medical advice/attention water Take off contaminated clothing and wash before reuse If skin irr attention IF INHALED: Remove victim to fresh air and keep at rest in a position of respiratory symptoms: Call a POISON CENTER or doctor/physician	n IF ON SKIN: Wash with plenty of soap and itation or rash occurs: Get medical advice/
Precautionary Statements - Storage	Store locked up. Store in a well-ventilated place. Keep container tight	ly closed
Precautionary Statements - Disposal	Dispose of contents/container to an approved waste disposal plant	

3. Composition/Information On Ingredients						
Chemical Name	CAS No	Weight-%				
4,4' Diphenylmethane Diisocyanate	101-68-8	90-100				

26447-40-5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-Aid Measures	
First Aid Measures General Advice	If exposed or concerned: Get medical advice/attention.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call Poison Control or doctor/physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Most important symptoms and effects Symptoms	Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure. May cause respiratory irritation. May cause drowsiness or dizziness.

Indication of any immediate medical attention and special treatment needed

Notes to PhysicianTreat symptomatically.5. Fire-Fighting MeasuresUse extinguishing MediaSuitable Extinguishing MediaUse extinguishing measures that are appropriate to local circumstances and the surrounding environment.Unsuitable Extinguishing MediaNot determined.Specific Hazards Arising from the ChemicalNot determined.Protective equipment and precautions
for firefightersAs in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent)
and full protective gear.(Contd. on page 3)

7-13



Issue date 09/16/2024	Version 1	Page 3/13 Revised on 09/16/2024
6. Accidental Release Measures		
Personal precautions, protective equipmen	t and emergency procedures	
Personal Precautions	Use personal protective equipment as required.	
Environmental Precautions		
Methods and material for containment and	cleaning up	
Methods for Containment	Prevent further leakage or spillage if safe to do so.	
Methods for Clean-Up	Keep in suitable, closed containers for disposal	
7. Handling And Storage		
Precautions for safe handling		
Advice on Safe Handling	Obtain special instructions before use. Do not handle until all safety precautions have Use personal protective equipment as required. Use only outdoors or in a well-ventila and any exposed skin thoroughly after handling. In case of insufficient ventilation, we equipment. Contaminated work clothing must not be allowed out of the workplace. I gas/mist/vapors/spray. Wear protective gloves/protective clothing and eye/face pro	ated area. Wash face, hands ear suitable respiratory Do not breathe dust/fume/
Conditions for safe storage, including any	incompatibilities	
Storage Conditions	Store locked up. Store in a well-ventilated place. Keep container tightly closed.	
Incompatible Materials	None known based on information supplied.	

8. Exposure Controls/Personal Protection

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH		
4,4' Diphenylmethane Diisocyanate - 101-68-8			IDLH: 75 mg/m3 Ceiling: 0.020 ppm 10 min Ceiling: 0.2 mg/m3 10 min - TWA: 0.005 ppm TWA: 0.05 mg/m3		
Methylenediphenyl disocyanate - 26447-40-5		Ceiling: 0.02 ppm Ceiling: 0.2 mg/m3			
Appropriate engineering controls Engineering Controls Showers. Eyewash stations. Ventilation systems.					
Individual protection measure Eye/Face Protection	· •	protective equipment r to 29 CFR 1910.133 for eye and face protection regulations	5.		
Skin and Body Protection Refer to 29 CFR 1910.138 for appropriate skin and body protection.					
Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.					
General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. (Contd. on p					



9. Physical And Chemical Properties

Physical State: Not determined Appearance: Not determined Color: Not determined Odor: Not determined Odor Threshold: Not determined Version 1

Property	Values	Remarks • Method
pH	Not determined	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	Not determined	
Flash Point	Not determined	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Not determined	
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	Not determined	
Water Solubility Not determined	Slightly soluble	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. Stability And Reactivity

Reactivity	Not reactive under normal conditions.
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Conditions to Avoid	Keep out of reach of children.
Incompatible Materials	None known based on information supplied.
Hazardous Decomposition Products	None known based on information supplied.

11. Toxicological Information

Information on likely routes of exposure				
Product Information				
Eye Contact	Causes serious eye irritation.			
Skin Contact	Causes skin irritation.			
Inhalation	Harmful if inhaled.			
Ingestion	Do not ingest.	(Contd. on page 5)		



Issue date 09/16/2024	Version 1					Page 5 Revised on 09/16/2
Component Information						
Chemical Name		Oral LD50 Dermal I		ermal LD50		Inhalation LC50
4,4' Diphenylmethane Diisocyanate - 101-68-8	= 31600 mg/k	= 31600 mg/kg (Rat) = 9200 mg/kg (Rat)				369 mg/m ³ (Rat)
Methylenediphenyl diisocyanate - 26447-40-5	> 10	0000 mg/kg (Rat)	> 1000	0 mg/kg (Rab	obit) = 4	90 mg/m³ (Rat) 4 h
nformation on physical, chemical and symptoms Delayed and immediate effects as well	Please se as chronic effe	e section 4 of this SDS for syn ects from short and long	g-term expo		umatana ay kyathi	or difficultion if inhold
ensitization Carcinogenicity Chemical Name		e an allergic skin reaction. Ma d of causing cancer. ACGIH	iy cause allerg	-	symptoms or breathin NTP	OSHA
4,4' Diphenylmethane Diisocyanate - 1	01-68-8		Group	3		
Methylenediphenyl diisocyanate - 2644			Group			
TOT - single exposure TOT - repeated exposure lumerical measures of toxicity he following values are calculated based on c TEmix (oral) TEmix (dermal) TEmix (inhalation-gas)	May caus hapter 3.1 of the 10,010.0 10,010.0 700.00 n	0 mg/kg 0 mg/kg Ig/L				
TEmix (inhalation-dust/mist)	0.05 mg/	L				
2. Ecological Information						
cotoxicity		ict is not classified as environ equent spills can have a harm				ude the possibility that
Component Information Chemical Name	Alga	e/aquatic plants	F	ish	C	rustacea
Methylenediphenyl disocyanate- 26447-40-5	3230: 96 h Skel	etonema costatum mg/L EC50)		1000: 24 h Dap	hnia magna mg/L EC50
ersistence/Degradability	Not deter	mined.				
ioaccumulation	Not deter	mined.				
lobility	Not deter	mined				
Chemical Name		Partition Coefficient				
Methylenediphenyl disocyanate- 26447-40)-5	4.5				
		4.J				

SEYMOUR



safety data sheet 1450 NVH DAMPENING MATERIAL - RESIN

		Page 6/13
Issue date 09/16/2024	Version 1	Revised on 09/16/2024
13. Disposal Considerations		
Waste Treatment Methods		
Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local law	s and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local law	s and regulations.
14. Transport Information		
Note	Please see current shipping paper for most up to date shipping information, incluc special circumstances.	ling exemptions and
DOT	Not regulated	
IATA	Not regulated	
IMDG	Not regulated	

15. Regulatory Information

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AIIC
Polyurethane Prepolymer	Х	Х		Present	Х	Present		Х
4,4' Diphenylmethane Diisocyanate	Х	Х	Х	Present	Х	Present	Х	Х
Methylenediphenyl dilsocyanate	Х	Х	Х	Present	Х	Present	Х	Х

Legend:

- TSCA United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS Japan Existing and New Chemical Substances
- **IECSC** China Inventory of Existing Chemical Substances
- KECL Korean Existing and Evaluated Chemical Substances
- **PICCS** Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
4,4' Diphenylmethane Diisocyanate -101-68-8	5000 lb		RQ 5000 lb final RQ - RQ 2270 kg final RQ

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
4,4' Diphenylmethane Diisocyanate -101-68-8	101-68-8	90-100	1.0
Methylenediphenyl disocyanate - 26447-40-5	26447-40-5	7-13	1.0

(Contd. on page 7)



safety data sheet 1450 NVH DAMPENING MATERIAL - RESIN

Version 1

Page 7/13
Revised on 09/16/2024

Issue date 09/16/2024

CWA (Clean Water Act)

US State Regulations

This product does not contain any substances regulated as polluants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
4,4' Diphenylmethane Diisocyanate -101-68-8	Х	Х	Х
Methylenediphenyl dsocyanate - 26447-40-5	X	Х	

16. Other Information

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection
	Not determined	Not determined	Not determined	Not determined

Issue Date: 09/16/2024

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

(Contd. on page 8)



SAFETY DATA SHEET 1450 NVH DAMPENING MATERIAL – HARDENER

Issue date 09/16/2024	Version 1	Page 8/13 Revised on 09/16/2024
1. Identification		
Product Identifier Product Name	1450 NVH Dampening Material - Hardener	
Other means of identification SDS #	1450 NVH Dampening Material - Hardener	
Recommended use of the chemical a Recommended Use	nd restrictions on use For industrial use.	
Details of the supplier of the safety of	data sheet	
Supplier Address Seymour of Sycamore 917 Crosby Avenue Sycamore, IL 60178 USA	Seymour of Sycamore 3041 Dougall Avenue, Suite 503 Windsor, ONT N9E 1S3 CANADA	
Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)	815-895-9101 800-435-4482 (Canada) 1-800-255-3924	
2. Hazards Identification		

Classification

Specific target organ toxicity (repeated exposure)	Category 2	
Hazard statements	May cause damage to organs through prolonged or repeated exposure	
Precautionary Statements - Prevention	Do not breathe dust/fume/gas/mist/vapors/spray	
Precautionary Statements - Response	Get medical advice/attention if you feel unwell	
Precautionary Statements - Disposal	Dispose of contents/container to an approved waste disposal plant	
Other hazards	Harmful to aquatic life with long lasting effects	

Composition/Information On Ingredients Chemical Name CAS No Weight-% Diethyltoluenediamine 68479-98-1 < 1</td>

**If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret. **

(Contd. on page 9)



SAFETY DATA SHEET 1450 NVH DAMPENING MATERIAL - HARDENER

Issue date 09/16/2024	Version 1	Page 9/13 Revised on 09/16/2024	
4. First-Aid Measures			
First Aid Measures General Advice	Get medical advice/attention if you feel unwell.		
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids	. Consult a physician.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes.		
Inhalation	Remove to fresh air.		
Ingestion	Clean mouth with water and drink afterwards plenty of water.		
Most important symptoms and effects, both Symptoms	acute and delayed May cause damage to organs through prolonged or repeated exposure.		
Indication of any immediate medical attention Notes to Physician	on and special treatment needed Treat symptomatically.		
5. Fire-Fighting Measures			
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding	g environment.	
Unsuitable Extinguishing Media	Not determined.		
Specific Hazards Arising from the Chemical	Not determined.		
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.		
6. Accidental Release Measures			
Personal precautions, protective equipment	and emergency procedures		
Personal Precautions	Use personal protective equipment as required.		
Environmental Precautions			
Methods and material for containment and o	cleaning up		
Methods for Containment	Prevent further leakage or spillage if safe to do so.		
Methods for Clean-Up	Keep in suitable, closed containers for disposal.		
7. Handling And Storage			
Precautions for safe handling Advice on Safe Handling	Do not breathe dust/fume/gas/mist/vapors/spray		
Conditions for safe storage, including any in	compatibilities		
Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place.		
Incompatible Materials None known based on information supplied. (Contd. on p			



Issue date 09/16/2024	Version 1				Page 10/13 Revised on 09/16/2024
8. Exposure Controls/Personal Pr	otection				
Exposure Guidelines					
Chemical Name	ACGIH TLV	OSHA PEL		N	IOSH IDLH
Diethytoleuenediamine - 68479-98-1		TWA: 0.02 ppm - 0.2 mg/m* (c	eiling		
Appropriate engineering controls Engineering Controls					
Individual protection measures, su Eye/Face Protection	Individual protection measures, such as personal protective equipmentEye/Face ProtectionRefer to 29 CFR 1910.133 for eye and face protection regulations.				
Skin and Body Protection	Skin and Body Protection Refer to 29 CFR 1910.138 for appropriate skin and body protection.				
Respiratory Protection	spiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.				
General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.					
9. Physical And Chemical Properti	es				
Information on basic physical	Propert	v	Value	es	Remarks • Method

Information on basic physical	Property	Values	Remarks • Method
and chemical properties	pH	Not determined	
	Melting Point/Freezing Point	Not determined	
Physical State : Not determined	Boiling Point/Boiling Range	Not determined	
Appearance: Not determined	Flash Point	Not determined	
Color: Not determined	Evaporation Rate	Not determined	
	Flammability (Solid, Gas)	Not determined	
Odor: Not determined	Upper Flammability Limits	Not determined	
Odor Threshold: Not determined	Lower Flammability Limit	Not determined	
	Vapor Pressure	Not determined	
	Vapor Density	Not determined	
	Specific Gravity	Not determined	
	Water Solubility	Not determined	
	Solubility in other solvents	Not determined	
	Partition Coefficient	Not determined	
	Auto-ignition Temperature	Not determined	
	Decomposition Temperature	Not determined	
	Kinematic Viscosity	Not determined	
	Dynamic Viscosity	Not determined	
	Explosive Properties	Not determined	
	Oxidizing Properties	Not determined	
10. Stability And Reactivity			

10. Stability And Reactivity		
Reactivity	Not reactive under normal conditions	
Chemical Stability	Stable under recommended storage conditions.	
Possibility of Hazardous Reactions	None under normal processing.	
Conditions to Avoid	Keep out of reach of children.	
Incompatible Materials	None known based on information supplied.	
Hazardous Decomposition Products	None known based on information supplied.	(Contd. on page 11)

SEYMOUR



Issue date 09/16/2024	Version 1			R	Page 11/13 evised on 09/16/2024	
11. Toxicological Information						
Information on likely routes of exposure						
Product Information						
Eye Contact	Avoid contact with e	Avoid contact with eyes.				
Skin Contact	Avoid contact with s					
		кш.				
Inhalation	Do not inhale.					
Ingestion Chemical Name	Do not ingest. O	ral LD50	Dermal LD	50 Inha	alation LC50	
Pigment Dispersion in Polyether Triol - 9082-00)-2 > 10	g/kg (Rat)	> 5 g/kg (Ra	bbit)		
Glycerol propylene oxide polymer -25791-96-		at) = 2830 L/kg (Rat)	> 20 mL/kg (R			
Diethyltoluenediamine - 68479-98-1	= 485 mg/kg (R	at) = 472 mg/kg (Rat)	= 700 mg/kg (I	Rabbit)		
Triethylenediamine - 280-57-9	= 1700) mg/kg (Rat)	= 3200 mg/kg ((Rabbit)		
Information on physical, chemical and t	oxicological effects			I		
Symptoms	Please see section 4	of this SDS for symptoms.				
Deleved and immediate offects as well a	a abrania affaata fran	chart and long torm	ovnocuro			
Delayed and immediate effects as well a	is chronic enects from	i short and long-term	exposure			
Carcinogenicity	Based on the inform listed by OSHA, IARO	ation provided, this product C or NTP.	t does not contain any	carcinogens or potential	carcinogens as	
STOT - repeated exposure	May cause damage	to organs through prolonged	l or repeated exposure	9.		
Numerical measures of toxicity	Not determined					
The following values are calculated based on ch ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-dust/mist)	apter 3.1 of the GHS docu 26,328.00 mg/kg 19,392.00 mg/kg 61.25 mg/L	ment.				
12. Ecological Information						
Ecotoxicity	Harmful to aquatic I	ife with long lasting effects.				
Component Information						
Chemical Name	Algae/aquatic plants	Fish		Crustace	:a	
Triethylenediamine - 280-57-9		1510 - 1980: 96 h Pime mg/L LC50 flow				
Persistence/Degradability	Not determined.					
Bioaccumulation	Not determined.					
Mobility	Not determined.					
Other Adverse Effects	Not determined.					

(Contd. on page 12)



SAFETY DATA SHEET 1450 NVH DAMPENING MATERIAL - HARDENER

Janua data 00/16/2024	Varian 1	Page 12/13
Issue date 09/16/2024	Version 1	Revised on 09/16/2024
13. Disposal Considerations		
Waste Treatment Methods		
Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local l	aws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.	
14. Transport Information		
Note	Please see current shipping paper for most up to date shipping information, inc circumstances.	luding exemptions and special
DOT	Not regulated	
IATA	Not regulated	
IMDG	Not regulated	

15. Regulatory Information

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AIIC
Pigment Dispersion in Polyether Triol	Х	Х		Present	Х	Present	Х	Х
Glycerol propylene oxide polymer	Х	Х	Х	Present	Х	Present	Х	Х
Polyetheramine	Х	Х	Х	Present	Х	Present	Х	Х
Diethyltoluenediamine	Х	Х	Х	Present	Х	Present	Х	Х
Triethylenediamine	Х	Х	Х	Present	Х	Present	Х	Х

Legend:

- TSCA United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS Japan Existing and New Chemical Substances
- IECSC China Inventory of Existing Chemical Substances
- KECL Korean Existing and Evaluated Chemical Substances
- PICCS Philippines Inventory of Chemicals and Chemical Substances

(Contd. on page 13)



SAFETY DATA SHEET 1450 NVH DAMPENING MATERIAL - HARDENER

		Page 13/13
Issue date 09/16/2024	Version 1	Revised on 09/16/2024
US Federal Regulations CERLA	This material, as supplied, does not contain any substances regulated as hazar Comprehensive Environmental Response Compensation and Liability Act (CERC Amendments and Reauthorization Act (SARA) (40 CFR 355).	
SARA 313	Section 313 of Title III of the Superfund Amendments and Reauthorization Act of not contain any chemicals which are subject to the reporting requirements of the Federal Regulations, Part 372	
CWA (Clean Water Act)	This product does not contain any substances regulated as pollutants pursuant 122.21 and 40 CFR 122.42)	t to the Clean Water Act (40 CFR
US State Regulations		
California Proposition 65	This product does not contain any Proposition 65 chemicals.	
U.S. State Right-to-Know Regulations	This product does not contain any substances regulated under applicable state	right-to-know regulations

16. Other Information

NFPA	Health Hazards	Flammability	Instability	Special Hazards	
	Not determined	Not determined	Not determined	Not determined	
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection	
	Not determined	Not determined	Not determined	Not determined	

Issue Date: 09/16/2024

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet