

THE HIVAC SOURCE









PRODUCT





Flexible Duet Connectors & Vene Refl®

Flexible Duct Connectors isolate equipment vibration in both commercial and residential duct systems. For commercial applications: Metalfab[®], Super Metalfab[®], & TDC / TDF. For light commercial applications: Econ-O-Fab[®]. For residential applications: Junior connector. All are available in the following fabrics:



fabric for rugged low cost connections.



NEIGHTE fabric for general purpose installations.



fabric for maximum ozone and weathering resistance.



Till fabric for high temperature, corrosion and chemical resistance




Vanile Refi

Air Regulation

Spender Company Regulator leakproof, rattle free high pressure regulator sets for 3/8" and 1/2" round and square rod.

State Regulation applications.

Dial regulators and Wedge Lock controls and sets.



high performance regulator parts

Splitter Damper hardware

hardware for fast damper fabrication.

prefabricated economical round dampers.

Test Pures designed for high velocity systems.

Duet Hanging Materials are waterproof, grease and oil resistant.













Air Regulation

Insulated Access Doors, Self-Stick Access Doors, Union Label Doors, Vision Panel Doors, Grease Duct Doors



Aress Dur Hardware, Latching Assemblies, Gasketing, and Hinges.



Damper Blade Wits Neva-Bind® for parallel blade dampers and Opax® Blade Kits for opposed blade dampers.





stainless steel band that can withstand up to 60 PSI





provide long-lasting, weather-resistant seals & exhibit excellent adhesion & UV Resistance. Red Heat Resistant silicone is formulated to perform at temperatures up to 500°F continuous & 600°F intermittent exposure.

Adhesives & Duet Sealers

Water Based Allies was spray and roller applied adhesives with quick tack.



Premium Water Based Duct Sealers indoor/outdoor water based duct sealers.



water based duct sealer available in Smooth & Fibered. Zero VOC's, LEED Compliant, UL Listed.



Solvent Besed Adhesives & Duct Sealers



Spray Products:

DTWA: wide web, instant tack adhesive spray.

Dyn-O-Coat: matte black spray for edge coating.

CCASAWFTC: fast tacking, quick bonding duct liner adhesive



MPAG & Adhesive Spray Cantsters available in clear and black for dual purpose insulation adhesive and edge coating.



Dyn-O-Mate® Four Bolt Connector & Accessories



for the first time, allows the contractor to make their duct joints with a super-fast, single locking bolt, using only an impact driver.



Fig: is offered in two sizes with lengths of 12 or 20 feet.



COPPLES for use with four bolt flange systems and TDC or TDF.



Cleats, Drives, Slips



Insulated and uninsulated for Flat or Round. High Temperature doors are also available.



punched rail and hollow turning vanes to turn air through mitred elbows.

Shallow channels and 12 ga deep channel.

Dyn-O-Mate® Four Bolt Connector & Accessories

Threaded Rod & Accessories 1/4", 3/8", 1/2" available.

Conduit 1/2" and 3/4" available.

Dyn-U-Log To Dyn-U-Claw 1/2" and 3/4" available.

Rod Loc Insertion Machine inserts Dyn-O-Locs into 1/2" and 3/4" conduit.

Dyn-O-Wrap® Duct Protection Film

The Super Dyna-Hammer & Dyna-Hammer puts an end to manual hammering.

Ar Tools Dyna-Hammer The Duro Air Gun has an assortment of specialized chisels.

Crimping tool for TDC or TDF corners, cleater tool for snapping cleats to flange, Pittsburgh Lock Opening Tool & Magnetic Drift Pin Ratchet Tool for aligning corners.





Dyn-O-Mate® Four Bolt Connector & Accessories

श्रीमारी निपालि

Super-sharp Fang Style teeth, packed in buckets for safety. Flat style also available.

BOCA Neil Plates

Standard or self-nailing.

Nail Plates

Multiple sizes and hole patterns available.

Available in sizes from 8in to 12in tall, and .75in wide, with a central slot for initial duct adjustment

Easy Break Gas Pipe Hangers Structural perforations for dual or single length use, and has infinite adjustability for easily installation

Walti-Duct L' Bracket 1 in scribe for proper placement on wrapped duct, available in a variety of quantities

Dyna-Tite® Duet Hanging Systems

Suspension system. UL Listed.



Specially Galle LOCK KV Bracket for hanging rectangular duct and Strut Lock for hanging Dyn-O Strut

With Rups Aviation grade galvanized wire rope

Fixings for upper attachment to building structures and hanging round and rectangular duct.
Rapit® Drop-In Deck Hanger offers a convenient anchor point.

Dyna-Tite Kits

Cable Cutters

Rapit[®] Duct Support Hangers

्रमाम्बद्धानीक असम्बद्धानीक



Festeriers

Fig. 2 Self-drilling and tapping sheet metal screws for heavy gauge applications.

self-piercing and threading sheet metal screws for light gauge applications.

With Neoprene Washer, and Tech 5 Pro Point for heavy gauge.

for installation of self piercing and self drilling hex head screws.



Super T^{IM} Drill Bits and Twin End Drill Bits

Maintenance Products

Sprey Products: Coil Cleaners: Foaming and Solvent based

The Stripper lubricating spray for removal of galvanized build-up on roll forming equipment.

Chip Brusius available in 1" 1-1/2", 2", 3", 4"

permanently soft, non-toxic compound that seals cracks, joints and openings.





Welded Insulation Festeners

File Set Set Ing Well Finfor use with elastomeric foam insulation and foil backed liner.



Used with series MF, PBF, FG, RH, FGMH, and HSMH Pinspotters®.



for use with series MF, PBF, FG, FGMH, HSMH and RH Pinspotters®.


CWFTC Cupped Washer Weld Plns

FIG From Point Weld Plus utilize a specially pointed nail to assure uniform welding.

Spotter Pins & Clips for use with model LF Pinspotter®.



SAH self stick 2" square base hangers and washers.



exclusive one piece design self adhesive hangers.

Impact driven fasteners for attaching fiberglass insulation to metal.

impact driven fasteners.







Phypothers[®]

FOUN, MF70, FBF70 Menuel Phagotiers® for portable welded insulation fastening.



Conversion platform pinspotter for use with MF-70.



FEMALE PLESPONERS® FGMH for welded insulation fastening and HSMH - High Speed Multihead Pinspotter® capable of welding up to 2 inch pins on 16 gauge material as close as 6 inch centers at speeds of 50+ feet per minute.



FE-Mach 70 & RH Mach 70 Automatic Physiothers® for welded insulation fastening.

िर्धार्मिक निर्धास्त्र

PLSUZ automatic insulation cutting machine.

Adhesive Applicators

water based adhesive roller application machine.

Super Sprey Less Universal water based adhesive spray application system. Works on 5 gallon buckets & 55 gallon drums.



Connector Dispenser

FIGURE 1 flexible duct connector dispenser with shear.



Hand Tools

Salps, Seamers & Crimpers




HVAC Tools & Hole Cutter

Hammars



Tape & Rules





Hex Keys & Knives



Climate Control Systems



Zone Control Panels are compatible with most conventional, heat pump, and geothermal multi-stage systems. The solid state circuitry incorporates optional features such as: outdoor air temperature sensing, automatic heat/cool changeover, purge cycle and has built in diagnostics.



Zone Control Panels are the simplest and most economical way to provide maximum comfort in the home or office.



is a simple Zone Control Panel for heat pump systems.



programmable with tested compatibility for zone panel and damper operation.

Continued)

return, high torque spring return or power open power closed models.



MICHAEL Dampers are parallel blade with 24 volt spring return mid-torque motor.

PMB DETITIONS are power open power closed models with opposed blades.



Balanding Damper Systems

economical way to balance air flow through the face of a diffuser or from a remote location.

Available in Gear Driven or Manual.



Dampers for maintaining static pressure in zoned duct systems.



Please Visit Our Website www.durodyne.com for the most current product information.









