


PRELIMINARY



7744-12PT

Low-Surface Energy (LSE) Acrylic Transfer Tape



Release Liner **Liner:** 12pt Polycoated Kraft
Adhesive **Adhesive:** Acrylic (I627)

Applications

- Excellent edge wrap resistance for foam bonding
- Bonds to foams and other LSE surfaces

Features

Benefits

- | | |
|---|--|
| <ul style="list-style-type: none"> • Acrylic Adhesive • 12pt Polycoated Board Liner | <ul style="list-style-type: none"> • Excellent initial tack and high peel strength • Medium shear and temperature resistance • Chemical and plasticizer resistance • Excellent long-term aging characteristics • Excellent adhesion to LSE surfaces • Rigid liner facilitates processing and application |
|---|--|

Typical Test Values

	Standard UOM	Metric UOM	Test Method
Adhesive Thickness	3.8 mils	0.097 mm	PSTC 133
Liner Thickness	11.3 mils	0.287 mm	PSTC 133
Adhesion to Steel	106 oz/in	11.60 N/cm	PSTC 101 Mod - 1 mil PET
Loop Tack	118 oz/in	12.91 N/cm	PSTC 16
Shear Strength (at 72 °F)	>40 Hours		PSTC 107 Mod
Laminating Temperature	68 to 100 °F	20 to 38 °C	
Service Temperature	-30 to 220 °F	-34 to 104 °C	

Recommended Storage Conditions: 40-60% Humidity, 60 °F - 80 °F

Standard Shelf Life: 12 months from date of shipment

The information presented herein was prepared at BERRY GLOBAL, INC. (25 Forge Parkway Franklin, MA 02038) by qualified technical personnel. To BERRY's knowledge it is true and accurate. However, the information and recommendations are furnished for these products with the understanding that the purchaser or user, as the case may be, will independently determine that the product is suitable for the intended use, and that such use complies with all applicable federal, state and local laws and regulations. The data are submitted only for the user's information and consideration, and do not constitute a warranty of any kind (including but not limited to a warranty of merchantability or of fitness for a particular purpose), or a representation for which BERRY assumes any legal responsibility.

