

iPROTEC®



2026
CATALOG



Designed for home security, hunting and shooting enthusiasts alike, we provide the peace of mind that comes with reliability, performance and value. Our unique technology and patented designs have easily set a new standard for the user's experience and have placed iPROTEC at the forefront of innovation. iPROTEC products are compact, easy-to-handle and lightweight, so they won't interfere with the balance and design of the firearm. Each product is expertly designed and meticulously crafted, so that you have the same assurance of quality and craftsmanship that you expect from your firearms and gear.

iPROTEC is a brand of Alliance Consumer Group, the parent company of NEBO, TRUE, THAW & HALO. Ever-changing and never compromising, we carefully take our products through the entire process—from concept, to manufacturing, to the end consumer. Our greatest reward is the satisfaction of millions of consumers who continue to buy and love our products.

For more information:
800.255.6061
www.iPROTEC.ACGBRANDS.com



TABLE OF CONTENTS

RAIL-MOUNT..... 3
(PICATINNY / WEAVER)

LONG GUN MOUNT 13
(BARREL / SCOPE)



PICATINNY /
WEAVER MOUNT



iPROTEC



RM600 RAIL MOUNT LIGHT

The RM600 is a low-profile, 600-lumen light that is compatible with Picatinny or Weaver rails. The patented rail-mount design allows for quick mounting and recoil-resistant operation. The RM600 features 3 light modes and Flex-Power technology, which allows the use of rechargeable or alkaline batteries.

MODES

- High (600 lumens): 1 hour / 132 yards
- Low (85 lumens): 6 hours / 50 yards
- Strobe
- Red laser (Class IIIa: <5mW / 650nm)

DESIGN

- Flex-Power™ Technology (rechargeable or alkaline)
- LED charging indicator
- Ambidextrous, dual-button operation
- Recoil-resistant design
- Anodized aircraft-grade aluminum
- Water-resistant (IPX4)

MOUNT

- Patented tool-free mount fits Picatinny & Weaver rails

ACCESSORIES

- USB-A to USB-C charging cable

BATTERY

- (1) 800mAh Lithium-Ion battery (included) or
(1) CR123A battery (not included)

SPECS

- 0.2375 lb.
- (L) 3.25" x (W) 1.62" x (H) 1.5"

U.S. PATENT

- 9,091,508



PICATINNY /
WEAVER MOUNT



ITEM: IPR-LGT-1002

UPC: 044435920359

PKG: (H) 5" x (W) 5" x (D) 3"



RM600LSR RAIL MOUNT LIGHT + RED LASER

The RM600LSR is a low-profile, 600-lumen light and red laser sight that is compatible with Picatinny or Weaver rails. The patented rail-mount design allows for quick mounting and recoil-resistant operation. The RM600LSR features 3 light modes, adjustable windage and elevation, and Flex-Power technology, which allows the use of rechargeable or alkaline batteries.

MODES

- High (600 lumens): 1 hour / 132 yards
- Low (85 lumens): 6 hours / 50 yards
- Strobe
- Red laser (Class IIIa: <5mW / 650nm)

DESIGN

- Flex-Power™ Technology (rechargeable or alkaline)
- Adjustable windage and elevation
- LED charging indicator
- Ambidextrous, dual-button operation
- Recoil-resistant design
- Anodized aircraft-grade aluminum
- Water-resistant (IPX4)

MOUNT

- Patented tool-free mount fits Picatinny & Weaver rails

ACCESSORIES

- USB-A to USB-C charging cable
- Hex tool

BATTERY

- (1) 800mAh Lithium-Ion battery (included) or
(1) CR123A battery (not included)

SPECS

- 0.28 lb.
- (L) 3.25" x (W) 1.62" x (H) 1.5"

U.S. PATENT

- 9,091,508



PICATINNY /
WEAVER MOUNT



ITEM: IPR-MLT-0001

UPC: 044435920335

PKG: (H) 5" x (W) 5" x (D) 3"



RM600LSG RAIL MOUNT LIGHT + GREEN LASER

The RM600LSG is a low-profile, 600-lumen light and green laser sight that is compatible with Picatinny or Weaver rails. The patented rail-mount design allows for quick mounting and recoil-resistant operation. The RM600LSG features 3 light modes, adjustable windage and elevation, and Flex-Power technology, which allows the use of rechargeable or alkaline batteries.

MODES

- High (600 lumens): 1 hour / 132 yards
- Low (85 lumens): 6 hours / 50 yards
- Strobe
- Green laser (Class IIIa): <5mW / 510nm

DESIGN

- Flex-Power™ Technology (rechargeable or alkaline)
- Adjustable windage and elevation
- LED charging indicator
- Ambidextrous, dual-button operation
- Recoil-resistant design
- Anodized aircraft-grade aluminum
- Water-resistant (IPX4)

MOUNT

- Tool-free mount fits Picatinny & Weaver rails

ACCESSORIES

- USB-A to USB-C charging cable
- Hex tool

BATTERY

- (1) 800mAh Lithium-Ion battery (included) or
(1) CR123A battery (not included)

SPECS

- 0.28 lb.
- (L) 3.25" x (W) 1.62" x (H) 1.5"

U.S. PATENT

- 9,091,508



PICATINNY /
WEAVER MOUNT



ITEM: IPR-MLT-0002

UPC: 044435920342

PKG: (H) 5" x (W) 5" x (D) 3"



MYCRO™ RAIL-MOUNT FLASHLIGHT

The MYCRO Rail Mount Flashlight is a rechargeable weapon light that accommodates both Picatinny and Weaver rails to allow for quick, low-profile mounting that remains securely attached during use. The ultra-compact design attaches to nearly any firearm, and the dual-button design provides convenient, ambidextrous operation.

LIGHT MODES

- High (300 lumens): 0.5 hour / 80 meters
- Medium (150 lumens): 1 hour / 50 meters
- Low (50 lumens): 2 hours / 18 meters
- Defensive Strobe (300 lumens): 0.5 hours / 80 meters

DESIGN

- USB-C rechargeable
- Direct-to-Low + Power Memory Recall
- Ambidextrous, dual-button operation
- Anti-recoil locking
- Durable PA66 housing
- Water and impact-resistant (IPX4)

MOUNT

- Fits Picatinny & Weaver rails

ACCESSORIES

- USB-A to USB-C charging cable
- Hex wrench

BATTERY

- (1) rechargeable Lithium-Ion battery included
(3.7V, 210mAh, 0.777Wh) (Recharge time: 2 hours @ 0.5A)

SPECS

- 0.05 lb.
- (L) 1.69" x (W) 1.42" x (H) 0.71"

U.S. PATENT

- 11,516,897



PICATINNY /
WEAVER MOUNT



ITEM: IPR-LGT-1001
UPC: 645397003489
PKG: (H) 5" x (W) 4.93" x (D) 2.92"



MYCRO™ RAIL-MOUNT RED LASER

The MYCRO Red Laser provides precision aiming assistance with brilliant red optics. Compatible with Picatinny and Weaver rails, this ultra-compact, rechargeable laser sight features adjustable windage and elevation, and adjustable illumination intensity for day or night operation.

LASER MODES

- Day (100%): 5 hours
- Night (50%): 8 hours

DESIGN

- Red laser sight (Class IIIa: <5mW / 650nm)
- USB-C rechargeable
- Adjustable windage and elevation
- Ambidextrous, dual-button operation
- Anti-recoil locking
- Durable PA66 housing
- Water and impact-resistant (IPX4)

MOUNT

- Fits Picatinny & Weaver rails

ACCESSORIES

- USB-C charging cable
- (2) hex wrenches: rail-mount & laser adjustment

BATTERY

- (1) rechargeable Lithium-Ion battery included (3.7V, 100mAh, 0.37Wh) (Recharge time: 1 hour @ 0.5A)

SPECS

- 0.05 lb.
- (L) 1.76" x (W) 1.34" x (H) 0.85"



PICATINNY /
WEAVER MOUNT



ITEM: IPR-LSR-0001
UPC: 645397941514
PKG: (H) 4.52" x (W) 4.25" x (D) 2.91"



MYCRO™ RAIL-MOUNT GREEN LASER

The MYCRO Green Laser provides precision aiming assistance with brilliant green optics. Compatible with Picatinny and Weaver rails, this ultra-compact, rechargeable laser sight features adjustable windage and elevation, and adjustable illumination intensity for day or night operation.

LASER MODES

- Day (100%): 40 minutes
- Night (50%): 1.5 hours

DESIGN

- Green laser sight (Class IIIa: <5mW / 510-520nm)
- USB-C rechargeable
- Adjustable windage and elevation
- Ambidextrous, dual-button operation
- Anti-recoil locking
- Durable PA66 housing
- Water and impact-resistant (IPX4)

MOUNT

- Fits Picatinny & Weaver rails

ACCESSORIES


- USB-C charging cable
- (2) hex wrenches: rail-mount & laser adjustment

BATTERY

- (1) rechargeable Lithium-Ion battery included
(3.7V, 100mAh, 0.37Wh) (Recharge time: 1 hour @ 0.5A)

SPECS

- 0.05 lb.
- (L) 1.76" x (W) 1.34" x (H) 0.85"



PICATINNY /
WEAVER MOUNT



ITEM: IPR-LSR-0002
UPC: 645397942962
PKG: (H) 4.52" x (W) 4.25" x (D) 2.91"



MYCRO™ RAIL-MOUNT LIGHT + RED LASER

The MYCRO Light + Red Laser provides 300 lumens and precision aiming assistance with its adjustable red laser sight. This compact rail-mount design is compatible with Picatinny or Weaver rails and allows for quick mounting and recoil-resistant operation.

LIGHT MODES

- High (300 lumens): 0.5 hour / 77 meters
- Medium (150 lumens): 1 hour / 54 meters
- Low (50 lumens): 2 hours / 36 meters
- Strobe

LASER MODES (Class IIIa: <5mW / 650nm)

- Day (100%): 8 hours
- Night (50%): 15 hours

DESIGN

- USB-C rechargeable
- Adjustable windage and elevation
- Direct-to-Low + Power Memory Recall
- Ambidextrous, dual-button operation
- Recoil-resistant design
- Durable PA66 construction

MOUNT

- Fits Picatinny & Weaver rails

ACCESSORIES

- USB-A to USB-C charging cable
- Hex wrench

BATTERY

- (1) Rechargeable Lithium-Polymer battery included (210mAh, 3.7V) (Recharge time: 0.5 hour @ 0.5A)

SPECS

- 0.096 lb.
- (L) 1.7" x (W) 1.4" x (H) 1.4"

U.S. PATENT

- 11,516,897



PICATINNY /
WEAVER MOUNT



ITEM: IPR-MLT-0004
UPC: 044435920267
PKG: (H) 4.875" x (W) 4.25" x (D) 2.91"



MYCRO™ RAIL-MOUNT LIGHT + GREEN LASER

The MYCRO Light + Green Laser provides 300 lumens and precision aiming assistance with its adjustable green laser sight. This compact rail-mount design is compatible with Picatinny or Weaver rails and allows for quick mounting and recoil-resistant operation.

LIGHT MODES

- High (300 lumens): 0.5 hour / 77 meters
- Medium (150 lumens): 1 hour / 54 meters
- Low (50 lumens): 2 hours / 36 meters
- Strobe

LASER MODES (Class IIIa: <5mW / 510-520nm)

- Day (100%): 1 hour
- Night (50%): 2 hours

DESIGN

- USB-C rechargeable
- Adjustable windage and elevation
- Direct-to-Low + Power Memory Recall
- Ambidextrous, dual-button operation
- Recoil-resistant design
- Durable PA66 construction

MOUNT

- Fits Picatinny & Weaver rails

ACCESSORIES

- USB-A to USB-C charging cable
- Hex wrench

BATTERY

- (1) Rechargeable Lithium-Polymer battery included (210mAh, 3.7V) (Recharge time: 0.5 hour @ 0.5A)

SPECS


- 0.096 lb.
- (L) 1.7" x (W) 1.4" x (H) 1.4"

U.S. PATENT

- 11,516,897



PICATINNY /
WEAVER MOUNT



ITEM: IPR-MLT-0003
UPC: 044435922544
PKG: (H) 4.875" x (W) 4.25" x (D) 2.91"



RMLSR RAIL-MOUNT RED LASER

The RMLSR uses a 5-milliwatt, 650 nanometer laser to sight up to 412 meters away. The laser is controlled by the standard end cap for use with a hand gun, or by the pressure switch for use with a long gun.

LASER MODE

- Red laser sight (Class IIIa: <5mW / 650nm): 4 hours / 412 meters

DESIGN

- Ambidextrous operation
- Anti-recoil locking
- Adjustable windage and elevation
- Anodized aircraft-grade aluminum
- Water and impact-resistant

MOUNT

- Patented tool-free mount fits Picatinny & Weaver rails
- Compatible with subcompacts, pistols, and long guns
- Patented accessory rail-mount (18mm - 24mm)

ACCESSORIES

- Laser adjustment hex wrench
- Pressure switch

BATTERY

- (1) CR1/3N battery included

SPECS

- 0.5 lb.
- (L) 1.96" x (W) 1.25" x (H) 1.18"

U.S. PATENT

- 9,091,508



PICATINNY /
WEAVER MOUNT



ITEM: 6081
UPC: 645397929444
PKG: (H) 6.5" x (W) 5.25" x (D) 2.5"



BARREL /
SCOPE MOUNT



IPROTEC



LG1200 LONG-RANGE FIREARM LIGHT

Designed specifically for long guns, the LG1200 delivers 1,200 lumens of white light, or red light with the red lens filter, with a beam distance up to 600 meters. The 4 light modes are controlled with the dual-mode pressure switch or the standard flashlight tail switch cap. The LG1200 includes a universal barrel or scope mount for easy, secure attachment.

LIGHT MODES

- High (1,200 lumens): 1 hour / 600 meters
- Medium (600 lumens): 2 hours / 400 meters
- Low (100 lumens): 10 hours / 200 meters
- Strobe

DESIGN

- 12x adjustable zoom
- Screw-on red lens filter
- Smart Power Control™ (SPC)
- Direct-to-Low
- Anodized aircraft-grade aluminum
- Water and impact-resistant (IPX6)

MOUNT

- Fits (20mm - 32.5mm) barrel and scope diameters
- Adjusts, tightens and locks without tools
- Patented accessory rail mount (18mm x 24mm)

ACCESSORIES

- Universal mount, dual-mode pressure switch, red lens filter, flashlight end cap, USB-A to USB-C charging cable

BATTERY

- (1) Rechargeable Lithium-Ion battery included (1,400mAh, 3.7V) (Recharge time: 2 hours)

SPECS

- 0.29 lb.
- (L) 4.11" x (W) 1.4" (Head) / 1" (Barrel)

U.S. PATENT

- D 709,979, 11,076,460, & 11,516,897



BARREL /
SCOPE MOUNT



Red light is primarily used to preserve night vision in low-light or nighttime situations. The low-signature red light provides great contrast making it easier to read charts and maps.

ITEM: IPR-LGT-1003

UPC: 044435925576

PKG: (H) 8.3" x (W) 4.2" x (D) 3.2"





LG300G LONG-RANGE GREEN FIREARM LIGHT

Designed specifically for long guns, the LG300G delivers 300 lumens of green light with a beam distance up to 450 meters. The 4 light modes are controlled with the dual-mode pressure switch or the standard flashlight tail switch cap. The LG300G includes a universal barrel or scope mount for easy, secure attachment.

LIGHT MODES

- High (300 lumens): 1.5 hours / 450 meters
- Medium (150 lumens): 3 hours / 300 meters
- Low (50 lumens): 6 hours / 150 meters
- Strobe

DESIGN

- 12x adjustable zoom
- Smart Power Control™ (SPC)
- Direct-to-Low
- Anodized aircraft-grade aluminum
- Water and impact-resistant (IPX6)

MOUNT

- Fits (20mm - 32.5mm) barrel and scope diameters
- Adjusts, tightens and locks without tools
- Patented accessory rail mount (18mm x 24mm)

ACCESSORIES

- Universal mount, dual-mode pressure switch, flashlight end cap, USB-A to USB-C charging cable

BATTERY

- (1) Rechargeable Lithium-Ion battery included (1,400mAh, 3.7V) (Recharge time: 2 hours)

SPECS

- 0.29 lb.
- (L) 4.11" x (W) 1.4" (Head) / 1" (Barrel)

U.S. PATENT

- D 709,979, 11,076,460, & 11,516,897



BARREL /
SCOPE MOUNT



Green light is best for low light conditions, because the human eye recognized the color green faster than other colors. Also perfect for hunting, as some game cannot see green light.

ITEM: IPR-LGT-1004
UPC: 044435925583
PKG: (H) 8.3" x (W) 4.2" x (D) 3.2"





LG UNIVERSAL LONG GUN MOUNT

The LG Universal Long Gun Mount with Accessory Rail System is constructed of aircraft-grade anodized aluminum. This self-locking mount uses an adjustable mount design to easily mount and lock to your long gun, no tools required. The side of the mount has an accessory rail mount to attach additional firearm accessories.

DESIGN

- Anodized aircraft-grade aluminum
- Water and impact-resistant
- Protective rubber inserts protect gun and accessories

MOUNT

- Fits (20mm - 32.5mm) flashlight, barrel and scope diameters
- Adjusts, tightens and locks without tools
- Patented accessory rail mount (18mm x 24mm)

SPECS

- 0.316 lb.
- (L) 2.75" x (W) 2.15625" x (D) 0.9375"

U.S. PATENT

- D 657,840 & D 709,979



BARREL /
SCOPE MOUNT



ITEM: 6108
UPC: 645397011125
PKG: (H) 6.5" x (W) 5.25" x (D) 2"





ORDER ALL YOUR iPROTEC ONLINE!

Register Today at ACG Dealer

Introducing ACG Dealer, your home for online wholesale ordering of all iPROTEC, NEBO, TRUE, and THAW products. ACG Dealer is a convenient resource for you to manage your account, order products, and have easy access to all account information. Ordering your favorite iPROTEC products have never been easier!

Shop now at www.ACGDEALER.com.



For more information or to place an order, contact your iPROTEC sales representative.
CALL TOLL FREE: 800.255.6061 or VISIT OUR WEBSITE: WWW.ACGDEALER.COM

