



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS  
which includes the amended Hazardous Products Act (HPA) and the Hazardous Products  
Regulation (HPR)

Revision Date 09-Jun-2025

Version 2

## 1. Identification

### Product identifier

**Product Name** 81840 EXTREME REARVIEW MIRROR PROF STRENGTH ADHESIVE PART 1

### Other means of identification

**Product Code** PTX194319VV

**UN number or ID number** UN3264

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Adhesive

**Restrictions on use** No information available

### Details of the supplier of the safety data sheet

#### Manufacturer Address

ITW Permatex, Inc.  
6875 Parkland Blvd.  
Solon, Ohio 44139 USA  
Telephone: 1-87-Permatex  
(866) 732-9502

#### May Also Be Distributed by:

ITW Permatex Canada  
101-2360 Bristol Circle  
Oakville, ON Canada L6H 6M5  
Telephone: (800) 924-6994

**E-mail address** mail@permatex.com

### Emergency telephone number

**Company Phone Number** 866-732-9502

**24 Hour Emergency Phone Number** Chem-Tel: 800-255-3924  
International Emergency:  
00+1+ 813-248-0585  
Contract Number: MIS0003453

**24-hour emergency phone number** No information available

## 2. Hazard(s) identification

### Classification

Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1B

**Emergency Response Guide Number** 154

Specific target organ toxicity (repeated exposure)

Category 2

**Label elements**

Contains Acrylic acid; CUMENE HYDROPEROXIDE; 2-Hydroxyethyl methacrylate; CUMENE



**Danger**

**Hazard statements**

Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.  
May cause cancer.  
May cause damage to organs through prolonged or repeated exposure.

**Precautionary Statements - Prevention**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Wear protective gloves, protective clothing, eye protection and face protection.  
Do not breathe dust.  
Wash face, hands and any exposed skin thoroughly after handling.  
Contaminated work clothing must not be allowed out of the workplace.

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention.  
Immediately call a POISON CENTER or doctor.  
Specific treatment (see supplemental first aid instructions on this label).

**Eyes**

Immediately call a POISON CENTER or doctor.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Skin**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
Wash contaminated clothing before reuse.  
IF ON SKIN: Wash with plenty of water and soap.  
If skin irritation or rash occurs: Get medical advice and attention.  
Take off contaminated clothing and wash it before reuse.

**Inhalation**

IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Immediately call a POISON CENTER or doctor.

**Ingestion**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

**Precautionary Statements - Storage**

Store locked up.

**Precautionary Statements - Disposal**

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

47.3017 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.  
52.3717 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.  
96.37795 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).  
96.37795 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).  
86.6717 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

**Other Information**

May be harmful if swallowed. May be harmful in contact with skin. Toxic to aquatic life.

### 3. Composition/information on ingredients

**Substance**

Not applicable.

**Mixture**

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Acrylic acid	79-10-7	5-10%	-	-
CUMENE HYDROPEROXIDE	80-15-9	1-5%	-	-
2-Hydroxyethyl methacrylate	868-77-9	0.1-1%	-	-
CUMENE	98-82-8	0.1-1%	-	-

### 4. First-aid measures

**Description of first aid measures**

<b>General advice</b>	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
<b>Inhalation</b>	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical attention. May cause an allergic skin reaction.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.
<b>Self-protection of the first aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Wear personal protective clothing (see section 8).

**Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	Burning sensation. Redness. May cause blindness. Coughing and/ or wheezing. May cause redness and tearing of the eyes. Itching. Rashes. Hives.
<b>Effects of Exposure</b>	May cause cancer. May cause damage to organs through prolonged or repeated exposure.

**Indication of any immediate medical attention and special treatment needed**

<b>Note to physicians</b>	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause sensitization in susceptible persons. Treat symptomatically.
---------------------------	---

## 5. Fire-fighting measures

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Small Fire</b>	In case of fire, use water spray, foam, dry chemical, or CO2.
<b>Large Fire</b>	In case of fire, use water spray, foam, dry chemical, or CO2.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b>Specific hazards arising from the chemical</b>	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May cause sensitization by skin contact.
<b>Hazardous combustion products</b>	No information available.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	None.
<b>Sensitivity to static discharge</b>	None.
<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
<b>Other information</b>	Refer to protective measures listed in Sections 7 and 8.

### Methods and material for containment and cleaning up

<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.
<b>Prevention of secondary hazards</b>	Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. Handling and storage

### Precautions for safe handling

<b>Advice on safe handling</b>	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.
--------------------------------	--

### Conditions for safe storage, including any incompatibilities

<b>Storage Conditions</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.
---------------------------	--

## 8. Exposure controls/personal protection

### Control Parameters

#### Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Acrylic acid 79-10-7	TWA: 2 ppm pSk	(vacated) TWA: 10 ppm (vacated) TWA: 30 mg/m <sup>3</sup> Sdv	TWA: 2 ppm; TWA: 6 mg/m <sup>3</sup> ;
CUMENE 98-82-8	TWA: 5 ppm	TWA: 50 ppm TWA: 245 mg/m <sup>3</sup> (vacated) TWA: 50 ppm (vacated) TWA: 245 mg/m <sup>3</sup> dSk Sdv	TWA: 50 ppm; TWA: 245 mg/m <sup>3</sup> ; IDLH: 900 ppm

Chemical name	Alberta	British Columbia	Ontario	Quebec
Acrylic acid 79-10-7	TWA: 2 ppm; TWA: 5.9 mg/m <sup>3</sup> ; pSk	TWA: 2 ppm; Adverse reproductive effect Sk	TWA: 2 ppm; dSk	TWAEV: 2 ppm; TWAEV: 5.9 mg/m <sup>3</sup> ; Sd
CUMENE 98-82-8	TWA: 50 ppm; TWA: 246 mg/m <sup>3</sup> ;	TWA: 5 ppm; STEL: 75 ppm;	TWA: 50 ppm;	TWAEV: 5 ppm;

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
Acrylic acid	TWA: 2 ppm; pSk	TWA: 2 ppm; pSk	TWA: 2 ppm; pSk	TWA: 2 ppm; pSk
CUMENE	TWA: 5 ppm;	TWA: 50 ppm;	TWA: 5 ppm;	TWA: 5 ppm;

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Acrylic acid	TWA: 2 ppm; STEL: 4 ppm; Sk	TWA: 2 ppm;	TWA: 2 ppm; STEL: 4 ppm; pSd	
CUMENE	TWA: 50 ppm; STEL: 74 ppm;	TWA: 5 ppm;	TWA: 50 ppm; STEL: 74 ppm;	TWA: 50 ppm; TWA: 245 mg/m <sup>3</sup> ; STEL: 75 ppm; STEL: 365 mg/m <sup>3</sup> ; Sk

### Appropriate engineering controls

#### Engineering controls

Showers  
 Eyewash stations  
 Ventilation systems.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Face protection shield. Tight sealing safety goggles.

#### Hand protection

Wear suitable gloves.

#### Skin and body protection

Wear suitable protective clothing. Chemical resistant apron.

#### Respiratory protection

Consult with an industrial hygienist to determine the appropriate respiratory protection for

your specific use of this material. Use appropriate respiratory protection.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

**Thermal hazards** No information available.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

<b>Physical state</b>	Liquid
<b>Appearance</b>	No information available
<b>Color</b>	Clear
<b>Odor</b>	No information available
<b>Odor threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	No data available	
<b>Melting point / freezing point</b>	No data available	
<b>Boiling point / boiling range</b>	> 150 °C / 302 °F	
<b>Flash point</b>	> 95 °C / 203 °F	Cleveland Open Cup
<b>Evaporation rate</b>	< 1	Butyl acetate = 1
<b>Flammability (solid, gas)</b>	No data available	
<b>Flammability Limit in Air</b>		
<b>Upper flammability limit:</b>	No data available	
<b>Lower flammability limit:</b>	No data available	
<b>Vapor pressure</b>	<5 mmHg @ 75°F	
<b>Vapor density</b>	>1	Air = 1
<b>Relative density</b>	1.1 @ 80°F	
<b>Water solubility</b>	Insoluble	
<b>Solubility(ies)</b>	No data available	
<b>Partition coefficient</b>	No data available	
<b>Autoignition temperature</b>	No data available	
<b>Decomposition temperature</b>	No data available	
<b>Kinematic viscosity</b>	No data available	
<b>Dynamic viscosity</b>	No data available	
<b>Particle characteristics</b>		
<b>Particle Size</b>	No data available	
<b>Particle Size Distribution</b>	No data available	

### Other information

<b>Explosive properties</b>	No information available
<b>Oxidizing properties</b>	No information available
<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC content</b>	11%
<b>Density</b>	No information available
<b>Bulk density</b>	No information available

## 10. Stability and reactivity

**Reactivity** No information available.

**Chemical stability** Stable under normal conditions.

**Possibility of hazardous reactions** None under normal processing.

<b>Hazardous polymerization</b>	No information available.
<b>Conditions to avoid</b>	Exposure to air or moisture over prolonged periods.
<b>Incompatible materials</b>	Acids. Bases. Oxidizing agent.
<b>Hazardous decomposition products</b>	None known based on information supplied.

**11. Toxicological information**

Information on likely routes of exposure

**Product Information**

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May result in permanent damage including blindness.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May be harmful in contact with skin.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

<b>Symptoms</b>	Redness. Burning. May cause blindness. Coughing and/ or wheezing. Itching. Rashes. Hives.
-----------------	---

Acute toxicity

**Numerical measures of toxicity**

**The following ATE values have been calculated for the mixture**

<b>ATEmix (oral)</b>	3,607.40 mg/kg
<b>ATEmix (dermal)</b>	3,645.30 mg/kg
<b>ATEmix (inhalation-gas)</b>	99,999.00 ppm
<b>ATEmix (inhalation-vapor)</b>	99,999.00 mg/L

- 47.3017 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 52.3717 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 96.37795 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 96.37795 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 86.6717 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Acrylic acid 79-10-7	= 1500 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	= 3.6 mg/L ( Rat ) 4 h = 11.1 mg/L ( Rat ) 1 h

CUMENE HYDROPEROXIDE 80-15-9	= 382 mg/kg ( Rat )	= 0.126 mL/kg ( Rabbit )	= 220 ppm ( Rat ) 4 h
2-Hydroxyethyl methacrylate 868-77-9	= 5564 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
CUMENE 98-82-8	= 1400 mg/kg ( Rat )	= 12300 µL/kg ( Rabbit )	> 3577 ppm ( Rat ) 6 h

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

- Skin corrosion/irritation** Classification based on data available for ingredients. Causes severe skin burns and eye damage.
- Serious eye damage/eye irritation** Classification based on data available for ingredients. Causes serious eye damage. Causes burns.
- Respiratory or skin sensitization** May cause an allergic skin reaction.
- Germ cell mutagenicity** No information available.
- Carcinogenicity** Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Acrylic acid 79-10-7	A4 - Not Classifiable as a Human Carcinogen	Group 3 - Unclassifiable as to carcinogenicity in humans	-	-
CUMENE 98-82-8	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans	Group 2B - Possibly carcinogenic to humans	Reasonably Anticipated To Be A Human Carcinogen	Present

**Legend**

- ACGIH (American Conference of Governmental Industrial Hygienists)**  
A3 - Animal Carcinogen
- IARC (International Agency for Research on Cancer)**  
Group 2B - Possibly carcinogenic to humans  
Group 3 - Not classifiable as to carcinogenicity in humans
- NTP (National Toxicology Program)**  
Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen
- Occupational Safety and Health Administration of the US Department of Labor**  
X - Present

- Reproductive toxicity** No information available.
- STOT - single exposure** No information available.
- STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.
- Aspiration hazard** No information available.

**12. Ecological information**

- Ecotoxicity** Toxic to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Acrylic acid 79-10-7	EC50: =0.17mg/L (96h, Pseudokirchneriella subcapitata) EC50: =0.04mg/L (72h, Desmodesmus subspicatus)	LC50: =222mg/L (96h, Brachydanio rerio)	-	EC50: =95mg/L (48h, Daphnia magna)
CUMENE HYDROPEROXIDE 80-15-9	-	LC50: =3.9mg/L (96h, Oncorhynchus mykiss)	-	-
2-Hydroxyethyl methacrylate 868-77-9	-	LC50: 213 - 242mg/L (96h, Pimephales promelas) LC50: =227mg/L (96h, Pimephales promelas)	-	-
CUMENE 98-82-8	EC50: =2.6mg/L (72h, Pseudokirchneriella subcapitata)	LC50: 6.04 - 6.61mg/L (96h, Pimephales promelas) LC50: =4.8mg/L (96h, Oncorhynchus mykiss) LC50: =2.7mg/L (96h, Oncorhynchus mykiss) LC50: =5.1mg/L (96h, Poecilia reticulata)	-	EC50: =0.6mg/L (48h, Daphnia magna) EC50: 7.9 - 14.1mg/L (48h, Daphnia magna)

**Persistence and degradability** No information available.

**Bioaccumulative potential**

**Component Information**

Chemical name	Partition coefficient
Acrylic acid 79-10-7	0.46
CUMENE HYDROPEROXIDE 80-15-9	1.6
2-Hydroxyethyl methacrylate 868-77-9	0.42
CUMENE 98-82-8	3.55

**Other adverse effects** No information available.

**13. Disposal considerations**

**Waste treatment methods**

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

**14. Transport information**

**DOT**

**UN number or ID number** UN3264  
**Proper shipping name**  
**Transport hazard class(es)** 8  
**Packing group** II  
**DOT Marine Pollutant** NP  
**Marine pollutant** Acrylic acid, CUMENE HYDROPEROXIDE.  
**Description** UN3264, Corrosive liquid, acidic, inorganic, n.o.s.(Acrylic acid, CUMENE HYDROPEROXIDE), 8, II, Limited Quantity  
**Special Provisions** 386, B2, IB2, T11, TP2, TP27  
**Emergency Response Guide Number** 154

**TDG**

**UN number or ID number** UN3264  
**UN proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s.  
**Transport hazard class(es)** 8  
**Packing group** II  
**Description** UN3264, Corrosive liquid, acidic, inorganic, n.o.s.(Acrylic acid, CUMENE HYDROPEROXIDE), 8, II, Limited Quantity

**MEX**

**UN number or ID number** UN3264  
**UN proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s.  
**Transport hazard class(es)** 8  
**Packing group** II  
**Description** UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Acrylic acid, CUMENE HYDROPEROXIDE), 8, II, Limited Quantity  
**Special Provisions** 274

**ICAO (air)**

**UN number or ID number** UN3264  
**UN proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s.  
**Transport hazard class(es)** 8  
**Packing group** II  
**Description** UN3264, Corrosive liquid, acidic, inorganic, n.o.s.(Acrylic acid, CUMENE HYDROPEROXIDE), 8, II, Limited Quantity  
**Special Provisions** A3

**IATA**

**UN number or ID number** UN3264  
**UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s.  
**Transport hazard class(es)** 8  
**Packing group** II  
**ERG Code** 8L  
**Special Provisions** A3, A803  
**Description** UN3264, Corrosive liquid, acidic, inorganic, n.o.s.(Acrylic acid, CUMENE HYDROPEROXIDE), 8, II, Limited Quantity

**IMDG**

**UN number or ID number** UN3264  
**UN proper shipping name**  
**Transport hazard class(es)** 8  
**Packing group** II  
**EmS-No.** F-A, S-B  
**Special Provisions** 274  
**Description** UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Acrylic acid, CUMENE HYDROPEROXIDE), 8, II, Limited Quantity

**15. Regulatory information**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**International Regulations**

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

**International Inventories**

<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>EINECS/ELINCS</b>	Does not comply
<b>ENCS</b>	Complies
<b>IECSC</b>	Complies
<b>KECI</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	Complies
<b>NZIoC</b>	Not Determined

**Legend:**

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- IECSC** - China Inventory of Existing Chemical Substances
- KECL** - Korean Existing Chemicals Inventory
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- AICS** - Australian Inventory of Chemical Substances
- NZIoC** - New Zealand Inventory of Chemicals

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Acrylic acid - 79-10-7	1.0
CUMENE HYDROPEROXIDE - 80-15-9	1.0
SACCHARIN - 81-07-2	1.0
CUMENE - 98-82-8	0.1

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Acrylic acid 79-10-7	5000 lb / kg (final RQ)	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
CUMENE HYDROPEROXIDE 80-15-9	10 lb / kg (final RQ)	-	RQ 10 lb final RQ RQ 4.54 kg final RQ
CUMENE 98-82-8	5000 lb / kg (final RQ)	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

**US State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
CUMENE - 98-82-8	Carcinogen

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Acrylic acid 79-10-7	X	X	X
CUMENE HYDROPEROXIDE 80-15-9	X	X	X
SACCHARIN 81-07-2	X	X	X
PROPYLENE GLYCOL 57-55-6	X	-	X
CUMENE 98-82-8	X	X	X
P-BENZOQUINONE 106-51-4	X	X	X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

**16. Other information**

<b>NFPA</b>	Health hazards 3	Flammability 1	Instability 0	Special hazards -
<b>HMIS</b>	Health hazards 3*	Flammability 1	Physical hazards 0	Personal protection X
Chronic Hazard Star Legend	* = Chronic Health Hazard			

**Key or legend to abbreviations and acronyms used in the safety data sheet**

**Legend**

SVHC: Substances of Very High Concern for Authorization:  
 PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances  
 vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances  
 STOT: Specific Target Organ Toxicity  
 ATE: Acute Toxicity Estimate  
 LC50: 50% Lethal Concentration  
 LD50: 50% Lethal Dose

**Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitizers		

**Key literature references and sources for data used to compile the SDS**

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 U.S. Environmental Protection Agency  
 Acute Exposure Guideline Level(s) (AEGL(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)

Japan National Institute of Technology and Evaluation (NITE)  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
U.S. National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications  
International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program  
International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set  
United Nations World Health Organization (WHO)

**Revision Date** 09-Jun-2025

**Revision Note** No information available.

**Disclaimer**

**The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.**



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS  
which includes the amended Hazardous Products Act (HPA) and the Hazardous Products  
Regulation (HPR)

Revision Date 09-Jun-2025

Version 2

## 1. Identification

### Product identifier

**Product Name** 81840 EXTREME REARVIEW MIRROR PROF STRENGTH ADHESIVE PART 2

### Other means of identification

**Product Code** PTX394319VV

**UN number or ID number** UN1219

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Activator.

**Restrictions on use** No information available

### Details of the supplier of the safety data sheet

#### Manufacturer Address

ITW Permatex, Inc.  
6875 Parkland Blvd.  
Solon, Ohio 44139 USA  
Telephone: 1-87-Permatex  
(866) 732-9502

#### May Also Be Distributed by:

ITW Permatex Canada  
101-2360 Bristol Circle  
Oakville, ON Canada L6H 6M5  
Telephone: (800) 924-6994

**E-mail address** mail@permatex.com

### Emergency telephone number

**Company Phone Number** 866-732-9502

**24 Hour Emergency Phone Number** Chem-Tel: 800-255-3924  
International Emergency:  
00+1+ 813-248-0585  
Contract Number: MIS0003453

**24-hour emergency phone number** No information available

## 2. Hazard(s) identification

### Classification

Flammable liquids	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3

Emergency Response Guide Number 129

**Label elements**

**Contains 2-PROPANOL**



**Danger**

**Hazard statements**

Highly flammable liquid and vapor.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling.  
Wear eye and face protection.  
Avoid breathing dust, fume, gas, mist, vapors and spray.  
Use only outdoors or in a well-ventilated area.  
Ground and bond container and receiving equipment.  
Use non-sparking tools.  
Take action to prevent static discharges.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Keep container tightly closed.  
Use explosion-proof electrical, ventilating and lighting equipment.  
Keep cool.

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice and attention.

**Skin**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

**Inhalation**

IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Call a POISON CENTER or doctor if you feel unwell.

**Fire**

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed.  
Store locked up.  
Store in a well-ventilated place. Keep cool.

**Precautionary Statements - Disposal**

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

2.1 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.  
2.1 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.  
98.6 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).  
2.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).  
98.6 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

**Other Information**

May be harmful if inhaled.

**3. Composition/information on ingredients**

**Substance**

Not applicable.

**Mixture**

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
2-PROPANOL	67-63-0	80-100%	-	-
ORGANO-COPPER COMPOUND	68084-48-0	1-5%	-	-

**4. First-aid measures**

**Description of first aid measures**

<b>General advice</b>	Show this safety data sheet to the doctor in attendance.
<b>Inhalation</b>	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.
<b>Self-protection of the first aider</b>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.

**Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
<b>Effects of Exposure</b>	No information available.

**Indication of any immediate medical attention and special treatment needed**

<b>Note to physicians</b>	Treat symptomatically.
---------------------------	------------------------

**5. Fire-fighting measures**

<b>Suitable Extinguishing Media</b>	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.
<b>Small Fire</b>	In case of fire, use water spray, foam, dry chemical, or CO2.
<b>Large Fire</b>	In case of fire, use water spray, foam, dry chemical, or CO2.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b>Specific hazards arising from the chemical</b>	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire

extinguishing water must be disposed of in accordance with local regulations.

**Hazardous combustion products** No information available.

**Explosion data**

**Sensitivity to mechanical impact** None.

**Sensitivity to static discharge** Yes.

**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

**Other information** Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

### Methods and material for containment and cleaning up

**Methods for containment** Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

**Methods for cleaning up** Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. Handling and storage

### Precautions for safe handling

**Advice on safe handling** Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

**8. Exposure controls/personal protection**

**Control Parameters**  
**Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
2-PROPANOL 67-63-0	TWA: 200 ppm STEL: 400 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	TWA: 400 ppm; TWA: 980 mg/m <sup>3</sup> ; STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup> IDLH: 2000 ppm
ORGANO-COPPER COMPOUND 68084-48-0	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	-	TWA: 1 mg/m <sup>3</sup> ; Cu dust and mist IDLH: 100 mg/m <sup>3</sup> Cu dust and mist

Chemical name	Alberta	British Columbia	Ontario	Quebec
2-PROPANOL 67-63-0	TWA: 200 ppm; TWA: 492 mg/m <sup>3</sup> ; STEL: 400 ppm; STEL: 984 mg/m <sup>3</sup> ;	TWA: 200 ppm; STEL: 400 ppm;	TWA: 200 ppm; STEL: 400 ppm;	TWAEV: 200 ppm; STEV: 400 ppm;

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
2-PROPANOL	TWA: 200 ppm; STEL: 400 ppm;	TWA: 200 ppm; STEL: 400 ppm;	TWA: 200 ppm; STEL: 400 ppm;	TWA: 200 ppm; STEL: 400 ppm;

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
2-PROPANOL	TWA: 200 ppm; STEL: 400 ppm;	TWA: 200 ppm; STEL: 400 ppm;	TWA: 200 ppm; STEL: 400 ppm;	TWA: 400 ppm; TWA: 980 mg/m <sup>3</sup> ; STEL: 500 ppm; STEL: 1225 mg/m <sup>3</sup> ; Sk

**Biological occupational exposure limits**

Chemical name	ACGIH
2-PROPANOL 67-63-0	40 mg/L - urine (Acetone) - end of shift at end of workweek

**Appropriate engineering controls**

**Engineering controls**                      Showers  
 Eyewash stations  
 Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**                      Tight sealing safety goggles.

**Hand protection**                              Wear suitable gloves.

**Skin and body protection**                      Wear suitable protective clothing. Antistatic boots. Chemical resistant apron. Wear fire/flammable resistant/retardant clothing.

**Respiratory protection**                      Use appropriate respiratory protection. Consult with an industrial hygienist to determine the

appropriate respiratory protection for your specific use of this material.

<b>General hygiene considerations</b>	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.
<b>Thermal hazards</b>	No information available.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

<b>Physical state</b>	Liquid
<b>Appearance</b>	No information available
<b>Color</b>	Bluish Green
<b>Odor</b>	No information available
<b>Odor threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	
Melting point / freezing point	No data available	
Boiling point / boiling range	82 °C / 179.6 °F	
Flash point	12 °C / 53.6 °F	Tag Closed Cup
Evaporation rate	7.7	Butyl acetate = 1
Flammability (solid, gas)	No data available	
Flammability Limit in Air		
Upper flammability limit:	12.0%	
Lower flammability limit:	2.0%	
Vapor pressure	32 mm Hg @ 68°F	
Vapor density	2.1	Air = 1
Relative density	0.79	
Water solubility	Soluble in water	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Kinematic viscosity	No data available	
Dynamic viscosity	No data available	
Particle characteristics		
Particle Size	No data available	
Particle Size Distribution	No data available	

### Other information

<b>Explosive properties</b>	No information available
<b>Oxidizing properties</b>	No information available
<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC content</b>	<97%
<b>Density</b>	No information available
<b>Bulk density</b>	No information available

## 10. Stability and reactivity

<b>Reactivity</b>	No information available.
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions</b>	None under normal processing.
<b>Hazardous polymerization</b>	No information available.

**Conditions to avoid** Heat, flames and sparks.

**Incompatible materials** None known based on information supplied.

**Hazardous decomposition products** None known based on information supplied.

**11. Toxicological information**

Information on likely routes of exposure

**Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness or dizziness. May be harmful if inhaled.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.

**Skin contact** Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Acute toxicity

**Numerical measures of toxicity**

**The following ATE values have been calculated for the mixture**

**ATEmix (oral)** 5,233.20 mg/kg  
**ATEmix (dermal)** 13,264.20 mg/kg  
**ATEmix (inhalation-gas)** 99,999.00 ppm  
**ATEmix (inhalation-vapor)** 31.20 mg/L  
**ATEmix (inhalation-dust/mist)** 99,999.00 mg/L

2.1 % of the mixture consists of ingredient(s) of unknown acute oral toxicity  
 2.1 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity  
 98.6 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)  
 2.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)  
 98.6 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-PROPANOL 67-63-0	5050 mg/kg	12800 mg/kg	> 10000 ppm ( Rat ) 6 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** No information available.

**Serious eye damage/eye irritation** Classification based on data available for ingredients. Causes serious eye irritation.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
2-PROPANOL 67-63-0	A4 - Not Classifiable as a Human Carcinogen	-	-	-

**Reproductive toxicity** No information available.

**STOT - single exposure** May cause drowsiness or dizziness.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

## 12. Ecological information

**Ecotoxicity** The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-PROPANOL 67-63-0	EC50: >1000mg/L (96h, Desmodesmus subspicatus) EC50: >1000mg/L (72h, Desmodesmus subspicatus)	LC50: =9640mg/L (96h, Pimephales promelas) LC50: =11130mg/L (96h, Pimephales promelas) LC50: >1400000µg/L (96h, Lepomis macrochirus)	-	EC50: =13299mg/L (48h, Daphnia magna)

**Persistence and degradability** No information available.

**Bioaccumulative potential**

### Component Information

Chemical name	Partition coefficient
2-PROPANOL 67-63-0	0.05

**Other adverse effects** No information available.

## 13. Disposal considerations

### Waste treatment methods

**Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

US EPA Waste Number

Waste designations and classifications should be determined by the end user based on the application for which the product was used.

## 14. Transport information

### DOT

UN number or ID number	UN1219
Proper shipping name	Isopropanol
Transport hazard class(es)	3
Packing group	II
DOT Marine Pollutant	NP
Description	UN1219, Isopropanol, 3, II, Limited Quantity
Special Provisions	IB2, T4, TP1
Emergency Response Guide Number	129

### TDG

UN number or ID number	UN1219
UN proper shipping name	Isopropanol
Transport hazard class(es)	3
Packing group	II
Description	UN1219, Isopropanol, 3, II, Limited Quantity

### MEX

UN number or ID number	UN1219
UN proper shipping name	Isopropanol
Transport hazard class(es)	3
Packing group	II
Description	UN1219, Isopropanol, 3, II, Limited Quantity

### ICAO (air)

UN number or ID number	UN1219
UN proper shipping name	Isopropanol
Transport hazard class(es)	3
Packing group	II
Description	UN1219, Isopropanol, 3, II, Limited Quantity
Special Provisions	A180

### IATA

UN number or ID number	UN1219
UN proper shipping name	Isopropanol
Transport hazard class(es)	3
Packing group	II
ERG Code	3L
Special Provisions	A180
Description	UN1219, Isopropanol, 3, II, Limited Quantity

### IMDG

UN number or ID number	UN1219
UN proper shipping name	Isopropanol
Transport hazard class(es)	3
Packing group	II
EmS-No.	F-E, S-D
Description	UN1219, Isopropanol, 3, II, (12°C c.c.), Limited Quantity

## 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

**International Regulations**

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

**International Inventories**

<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>EINECS/ELINCS</b>	Complies
<b>ENCS</b>	Not determined
<b>IECSC</b>	Complies
<b>KECI</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	Not determined
<b>NZIoC</b>	Not Determined

**Legend:**

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- IECSC** - China Inventory of Existing Chemical Substances
- KECL** - Korean Existing Chemicals Inventory
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- AICS** - Australian Inventory of Chemical Substances
- NZIoC** - New Zealand Inventory of Chemicals

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
2-PROPANOL - 67-63-0	1.0
ORGANO-COPPER COMPOUND - 68084-48-0	1.0

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
ORGANO-COPPER COMPOUND 68084-48-0	-	X	-	-

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
2-PROPANOL 67-63-0	X	X	X
ORGANO-COPPER COMPOUND 68084-48-0	X	-	X

**U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

**16. Other information**

<b>NFPA</b>	<b>Health hazards</b> 2	<b>Flammability</b> 3	<b>Instability</b> 0	<b>Special hazards</b> -
<b>HMIS</b>	<b>Health hazards</b> 2	<b>Flammability</b> 3	<b>Physical hazards</b> 0	<b>Personal protection</b> X

**Key or legend to abbreviations and acronyms used in the safety data sheet**

**Legend**

SVHC: Substances of Very High Concern for Authorization:  
 PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances  
 vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances  
 STOT: Specific Target Organ Toxicity  
 ATE: Acute Toxicity Estimate  
 LC50: 50% Lethal Concentration  
 LD50: 50% Lethal Dose

**Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitizers		

**Key literature references and sources for data used to compile the SDS**

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 U.S. Environmental Protection Agency  
 Acute Exposure Guideline Level(s) (AEGL(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 Japan National Institute of Technology and Evaluation (NITE)  
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 U.S. National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications  
 International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program  
 International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set  
 United Nations World Health Organization (WHO)

**Revision Note**

No information available.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.