

# HYBRID<sup>®</sup> 46DT

## TECH SPECS



<b>SKU</b>	SU5401
<b>Caliber</b>	9MM to 45 ACP / 5.56 NATO to 45-70 GOV & up to 338 LM
<b>Accessories</b>	Bravo, ASR, 3-Lug, Pistons
<b>Weight</b>	14.1 oz
<b>Length</b>	7.61"
<b>Diameter</b>	1.57"
<b>Materials</b>	17-4 SS & Grade 9 Titanium
<b>Ships With</b>	<ul style="list-style-type: none"><li>• Bravo Multi-Tool</li><li>• Bravo &amp; Charlie Spanner Wrench</li><li>• Bravo Front Cap .46 CAL</li><li>• Bravo Direct Thread Mount 5/8x24</li><li>• <i>Piston sold separately</i></li></ul>

## DB READINGS

<b>5.56 NATO</b>	135.1 dB	16" AR
<b>.300 BLK</b>	127.7 dB	8.5" AR
<b>.308 WIN</b>	130.8 dB	20" Bolt
<b>.300 WM</b>	135.7 dB	24" Bolt
<b>.338 LM</b>	139.1 dB	26" Bolt
<b>9MM</b>	123.8 dB	8" PCC
<b>.45-70 GOV</b>	129.1 dB	20" Lever

# COMPATIBLE ACCESSORIES

## ASR MUZZLE BRAKE

AC1276	9/16 x 24 .30 CAL
AC1282	1/2 x 28 .30 CAL
AC142	1/2 x 28 .223 CAL
AC1557	5/8 x 32 .458 CAL
AC1733	5/8 x 24 .458 CAL
AC591	5/8 x 24 .30 CAL
AC4766	9/16 x 24 .355CAL/9MM
AC4768	1/2 x 28 .355 CAL/9MM
AC1961	11/16 x 24 .458 CAL
AC2631	3/4 x 24 .458 CAL
AC855	M18 x 1.5 .338 CAL
AC856	M18 x 1 .338 CAL
AC857	5/8 x 24 .338 CAL
AC858	3/4 x 24 .338 CAL

## ASR SINGLE PORT MUZZLE BRAKE

AC2627	5/8 x 24 .30 CAL
AC2628	1/2 x 28 9MM

## ASR FLASH HIDER

AC1283	1/2 x 28 .30 CAL
AC1561	M13.5 x 1 LH 9MM
AC1562	1/2 x 36 9MM
AC141	1/2 x 28 .223 CAL
AC1570	1/2 x 28 9MM
AC590	5/8 x 24 .30 CAL
AC233	M15 x 1 .30 CAL
AC1278	9/16 x 24 LH .30 CAL

## ASR CLOSED-TINE FLASH HIDER

AC5326	1/2 x 28 .223 CAL
--------	-------------------

## BRAVO ASR MOUNT AC824

## THREAD OVER MOUNT (TOM)

AC5230	BRAVO TOM
--------	-----------

## THREAD OVER MUZZLE DEVICE (TOMD)

AC5231	1/2 x 28 .223 CAL
AC5232	1/2 x 28 .30 CAL
AC5233	5/8 x 24 .30 CAL

## BRAVO DIRECT THREAD MOUNT

AC1415	1/2 x 28
AC4757	3/4 x 20
AC668	3/4 x 24
AC669	5/8 x 24
AC2435	9/16 x 24
AC2439	11/16 x 24
AC1564	.578 x 28
AC690	M18 x 1
AC735	M18 x 1.5
AC2630	M13 x .75
AC5320	1/2 x 28 *TITANIUM
AC5321	5/8 x 24 *TITANIUM

## BRAVO PISTON MOUNT AC1417

*\*Must be used in conjunction with Bravo Piston Mount*

# COMPATIBLE ACCESSORIES

## PISTON \*

AC25	1/2 x 28
AC24	.578 x 28
AC26	M13.5 x 1 LH
AC30	5/8 x 24
AC28	M16 x 1 LH
AC31	9/16 x 24
AC1756	1/2 x 28 SN
AC59	1/2 x 28 XL
AC626	M13.5 x 1 LH XL
AC57	1/2 x 36
AC29	M16 x 1
AC27	M14.5 x 1 LH
AC1346	.578 x 28 XL

## COMMON PISTON KIT\*

AC728	INCLUDES 1/2 x 28, .578 x 28, 13.5 x 1 LH, 16 x 1 LH, 9/16 x 24
-------	---

## METRIC PISTON O-RING PACK

AC90	M13.5
AC91	M14.5
AC92	M16

## PISTON ASSEMBLY O-RING PACK

AC88

## FIXED BARREL SPACER AC22

## 3-LUG MUZZLE DEVICE

AC2604	1/2 x 28 9MM
--------	--------------

AC2607	1/2 x 36 9MM
AC2609	5/8 x 24 9MM
AC2602	M13.5 x 1 LH 9MM
AC4756	M18 x 1 9MM
AC2603	5/8 x 24 .45 CAL
AC2605	.578 x 28 .45 CAL
AC2606	9/16 x 24 .45 CAL
AC2608	M16 x 1 LH .45 CAL

## LOW PROFILE 3-LUG\*

AC2447	9MM
AC2448	.45 CAL

## BRAVO FRONT CAPS

AC1340	.30 CAL
AC1341	.223 CAL
AC1369	.30 CAL FDE
AC1370	.223 CAL FDE
AC1412	9MM
AC1413	.46 CAL
AC2022	ANCHOR BRAKE .30 CAL
AC2081	ANCHOR BRAKE .458 CAL
AC5125	.224 / 5.56MM BLACK
AC5124	.30 / 7.62MM BLACK
AC5126	.355 / 9MM BLACK
AC5388	.223 CAL *TITANIUM
AC5390	.30 CAL *TITANIUM

## BRAVO DIRECTIONAL ANCHOR BRAKE AC5740

*\*Must be used in conjunction with Bravo Piston Mount*