

Rotating Electric Height Adjustable Workstation with Attached Storage

- Made in Wisconsin
- Entire unit is mobile (casters included)
- Size: 24x60
- Travel Range: 29" - 47"
- Left or right handed (unit is universal)
- Worksurface rotates 180°
- Includes: 4-button programmable control switch
- Various storage options available that include configurations of the follow items:
 - Shelves
 - Doors + shelves (with & without locks)
 - Drawers (with & without locks)
- Avail. with plug-in or battery pack control box
 - Battery lasts up to 3 months on single charge
- Option to ship fully assembled and delivered into room of choice*



[Click here to see the Samara in action.](#)



SAMARA



Samara can be placed in a variety of positions to fit your specific needs and working style. See some of the rotation and height placements below. Showing the right handed configuration.



FINISHES & SPECIFICATION




FINISH OPTIONS


Samara is available in two metal finishes, four thermally fused laminate options for the base & storage section (excludes the rotating worksurface), and the rotating worksurface is available in all of our standard laminate finishes.

Specify the finishes before the “-V” in the product part #. Using the finish codes, specify them in this order 1) metal finish, 2) base laminate finish, and 3) worksurface laminate finish.


Laminate Finishes (for the base section of the unit)




Bergen Ash
(BA)



Koosah Pine
(KP)




Pelee Island Pear
(PP)



Rogue Valley Pear
(VP)



Metal Finishes



Black
(B)



Silver
(S)



The unit shown on the right is the: **XCSABC246024BVPVP-V2R**

Metal: Silver (S), Base laminate: Rogue Valley Pear (VP), Worksurface laminate: Rogue Valley Pear (VP), V2R right-handed configuration

It includes

- Main portion of storage: doors and shelf
- Side portion of storage: door and shelf

For KD version, add “-KD” at the end of the part #. For shipped assembled version, add “-AS” at the end of the part #.

