

M METALLICS

M A D E I N U S A

2 0 2 4 C A T A L O G





/// METALLICS
MADE IN USA

AN AMERICAN COMPANY BUILT ON QUALITY

Metallics is an American company that has served tradesmen since 1959. We built our foundation on quality, service and innovation. When you partner with Metallics, you can count on forming a strong relationship not only with us, but also with the customers you serve.

Our knowledgeable sales and support staff located in Huntersville, North Carolina are always available to answer your questions. You can contact us at 800.321.5847 or visit us at nsiindustries.com/metallics.

MARKETS SERVED


**Electrical
Plumbing & HVAC
Solar
Wind Power
Food & Beverage
Healthcare**

**Hospitality &
Entertainment
Industrial
Manufacturing
Residential &
Commercial**


**Construction
Municipality
Government & Military
Panel Building
Prefabrication**

Fastener Reference Guide


Measuring Threaded Fasteners (length)



Fastener Identifier (D=Diameter)




Head Styles



Measuring Threads



Head Markings of Fasteners



Driver Styles




To Select Phillips Driver Style

SCREW TYPE	SCREW DIAMETER & HEAD STYLE			BIT OR DRIVER SIZE
	OVAL, PAN & FLAT	OVAL, PAN & FLAT	OVAL, PAN & FLAT	
MACHINE & TAPPING SCREWS	0 & .1	0 & .1	0 & .1	0
	2 - 4	2 - 4	2 - 5	1
	5 - 10	5 - 10	6 - 10	2
	12 - 1/4 5/16 - 1/2	12 - 5/16 3/8 - 1/2	12 - 1/4 5/16 - 1/2	3 4
WOOD SCREWS	0 & .1	0 & .1	0 & .1	0
	2 - 4	2 - 4	2 - 5	1
	5 - 9	5 - 10	6 - 10	2
	10 - 16 18 - 24	11 - 16 18 - 24	12 - 16 18 - 24	3 4

A	SCREWS	07
B	NUTS	23
C	WASHERS	25
D	BOLTS	27
E	ANCHORING DEVICES	31
F	FIXTURE HANGING ACCESSORIES	38
G	SPECIAL PURPOSE ELECTRICAL FASTENER	40

/// METALLICS

AMERICA'S SOURCE FOR PREMIER AND INNOVATIVE FASTENERS





AN INDUSTRY FIRST!
A free square drive bit with each jar of
Tri-Drive Machine Screws



Slotted



Phillips



Square Drive



Three drives
in one head!

ROUND HEAD TRI-DRIVE MACHINE SCREWS

STEEL ZINC

Introduced nationally by Metallics in 1994

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
JTRM80	80003	6-32	1/2	.28	100/500
JTRM81	80004	6-32	3/4	.36	100/500
JTRM63	80005	6-32	1	.43	100/500
JTRM82	80006	6-32	1 1/2	.58	100/500
JTRM83	80007	6-32	2	.73	100/500
JTRM15	78615	8-32	3/8	.34	100/500
JTRM84	80008	8-32	1/2	.45	100/500
JTRM85	80009	8-32	3/4	.51	100/500
JTRM86	80010	8-32	1	.65	100/500
JTRM87	80011	8-32	1 1/4	.75	100/500
JTRM88	80012	8-32	1 1/2	.86	100/500
JTRM89	80013	8-32	2	1.07	100/500
JTRM16	81255	10-32	1/4	.49	100/500
JTRM20	78620	10-32	3/8	.48	100/500
JTRM33	80014	10-32	1/2	.57	100/500
JTRM92	78692	10-32	3/4	.70	100/500
JTRM98	80015	10-32	1	.89	100/500
JTRM69	78669	10-32	1 1/4	.95	100/500
JTRM75	78675	10-32	1 1/2	1.12	100/500
JTRM113	78611	10-32	2	1.39	100/500
JTRM22	80016	1/4 -20	3/8	.95	100/500
JTRM99	80017	1/4 -20	1/2	1.10	100/500
JTRM100	80018	1/4 -20	3/4	1.33	100/500
JTRM101	80019	1/4 -20	1	1.58	100/500
JTRM102	80020	1/4 -20	1 1/4	1.77	100/500
JTRM103	80021	1/4 -20	1 1/2	2.08	100/500
JTRM104	80022	1/4 -20	2	2.62	100

ALSO AVAILABLE—TRI-DRIVE™ SHEET METAL SCREWS

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

-  Slotted
-  Phillips
-  Square Drive

Three drives
in one head!



1000 PACK ROUND HEAD TRI-DRIVE MACHINE SCREW KITS STEEL ZINC

Introduced Nationally by Metallics in 1994!

Drive bit included in each pack.

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
TRM80M	27780	6-32	1/2	2.30	1000
TRM81M	27781	6-32	3/4	3.10	1000
TRM63M	27763	6-32	1	3.80	1000
TRM82M	27782	6-32	1 1/2	5.80	1000
TRM83M	27783	6-32	2	6.80	1000
TRM15M	27715	8-32	3/8	3.40	1000
TRM84M	27784	8-32	1/2	3.51	1000
TRM85M	27785	8-32	3/4	4.80	1000
TRM86M	27786	8-32	1	6.00	1000
TRM87M	27787	8-32	1 1/4	7.00	1000
TRM88M	27788	8-32	1 1/2	8.10	1000
TRM89M	27789	8-32	2	10.30	1000
TRM16M	27716	10-32	1/4	4.90	1000
TRM20M	27720	10-32	3/8	5.02	1000
TRM33M	27733	10-32	1/2	5.70	1000
TRM92M	27792	10-32	3/4	7.00	1000
TRM98M	27798	10-32	1	8.90	1000
TRM69M	27769	10-32	1 1/4	9.50	1000
TRM75M	27775	10-32	1 1/2	11.20	1000
TRM113M	27813	10-32	2	13.90	1000
TRM22M	27722	1/4-20	3/8	9.50	1000
TRM99M	27799	1/4-20	1/2	11.00	1000
TRM100M	27800	1/4-20	3/4	13.30	1000
TRM101M	27801	1/4-20	1	15.80	1000
TRM102M	27802	1/4-20	1 1/4	17.70	1000
TRM103M	27803	1/4-20	1 1/2	10.80	1000
TRM104M	27804	1/4-20	2	25.60	1000

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



-  Slotted
-  Phillips

TRUSS HEAD COMBO RECEPTACLE AND WIRING DEVICE SCREWS

SLOTTED/PHILLIPS LEAD POINT - STEEL ZINC

PART#	UPC#	SIZE	SIZE	WT. PER PKG.	STD. PKG. UM
TM80LP	43154	6-32	1/2	.28	100
JTM80LP	43139	6-32	1/2	.28	100
TM81LP	43155	6-32	3/4	.38	100
JTM81LP	43142	6-32	3/4	.38	100
TM81LP4M	41801	6-32	3/4	12.16	4000
TM81LPB	41781	6-32	3/4	34.20	9000
TM63LP	43156	6-32	1	.44	100
JTM63LP	43145	6-32	1	.44	100
TM68LP	43157	6-32	1 1/4	.52	100
JTM68LP	43148	6-32	1 1/4	.52	100
TM82LP	43158	6-32	1 1/2	.59	100
JTM82LP	43151	6-32	1 1/2	.59	100
TM83LP	43159	6-32	2	.72	100

**J=JAR PACKAGE - NO J=PLASTIC CLAMSHELL HANGING BOX
OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST**



PAN HEAD TRI-DRIVE TELECOM CABINET SCREWS

STEEL ZINC • BLACK OXIDE

For Use In Telecom Cabinets, Relay Racks And Patch Panels

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
STEEL ZINC					
JTEL1032	84440	10-32	5/8	.64	100/500
JTEL103234	84442	10-32	3/4	.74	100/500
JTEL1224	84445	12-24	5/8	.48	50/250
TEL1224	39096	12-24	5/8	.48	50/250
JTEL1228	84450	12-28	5/8	.48	50/250
TEL1228	39095	12-28	5/8	.52	50/250

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



PAN HEAD TRI-DRIVE TELECOM CABINET SCREWS

STEEL ZINC • BLACK OXIDE

For Use In Telecom Cabinets, Relay Racks And Patch Panels

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
BLACK OXIDE					
TEL1024BLK	39250	10-24	5/8	.31	50/250
JTEL1024BLK	84444	10-24	5/8	.62	100/500
TEL1032BLK	39260	10-32	5/8	.33	50/250
JTEL1032BLK	84441	10-32	5/8	.64	100/500
TEL1032BLKV	39262	10-32	5/8	3.06	500
TEL1224BLK	39097	12-24	5/8	.48	50/250
JTEL1224BLK	84446	12-24	5/8	.85	100/500
TEL1224BLKV	39099	12-24	5/8	4.08	500

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



Slotted



Phillips

Square
Drive**PAN HEAD TRI-DRIVE TAPPING SCREWS**

STEEL ZINC

Introduced nationally in 1994 by Metallics

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
JTTS12	80138	6	1/2	.29	100/500
JTTS14	80139	6	3/4	.36	100/500
JTTS14M	75500	6	3/4	3.60	1000
JTTS15	80140	6	1	.42	100/500
JTTS38	80141	6	1 1/2	.56	100/500
JTTS18	80142	8	1/2	.37	100/500
JTTS20	80143	8	3/4	.48	100/500
JTTS21	80144	8	1	.58	100/500
TTS21-5M	17321	8	1	5.80	5000
JTTS22	80145	8	1 1/4	.64	100/500
JTTS23	80146	8	1 1/2	.75	100/500
JTTS24	80147	8	2	.97	100/500

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

Slotted



Phillips

Square
Drive**PAN HEAD TRI-DRIVE
TAPPING SCREWS**


STEEL ZINC

Introduced nationally in 1994 by Metallics

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
JTTS25	80148	10	1/2	.50	100/500
JTTS27	80149	10	3/4	.64	100/500
JTTS28	80150	10	1	.75	100/500
JTTS29	80151	10	1 1/4	.88	100/500
JTTS30	80152	10	1 1/2	1.01	100/500
JTTS31	80153	10	2	1.26	100/500
TTS31B	27125	10	2	20.16	1600
JTTS33	80154	12	3/4	.82	100/500
TTS33B	27124	12	3/4	18.64	2440
JTTS34	80155	12	1	.98	100/500
JTTS35	80156	12	1 1/4	1.23	100/500
JTTS36	80157	12	1 1/2	1.32	100/500
JTTS37	80158	12	2	1.68	100

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

**ROUND WASHER HEAD
SQUARE/PHILLIPS TAPPING SCREWS**
STEEL ZINC



PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
100 PACK					
JRWS7	80263	8	½	.41	100/500
JRWS8	80264	8	¾	.52	100/500
JRWS9	80265	8	1	.59	100/500
JRWS10	80266	8	1¼	.69	100/500
JRWS11	80267	8	1½	.83	100/500
JRWS12	80268	8	2	1.00	100/500
JRWS26	80269	10	½	.55	100/500
JRWS27	80270	10	¾	.68	100/500
JRWS28	80271	10	1	.81	100/500
JRWS29	80272	10	1¼	.89	100/500
JRWS30	80273	10	1½	1.10	100/500
JRWS31	80274	10	2	1.30	100/500
500 PACK					
JRWS7V	97607	8	½	2.05	500
JRWS8V	97608	8	¾	2.60	500
JRWS9V	97609	8	1	2.95	500
JRWS10V	97610	8	1¼	3.45	500
JRWS11V	97611	8	1½	4.15	500
JRWS12V	97612	8	2	5.00	500
JRWS26V	97626	10	½	2.75	500
JRWS27V	97627	10	¾	3.16	500
JRWS28V	97628	10	1	4.05	500
JRWS29V	97629	10	1¼	4.45	500
JRWS30V	97630	10	1½	5.50	500
JRWS31V	97631	10	2	6.38	500
BULK					
RWS75B	54030	8	½	17.90	5000
RWS710B	54031	8	½	35.82	10000
JRWS10M	88910	8	1¼	6.90	1000
RWS105B	54052	8	1¼	34.50	5000
JRWS29M	88929	10	1¼	8.94	1000
WHITE					
JRWS12W	60420	8	2	1.00	100

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

Four drives in
one head



Hex



Slotted



Phillips

Square
Drive

HEX HEAD QUADRIVE TAPPING SCREWS

Indented Hex Washer, Slotted, Phillips, Square Recess Head

STEEL ZINC

First In The World

The Ideal Fastener For Light Gauge Sheet Metal

Introduced in 1999

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
1/4 HEAD					
QDS152	39100	8	1/2	.39	100/500
QDS152V	39116	8	1/2	1.95	500
QDS153	39101	8	3/4	.48	100/500
QDS153V	39117	8	3/4	2.40	500
QDS154	39102	8	1	.59	100/500
QDS156	39103	10	3/4	.55	100/500
QDS158	39104	10	1	.66	100/500
5/16 HEAD					
QDS181	39106	10	3/4	.68	100/500
QDS181V	39119	10	3/4	3.36	500
QDS182	39107	10	1	.82	100/500
QDS183	39108	10	1 1/4	.95	100/500
QDS184	39109	10	1 1/2	1.09	100/500
QDS185	39110	10	2	1.36	100
QDS185V	39118	10	2	6.80	500
QDS80	39111	10	2 1/2	1.62	100
QDS171	39112	12	1	.97	100/500
QDS172	39113	12	1 1/4	1.12	100/500
QDS174	39114	12	2	1.71	100

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

-  Hex
-  Slotted
-  Phillips
-  Square Drive



HEX HEAD QUADRIVE SELF-DRILLING AND TAPPING SCREWS

FIRST IN THE WORLD
DOMESTIC STEEL ZINC

Four drives in one head • Introduced in 1999

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
1/4 HEAD #2 DRILL POINT					
QTEKD1	39120	8	1/2	.38	100/500
QTEKD1V	98001	8	1/2	1.60	500
QTEKD2	39121	8	3/4	.48	100/500
QTEKD2V	98002	8	3/4	2.40	500
QTEKD14	39122	8	1	.58	100/500
QTEKD14V	98014	8	1	2.90	500
QTEKD4	39123	10	1/2	.41	100/500
QTEKD4V	98004	10	1/2	2.05	500
QTEKD3	39124	10	3/4	.52	100/500
QTEKD3V	98003	10	3/4	2.60	500
5/16 HEAD #2 DRILL POINT					
QTEKD5	39125	10	1/2	.54	100/500
QTEKD5V	98005	10	1/2	2.70	500
QTEKD5M	39141	10	1/2	5.80	1000
QTEKD17	39126	10	5/8	.59	100/500
QTEKD17V	98017	10	5/8	2.88	500
QTEKD17M	39133	10	5/8	5.40	1000
QTEKD6	39127	10	3/4	.66	100/500
QTEKD6V	98006	10	3/4	3.30	500
QTEKD6M	39142	10	3/4	7.00	1000
QTEKD7	39128	10	1	.79	100/500
QTEKD7V	98007	10	1	3.95	500

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

- Hex
- Slotted
- Phillips
- Square Drive



HEX HEAD QUADRIVE SELF-DRILLING AND TAPPING SCREWS

FIRST IN THE WORLD
DOMESTIC STEEL ZINC

Four drives in one head • Introduced in 1999

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
5/16 HEAD #2 DRILL POINT					
QTEKD7M	39143	10	1	8.70	1000
QTEKD18	39129	10	1¼	.91	100/500
QTEKD18V	98018	10	1¼	4.55	500
QTEKD18M	39134	10	1¼	9.90	1000
QTEKD19	39130	10	1½	1.05	100/500
QTEKD19V	98019	10	1½	5.25	500
QTEKD19M	39132	10	1½	11.40	1000
5/16 HEAD #3 DRILL POINT					
QTEKD12	39135	10	¾	.69	100/500
QTEKD12V	98012	10	¾	3.45	500
QTEKD13	39136	10	1	.81	100/500
QTEKD13V	98013	10	1	4.05	500
QTEKD20	39137	12	¾	.77	100/500
QTEKD20V	98020	12	¾	3.85	500
QTEKD8	39138	12	1	.95	100/500
QTEKD8V	98008	12	1	4.75	500

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

HEX HEAD HEAVY DUTY DRILL SCREWS

Heavy Duty Steel-To-Steel Application Steel Zinc/All-Weather Coating

- Hex



PART#	JAR UPC#	DIAMETER	LENGTH	DRILL POINT	WT. PER PKG.	STD. PKG. UM
DOMESTIC						
5/16 HEAD #5 DRILL POINT CORROSION RESISTANT						
TXV1278D	25816	12-24	1¼	#4	.98	100
TXV12114D	25817	12-24	1¼	#5	.78	50/250
TXV12112D	25818	12-24	1½	#5	.78	50
TXV12200D	25819	12-24	2	#5	.97	50
TXV143D	25826	¼-28	3	#5	1.70	50
TXV144D	25827	¼-28	4	#5	2.20	50
TXV145D	25828	¼-28	5	#5	2.60	50
TXV146D	25829	¼-28	6	#5	1.80	25
TXV148D	25831	¼-28	8	#5	2.33	25

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



**BUGLE HEAD PHILLIPS
FINE THREAD DRYWALL SCREWS**
DOMESTIC STEEL BLACK PHOSPHATE

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
JDWS3CD	76503	6	1¼	.46	100
JDWS4CD	76504	6	1 ⁵ / ₈	.56	100
JDWS5CD	76505	6	2	.71	100
JDWS2MD	61148	6	1 ¹ / ₈	3.80	1000
DWS3MD	76843	6	1¼	3.75	1000
DWS4MD	76844	6	1 ⁵ / ₈	4.75	1000
DWS5MD	76845	6	2	5.52	1000
DWS4BD	27119	6	1 ⁵ / ₈	13.42	2551
DWS5BD	27118	6	2	11.13	2015

**FLAT/PAN/ROUND HEAD SPANNER
TAMPER-RESIST MACHINE SCREWS**

18-8 STAINLESS

ALL ITEMS LISTED ARE SPECIAL ORDER ITEMS
PLEASE ALLOW 1-2 WEEKS FOR DELIVERY



SPANNER



SIZE	FLAT STOCK#	WT. PER PKG.	PAN STOCK#	WT. PER PKG.	STD. PKG. UM
6-32	DRIVER SIZE #6				
¼	TP324SFC	.15	-		100
3/8	TP326SFC	.20	-		100
½	TP300SFC	.23	TP300SPC	.28	100
5/8	TP327SFC	.29	-		100
¾	TP301SFC	.31	TP301SPC	.31	100
1	TP302SFC	.38	TP302SPC	.38	100
1¼	TP303SFC	.46	TP303SPC	.46	100
1½	TP304SFC	.53	TP304SPC	.53	100
2	TP305SFC	.68	TP305SPC	.76	100
3	TP701SFC	.98	TP326SPC	.99	100
4	TP353SFC	1.12	-		100
8-32	DRIVER SIZE #8				
3/8	TP328SFC	.30	-		100
½	TP306SFC	.33	TP306SPC	.35	100
5/8	TP329SFC	.41	TP328SPC	.41	100
¾	TP307SFC	.47	TP307SPC	.47	100
1	TP308SFC	.58	TP308SPC	.58	100
1¼	TP309SFC	.69	TP309SPC	.69	100
1½	TP310SFC	.80	TP310SPC	.80	100
2	TP311SFC	1.03	TP311SPC	1.03	100
3	-		TP327SPC	1.07	100

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

FLAT/PAN/ROUND HEAD SPANNER TAMPER-RESIST MACHINE SCREWS 18-8 STAINLESS

**ALL ITEMS LISTED ARE SPECIAL ORDER ITEMS
PLEASE ALLOW 1-2 WEEKS FOR DELIVERY**



SPANNER



SIZE	FLAT STOCK#	WT. PER PKG.	PAN STOCK#	WT. PER PKG.	STD. PKG. UM
10-24	DRIVER SIZE #10				
³ / ₈	TP330SFC	.42	-		100
¹ / ₂	TP312SFC	.49	TP312SPC	.49	100
⁵ / ₈	TP331SFC	.57	-		100
³ / ₄	TP313SFC	.57	TP313SPC	.64	100
1	TP314SFC	.78	TP314SPC	.80	100
1 ¹ / ₄	TP315SFC	.93	TP315SPC	.93	100
1 ¹ / ₂	TP316SFC	1.07	TP316SPC	1.07	100
2	TP317SFC	1.36	TP317SPC	1.39	100
2	-		TP624SFC	1.37	100
2 ¹ / ₂	TP625SFC	1.41	-		100
10-32	DRIVER SIZE #10				
³ / ₈	TP333SFC	.42	-		100
¹ / ₂	TP334SFC	.49	TP332SPC	.49	100
⁵ / ₈	TP335SFC	.57	TP351SPC	.57	100
³ / ₄	TP336SFC	.64	TP333SPC	.64	100
1	TP337SFC	.78	TP334SPC	.57	100
1 ¹ / ₄	TP338SFC	.93	TP335SPC	.93	100
1 ¹ / ₂	TP339SFC	1.07	TP336SPC	1.07	100
2	TP340SFC	1.36	TP337SPC	1.36	100
2 ¹ / ₂	TP341SFC	1.35	TP338SPC	1.36	100
12-24	DRIVER SIZE #10				
1	TP124SFC	1.08	TP702SPC	1.08	100

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

FLAT/PAN/ROUND HEAD SPANNER TAMPER-RESIST MACHINE SCREWS 18-8 STAINLESS

**ALL ITEMS LISTED ARE SPECIAL ORDER ITEMS
PLEASE ALLOW 1-2 WEEKS FOR DELIVERY**



SPANNER



SIZE	FLAT STOCK#	WT. PER PKG.	PAN STOCK#	WT. PER PKG.	STD. PKG. UM
1/4-20	DRIVER SIZE #14				
³ / ₈	TP342SFC	.85	-		
¹ / ₂	TP318SFC	.98	TP318SPC	.98	100
¹ / ₂	-		-		
⁵ / ₈	TP344SFC	1.11	-		100
³ / ₄	TP319SFC	1.24	TP319SPC	1.24	100
1	TP346SFC	1.50	TP320SPC	1.72	100
1 ¹ / ₄	TP321SFC	1.76	TP321SPC	1.76	100
1 ¹ / ₂	TP322SFC	2.02	TP322SPC	2.02	100
2	TP323SFC	2.50	TP323SPC	2.54	100
2 ¹ / ₂	TP350SFC	3.13	-		100
3	-		TP352SPC	3.88	100
1/4-20	DRIVER SIZE #14				
³ / ₄	-		TP325SPC	2.40	100
4	TP353SFC	5.22	-		100

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

**FLAT & BUTTON HEAD HEX & STAR PIN
TAMPER-RESIST SHEET METAL SCREWS**
18-8 STAINLESS

**ALL ITEMS LISTED ARE SPECIAL ORDER ITEMS
PLEASE ALLOW 1-2 WEEKS FOR DELIVERY**



HEX PIN						STAR PIN					
SIZE	Hex Head		BUTTON STOCK#	Hex Head		FLAT STOCK#	WT. PER PKG.	BUTTON STOCK#	WT. PER PKG.	STD. PKG. UM	
	FLAT STOCK#	WT. PER PKG.		WT. PER PKG.	STD. PKG. UM						
6	DRIVER SIZE 1/8					DRIVER SIZE T10	DRIVER SIZE T10				
3/8	TP520SFC	.23	TP520SBC	.23	100	-	-	-	-	-	
1/2	TP500SFC	.24	TP500SBC	.25	100	TP600SFC	.18	TP600SBC	.20	100	
5/8	TP521SFC	.28	TP521SBC	.28	100	-	-	-	-	-	
3/4	TP501SFC	.31	TP501SBC	.31	100	TP601SFC	.25	TP601SBC	.27	100	
1	TP502SFC	.30	TP502SBC	.34	100	TP602SFC	.32	TP602SBC	.34	100	
1 1/2	TP503SFC	.51	TP503SBC	.55	100	TP603SFC	.48	TP603SBC	.50	100	
8	DRIVER SIZE 5/32					DRIVER SIZE T15	DRIVER SIZE T15				
5/16	-	-	TP050SBC	.32	100	-	-	-	-	-	
3/8	-	-	TP522SBC	.25	100	-	-	-	-	-	
1/2	TP504SFC	.30	TP504SBC	.34	100	TP604SFC	.27	TP604SBC	.29	100	
5/8	TP522SFC	.40	TP523SBC	.40	100	-	-	-	-	-	
3/4	TP505SFC	.40	TP505SBC	.42	100	TP605SFC	.39	TP605SBC	.39	100	
1	TP506SFC	.68	TP506SBC	.68	100	TP606SFC	.48	TP606SBC	.48	100	
1 1/4	TP523SFC	.67	-	-	-	-	-	-	-	-	
1 1/2	TP507SFC	.83	TP507SBC	.83	100	TP607SFC	.72	TP607SBC	.67	100	
2	TP524SFC	.95	TP524SBC	.95	100	-	-	-	-	-	
10	DRIVER SIZE 5/32					DRIVER SIZE T20	DRIVER SIZE T20				
1/2	TP508SFC	.41	TP508SBC	.58	100	TP608SFC	.60	TP608SBC	.41	100	
5/8	TP525SFC	.53	TP525SBC	.53	100	-	-	-	-	-	
3/4	TP509SFC	.58	TP509SBC	.52	100	TP609SFC	.52	TP609SBC	.52	100	
1	TP510SFC	.69	TP510SBC	.65	100	TP610SFC	.65	TP610SBC	.65	100	
1 1/4	TP511SFC	1.04	TP511SBC	.65	100	TP611SFC	.80	TP611SBC	.80	100	
1 1/2	TP512SFC	1.20	TP512SBC	.94	100	TP612SFC	.83	TP612SBC	.90	100	
2	TP513SFC	1.20	TP513SBC	1.24	100	TP613SFC	1.06	TP613SBC	1.22	100	
2	TP624SFC	1.20	-	-	100	-	-	-	-	-	
2 1/2	TP526SFC	1.27	TP526SBC	1.52	100	-	-	-	-	-	
2 1/2	TP625SFC	1.27	-	-	100	-	-	-	-	-	
12	DRIVER SIZE 5/32										
1/2	TP527SFC	.64	TP527SBC	.65	100	-	-	-	-	-	
3/4	TP528SFC	.70	TP528SBC	.72	100	-	-	-	-	-	
1	TP529SFC	.98	TP529SBC	1.00	100	-	-	-	-	-	
1 1/4	TP530SFC	1.13	-	-	100	-	-	-	-	-	
1 1/2	TP531SFC	1.30	TP530SBC	1.33	100	-	-	-	-	-	
14	DRIVER SIZE 5/32					DRIVER SIZE T30	DRIVER SIZE T30				
1/2	TP514SFC	1.15	TP514SBC	1.15	100	TP614SFC	1.30	TP614SBC	1.30	100	
5/8	TP532SFC	.89	TP531SBC	.90	100	-	-	-	-	-	
3/4	TP515SFC	1.36	TP515SBC	1.36	100	TP615SFC	1.40	TP615SBC	1.40	100	
1	TP516SFC	1.60	TP516SBC	1.60	100	TP616SFC	1.60	TP616SBC	1.60	100	
1 1/4	TP517SFC	1.87	TP517SBC	1.87	100	TP617SFC	1.90	TP617SBC	1.90	100	
1 1/2	TP518SFC	2.00	TP518SBC	2.00	100	TP618SFC	2.12	TP618SBC	2.12	100	
2	TP519SFC	2.62	TP519SBC	2.62	100	TP619SFC	2.12	TP619SBC	2.12	100	

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

FLAT & BUTTON HEAD HEX & STAR PIN TAMPER-RESIST MACHINE SCREWS 18-8 STAINLESS

**ALL ITEMS LISTED ARE SPECIAL ORDER ITEMS
PLEASE ALLOW 1-2 WEEKS FOR DELIVERY**



HEX PIN



STAR PIN



SIZE	FLAT STOCK#	WT. PER PKG.	BUTTON STOCK#	WT. PER PKG.	STD. PKG. UM	FLAT STOCK#	WT. PER PKG.	BUTTON STOCK#	WT. PER PKG.	STD. PKG. UM
4-40	DRIVER SIZE 1/8					DRIVER SIZE T10				
1/4	-	-	-	-	-	-	-	TP122SBC	.09	-
6-32	DRIVER SIZE 1/8					DRIVER SIZE T10				
1/4	-	-	TP123SBC	.16	100	TP222SFC	.18	TP223SBC	.16	100
3/8	TP122SFC	.18	TP124SBC	.20	100	TP199SFC	.20	-	-	100
1/2	TP100SFC	.28	TP100SBC	.25	100	TP200SFC	.23	TP200SBC	.23	100
1/2	TP100SFC	.28	(Ivory)	-	100	-	-	-	-	-
3/4	TP101SFC	.35	TP101SBC	.35	100	TP201SFC	.31	TP201SBC	.31	100
1	TP102SFC	.40	TP102SBC	.41	100	TP202SFC	.41	TP202SBC	.42	100
1	TP102SFC	.40	(Ivory)	-	100	-	-	-	-	-
1 1/4	TP103SFC	.49	TP103SBC	.50	100	TP203SFC	.44	TP203SBC	.43	100
1 1/2	TP104SFC	.59	TP104SBC	.57	100	TP204SFC	.56	TP204SBC	.50	100
2	TP332SFC	.72	-	-	100	-	-	-	-	-
8-32	DRIVER SIZE 5/32					DRIVER SIZE T25				
1/4	-	-	-	-	-	TP224SFC	.22	TP225SBC	.24	100
3/8	TP125SFC	.27	TP125SBC	.34	100	TP225SFC	.30	TP226SBC	.30	100
1/2	TP105SFC	.31	TP105SBC	.35	100	TP205SFC	.35	TP205SBC	.35	100
3/4	TP106SFC	.41	TP106SBC	.47	100	TP206SFC	.48	TP206SBC	.47	100
1	TP107SFC	.52	TP107SBC	.58	100	TP207SFC	.58	TP207SBC	.58	100
1 1/4	TP108SFC	.72	TP108SBC	.72	100	TP208SFC	.61	TP208SBC	.67	100
1 1/2	TP109SFC	.84	TP109SBC	.80	100	TP209SFC	.84	TP209SBC	.78	100
2	TP110SFC	1.10	TP110SBC	1.11	100	TP210SFC	1.10	TP210SBC	1.12	100
10-24	DRIVER SIZE 5/32					DRIVER SIZE T25				
3/8	TP126SFC	.37	-	-	100	TP226SFC	.37	-	-	100
1/2	TP111SFC	.44	TP111SBC	.50	100	TP227SFC	.44	TP211SBC	.49	100
	-	-	-	-	100	TP228SFC	.57	-	-	100
3/4	TP112SFC	.58	TP112SBC	.64	100	TP212SFC	.64	TP212SBC	.64	100
1	TP113SFC	.78	TP113SBC	.78	100	TP213SFC	.76	TP213SBC	.78	100
1 1/4	TP114SFC	.87	TP114SBC	.95	100	TP214SFC	.93	TP214SBC	.93	100
1 1/2	TP115SFC	.98	TPS701SBC	1.07	100	TP215SFC	1.10	TP215SBC	1.11	100
10-32	DRIVER SIZE 5/32					DRIVER SIZE T25				
3/8	TP127SFC	.37	-	-	100	TP229SFC	.42	TP227SBC	.42	100
1/2	TP128SFC	.44	-	-	100	TP623SFC	.49	TP228SBC	.49	100
5/8	-	-	-	-	-	-	-	TP229SBC	.54	100
3/4	TP129SFC	.58	-	-	100	TP231SFC	.64	TP230SBC	.64	100
1	TP130SFC	.76	TP126SBC	.78	100	TP232SFC	.78	TP231SBC	.78	100
1 1/4	-	-	-	-	-	TP233SFC	.93	TP232SBC	.93	100
1 1/2	TP131SFC	1.08	-	-	100	TP707SFC	1.04	TP233SBC	1.05	100
2	-	-	-	-	-	TP708SFC	1.13	-	-	100
12-24	DRIVER SIZE 5/32									
*1/2	-	-	TP704SBC	.46	100	-	-	-	-	-
1/2	-	-	TP720SBC	.44	100	-	-	-	-	-
1	TP123SFC	.22	-	-	100	-	-	-	-	-

*BLACK OXIDE - OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

**FLAT & BUTTON HEAD HEX & STAR PIN
TAMPER-RESIST MACHINE SCREWS**
18-8 STAINLESS

**ALL ITEMS LISTED ARE SPECIAL ORDER ITEMS
PLEASE ALLOW 1-2 WEEKS FOR DELIVERY**



HEX PIN



STAR PIN



HEX PIN					STAR PIN					
SIZE	FLAT STOCK#	WT. PER PKG.	BUTTON STOCK#	WT. PER PKG.	STD. PKG. UM	FLAT STOCK#	WT. PER PKG.	BUTTON STOCK#	WT. PER PKG.	STD. PKG. UM
5/16-18 DRIVER SIZE 5/32					DRIVER SIZE T30					
3/8	-	-	TP127SBC	1.27	100	-	-	-	-	-
1/2	TP133SFC	1.48	TP128SBC	1.88	100	-	-	-	-	-
3/4	TP134SFC	1.96	TP129SBC	2.10	100	-	-	-	-	-
1	TP135SFC	2.34	TP130SBC	2.28	100	-	-	-	-	-
1 1/4	TP136SFC	2.72	TP131SBC	3.82	100	-	-	-	-	-
1 1/2	TP137SFC	3.09	TP132SBC	3.15	100	-	-	-	-	-
2	TP138SFC	4.06	TP133SBC	4.00	100	-	-	-	-	-
1/4-20 DRIVER SIZE 5/32					DRIVER SIZE T30					
3/8	-	-	-	-	-	TP235SFC	.78	TP234SBC	.79	100
1/2	TP116SFC	.88	TP116SBC	.98	100	TP216SFC	.98	TP216SBC	.98	100
5/8	-	-	-	-	-	TP236SFC	1.04	-	-	100
3/4	TP117SFC	1.06	TP117SBC	1.24	100	TP217SFC	1.24	TP217SBC	1.24	100
1	TP118SFC	1.35	TP118SBC	1.50	100	TP218SFC	1.50	TP218SBC	1.50	100
1 1/4	TP119SFC	1.58	TP119SBC	1.76	100	TP219SFC	1.76	TP219SBC	1.76	100
1 1/2	TP120SFC	1.82	TP120SBC	2.02	100	TP220SFC	2.02	TP220SBC	2.02	100
2	TP121SFC	2.46	TP121SBC	2.54	100	TP221SFC	2.38	TP221SBC	2.38	100
3/8-16 DRIVER SIZE 5/32					DRIVER SIZE T30					
1/2	TP139SFC	2.39	TP134SBC	2.34	100	-	-	-	-	-
3/4	TP140SFC	3.10	TP135SBC	3.08	100	-	-	TP222SBC	3.10	100
1	TP141SFC	3.66	TP136SBC	3.67	100	-	-	-	-	-
1 1/4	TP142SFC	4.21	TP137SBC	4.26	100	-	-	-	-	-
1 1/2	TP143SFC	4.76	TP138SBC	4.86	100	-	-	-	-	-
2	TP144SFC	5.85	TP139SBC	6.10	100	-	-	-	-	-
1/2-13 DRIVER SIZE 5/32										
1	-	-	TP140SBC	6.90	100	-	-	-	-	-
1 1/2	-	-	TP141SBC	9.00	100	-	-	-	-	-
2	-	-	TP142SBC	12.00	100	-	-	-	-	-
2 1/2	-	-	TP143SBC	13.67	100	-	-	-	-	-
3	-	-	TP144SBC	16.10	100	-	-	-	-	-
3 1/2	-	-	TP145SBC	18.70	100	-	-	-	-	-

*BLACK OXIDE - OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



Hex Head

MAGNETIC HAND DRIVER

BIT STORAGE IN HANDLE
(Order bits separately)

PART#	UPC#	SIZE/TYPE	WT. PER PKG.	STD. PKG. UM
HDT14	41265	¼ Hex	.24	1

Slotted

Phillips

Square Drive

Three drives in one head!



ROUND HEAD TRI-DRIVE MACHINE SCREW KITS

STEEL ZINC



Drive bit included in each pack.

PART#	UPC#	DIAMETER	LENGTH	QTY.	WT. PER PKG.	STD. PKG. UM
TRMK632 (415 pcs)	76877	6-32	½	50	2.53	1
		6-32	¾	50		
		6-32	1	75		
		6-32	1½	100		
		6-32	2	140		
		#1	1 Square Power Bit	1		
TRMK832 (375 pcs)	76878	8-32	½	75	2.50	1
		8-32	¾	75		
		8-32	1	75		
		8-32	1¼	50		
		8-32	1½	50		
		8-32	2	50		
#2	1 Square Power Bit	1				
TRMK1032 (600 pcs)	76879	10-32	¼	200	3.92	1
		10-32	½	200		
		10-32	1	200		
		#3	2 Square Power Bit	1		
TRMK1420 (124 pcs)	76880	¼-20	½	35	2.08	1
		¼-20	¾	30		
		¼-20	1	20		
		¼-20	1¼	15		
		¼-20	1½	12		
		¼-20	2	12		
#3	2 Square Power Bit	1				

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



TRUSS HEAD RECEPTACLE & WIRING DEVICE SCREW KIT
STEEL ZINC



Screws have a lead point and are steel zinc.
Each kit includes a #1 Phillips x 2" Power Bit.

PART#	UPC#	DIAMETER	LENGTH	QTY.	WT. PER PKG.	STD. PKG. UM
TMSK1	39631	6-32	1/2	100	1.67	1
		6-32	3/4	90		
		6-32	1	65		
		6-32	1 1/4	50		
		6-32	1 1/2	40		
		6-32	2	35		



PAN HEAD TRI-DRIVE SHEET METAL SCREW KITS
STEEL ZINC

Power bits and drivers included

PART#	UPC#	ITEM	WT. PER PKG.	STD. PKG. UM
TTSK8	76888	300 pcs - #8 Pan Head Tri-Drive (square/phillips/slotted) 100 - 1/2, 75 - 3/4, 50 - 1, 30 - 1 1/4, 25 - 1 1/2, 20 - 2 1 - #2 Bit 2 Long	1.61	1/25
TTSK10	10499	245 pcs - #10 Pan Head Tri-Drive (square/phillips/slotted) 75 - 1/2, 50 - 3/4, 45 - 1, 30 - 1 1/4, 25 - 1 1/2, 20 - 2 1 - #2 2 Square Drive Power Bit - 100R2B	1.75	1/25

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



QUADRIVE SELF-DRILLING TAPPING SCREW KIT
DOMESTIC STEEL ZINC



PART#	UPC#	DIAMETER	LENGTH	HEAD SIZE	QTY.	WT. PER PKG.	STD. PKG. UM	
QTEKDK1	39301	8	1/2	1/4	100	1.69	1	
		8	3/4	1/4	50			
		8	1	1/4	40			
		10	1/2	5/16	50			
		10	3/4	5/16	35			
		10	1	5/16	30			
				1/4 Driver				1
				5/16 Driver				1



HEX NUTS

DOMESTIC STEEL ZINC • DOMESTIC GRADE 5 STEEL ZINC

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM
DOMESTIC STEEL ZINC				
JN160D	50069	8-32	.31	100/500
JN161D	50066	10-24	.38	100/500
JN162D	50070	10-32	.36	100/500
JN163D	50067	¼-20	.74	100/500
JN165D	50068	¾-16	1.58	100/500
JN166D	50071	½-13	1.86	50
DOMESTIC GRADE 5 STEEL ZINC				
JG5N163D	71505	¼-20	.78	100/500
JG5N165D	83919	¾-16	1.56	100/500
JG5N166D	60411	½-13	1.82	50/250



HEX NUTS

DOMESTIC 18-8 STAINLESS

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM
DOMESTIC 18-8 STAINLESS				
JSN10D	94810	6-32	.26	100/500
JSN11D	94811	8-32	.30	100/500
JSN13D	94813	10-32	.32	100/500
JSN14D	94814	¼-20	.77	100/500
JSN16D	94816	¾-16	1.63	100
JSN18D	94818	½-13	1.92	50


OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



HEX NUTS

DOMESTIC 316 STAINLESS • DOMESTIC SILICON BRONZE

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM
DOMESTIC 316 STAINLESS				
JSN1431SSD	65366	¼-20	.80	100/500
DOMESTIC SILICON BRONZE				
JSBN38D	73338	¾-16	1.82	100



SPRING NUTS

DOMESTIC STEEL ZINC

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM
DOMESTIC STEEL ZINC SPRING NUTS				
MSNR1420D	24636	¼-20	6.68	100/500
MSNR3816D	24637	¾-16	8.34	100/500
MSNR1213D	24638	½-13	9.35	100/500

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



FLAT WASHERS

DOMESTIC • STEEL ZINC • 18-8 STAINLESS • 316 STAINLESS

PART#	UPC#	I.D./O.D.	SIZE	WT. PER PKG.	STD. PKG. UM
DOMESTIC STEEL ZINC					
JSW72D	84186	$7/32 \times 1/2$	10	.32	100
JSW73D	71506	$9/32 \times 5/8$	$1/4$.52	100/500
JSW75D	84185	$13/32 \times 13/16$	$3/8$.81	100/500
JSW76D	60410	$17/32 \times 1 1/16$	$1/2$	1.77	100/500
DOMESTIC 18-8 STAINLESS					
JSSW12D	78468	$9/32 \times 5/8$	$1/4$.40	100/500
JSSW14D	78771	$13/32 \times 13/16$	$3/8$.61	100/500
JSSW15D	78474	$17/32 \times 1 1/16$	$1/2$	1.40	100
DOMESTIC 316 STAINLESS					
JSSW121D	65321	$9/32 \times 5/8$	$1/4$.36	100/500



FENDER WASHERS

DOMESTIC • STEEL ZINC • DOMESTIC 18-8 STAINLESS

PART#	UPC#	I.D./O.D.	WT. PER PKG.	STD. PKG. UM
DOMESTIC STEEL ZINC				
JW113D	53370	$1/4 \times 1$	1.16	100/500
JW116D	71504	$1/4 \times 1 1/4$	2.44	100/500
JW114D	53371	$1/4 \times 1 1/2$	2.34	100/500
JW119D	82916	$3/8 \times 1 1/4$	2.30	100/500
JW117D	63435	$3/8 \times 1 1/2$	2.82	100
DOMESTIC 18-8 STAINLESS STEEL				
JW119SSD	50063	$3/8 \times 1 1/4$	1.37	100/500
JW113SSD	50062	$1/4 \times 1$	1.16	100/500
JW1201SSD	90777	$1/2 \times 1 1/2$	2.49	100/500

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

SPLIT LOCKWASHERS

DOMESTIC STEEL ZINC • DOMESTIC 18-8 STAINLESS
DOMESTIC 316 STAINLESS • DOMESTIC SILICON BRONZE



PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM
DOMESTIC STEEL ZINC				
JLW172D	82543	$1/4$.29	100/500
JLW174D	82544	$3/8$.66	100/500
JLW175D	50065	$1/2$	1.32	100/500
DOMESTIC 18-8 STAINLESS				
JSLW7D	95241	$1/4$.31	100
JSLW9D	78766	$3/8$.67	100
JSLW10D	78767	$1/2$	1.40	100
DOMESTIC 316 STAINLESS				
JSLW91D	78775	$3/8$.67	100/500
DOMESTIC SILICON BRONZE				
JBLW38D	79008	$3/8$.75	100
JBLW12D	79005	$1/2$	1.41	100



MASTER SEAL WASHERS
18-8 STAINLESS • GALVANIZED STEEL

PART#	UPC#	SIZE (INT. DIA.)	OVERALL DIAMETER	WT. PER PKG.	STD. PKG. UM
18-8 STAINLESS					
JMSWS20	91092	6	3/8	.16	100/500
JMSWS30	82381	8-10	1/2	.26	100/500
JMSWS31	82382	12-1/4	5/8	.38	100/500
JMSW22SS	60312	12	9/16	.22	100/500
MSWS35B	61170	1/4	5/8	4.12	1425
JMSWS24	82360	5/16	5/8	.30	100/500
JMSWS23	91096	5/16	3/4	.42	100/500
JMSWS25	91097	3/8	3/4	.36	100/500
GALVANIZED STEEL					
JMSW20	82375	6	3/8	.18	100/500
JMSW21	82376	8-10	1/2	.26	100/500
JMSW22	82377	12	9/16	.32	100/500
JMSW23	82378	1/4	5/8	.36	100/500
MSW23M	12863	1/4	5/8	3.25	1000
JMSW24	82379	5/16	3/4	.47	100/500
JMSW25	82380	3/8	3/4	.40	100/500
JMSW26	60316	1/2	1	.52	100

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



STEEL BUILDING CONSTRUCTION
MASTER SEAL® WASHER KIT
GALVANIZED STEEL

PART#	KIT UPC#	DESCRIPTION	WT. PER PKG.	STD. PKG. UM
MSWP120	12694	120 pcs - Plastic Box of Assorted Steel Galvanized Washers containing a total of 120 pieces. 20 each of #6, #8-10, #12, 1/4", 5/16", and 3/8"	.53	1/25

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



GRADE 5 HEX BOLTS

DOMESTIC USA • STEEL ZINC



PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
DOMESTIC USA STEEL ZINC					
JG5HC1D	71507	¼ -20	¾	1.49	100/500
JG5HC2D	71508	¼ -20	1	1.75	100/500
JG5HC49D	89767	¼ -20	1¼	2.15	100/500
JG5HC3D	89700	¼ -20	1½	2.44	100
JG5HC88D	63420	¾ -16	½	2.88	100/500
JG5HC44D	81434	¾ -16	¾	3.51	100/500
JG5HC45D	82542	¾ -16	1	4.19	100
JG5HC59D	63419	¾ -16	1¼	4.84	100
JG5HC23D	81432	¾ -16	1½	5.53	100
JG5HC24D	81433	¾ -16	2	7.20	100
JG5HC25D	82096	¾ -16	2½	4.41	50
JG5HC26D	71526	¾ -16	3	5.20	50
JG5HC62D	89766	⅝ -11	1½	4.65	50
G5HC72D	61872	⅝ -11	4	10.00	25
JG5HC64D	82093	½ -13	1¼	9.46	100
JG5HC47D	81436	½ -13	1½	5.41	50
JG5HC33D	24353	½ -13	2	7.03	50
JG5HC47D	81436	½ -13	1½	5.41	50
G5HC77D	82547	¾ -10	1	10.60	100



HEX BOLTS

DOMESTIC • SILICON BRONZE



PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
DOMESTIC SILICON BRONZE					
JBBH59D	84944	¾ -16	1¼	5.26	100
JBBH47D	79147	½ -13	1½	5.87	50



STEEL ZINC

18-8 STAINLESS

GALVANIZED

HEX TAP BOLTS

18-8 STAINLESS

Full Thread
Domestic USA

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
DOMESTIC 18-8 STAINLESS					
JSHTB37D	69853	½ -13	¾	8.11	100
JSHTB46D	69857	½ -13	1	4.71	50
JSHTB48D	69859	½ -13	1¼	5.31	50
JSHTB38D	69854	½ -13	1 ³ / ₈	5.62	50
JSHTB47D	69858	½ -13	1½	5.84	50
JSHTB50D	69860	½ -13	1¾	6.54	50
JSHTB44D	69855	¾ -16	¾	3.92	100
JSHTB45D	69856	¾ -16	1	4.55	100
JSHTB62D	69861	⅝ -18	1	3.27	25
JSHTB63D	69862	⅝ -18	1¼	4.71	100
JSHTB64D	69863	¾ -16	1¾	1.72	25
JSHTB65D	69864	⅝ -11	2¼	13.56	50
JSHTB661D	69865	¾ -10	1½	19.48	50

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



HEX BOLTS

DOMESTIC USA 18-8 STAINLESS • 316 STAINLESS



PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
DOMESTIC 18-8 STAINLESS					
JSBH11D	94801	¼-20	½	1.23	100
JSBH5D	94807	¼-20	5/8	1.34	100
JSBH1D	95240	¼-20	¾	1.49	100
JSBH78D	93890	¼-20	7/8	1.62	100
JSBH2D	94802	¼-20	1	1.75	100
JSBH49D	93400	¼-20	1¼	2.12	50
JSBH3D	94802	¼-20	1½	2.44	100
JSBH36D	94805	¼-20	1¾	2.80	100
JSBH4D	94806	¼-20	2	3.23	100
JSBH51D	94808	¼-20	2¼	3.64	100
JSBH41D	94497	¼-20	2½	3.89	100
JSBH412D	94498	¼-20	3	4.66	100
JSBH413D	94498	¼-20	3½	5.42	100

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



HEX BOLTS

DOMESTIC USA 18-8 STAINLESS • 316 STAINLESS




PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
DOMESTIC 18-8 STAINLESS					
JSBH44D	94200	3/8-16	¾	1.79	50
JSBH45D	94894	3/8-16	1	4.19	100
JSBH59D	94895	3/8-16	1¼	4.87	100
JSBH23D	94896	3/8-16	1½	5.65	100
JSBH27D	94897	3/8-16	1¾	6.47	100
JSBH24D	94898	3/8-16	2	7.24	100
JSBH31D	93896	3/8-16	2¼	8.12	100
JSBH25D	93897	3/8-16	2½	4.12	50
JSBH26D	93898	3/8-16	3	5.23	50
JSBH28D	93899	3/8-16	3½	5.96	50
JSBH81D	92823	½-13	¾	3.61	50
JSBH46D	95238	½-13	1	4.39	50
JSBH64D	83674	½-13	1¼	4.80	50
JSBH47D	94242	½-13	1½	5.44	50
JSBH65D	95244	½-13	1¾	5.94	50
JSBH33D	95245	½-13	2	6.85	50
JSBH39D	92828	½-13	2¼	6.91	50
JSBH34D	92829	½-13	2½	8.20	50
JSBH35D	92830	½-13	3	9.48	50
DOMESTIC 316 STAINLESS					
JSBH231D	65431	¼-20	¾	1.50	100/500
JSBH234D	65434	¼-20	1	1.78	100/500
JSBH236D	65436	¼-20	1½	2.52	100
JSBH252D	98301	3/8-16	1	4.20	100

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



U-BOLTS

STEEL ZINC • 18-8 STAINLESS • GALVANIZED
With Hex Nuts




PART#	UPC#	THREAD DIA (A)	INSIDE LENGTH (B)	INSIDE WIDTH (C)	THREAD LENGTH (D)	WT. PER PKG.	STD. PKG. UM
STEEL ZINC U-BOLTS WITH NUTS							
UB01	25800	¼-20	1¼	9/16	¾	.52	10
UB03	25810	¼-20	2¼	¾	1½	.72	10
UB04	25815	¼-20	1¾	1	1	.63	10
UB05	25820	¼-20	2	1 1/8	1	.69	10
UB06	25825	¼-20	2¼	1¼	1¼	.72	10
UB07	25830	¼-20	2¾	1½	1 3/8	.90	10
UB08	25835	¼-20	3	1¾	1 3/8	.90	10
UB09	25840	¼-20	3¼	2	1 3/8	1.07	10
UB010	25845	5/16-18	2 3/16	1	1 3/8	1.17	10
UB011	25855	5/16-18	2 3/16	1 3/8	1	1.21	10
UB012	25860	5/16-18	2 3/16	1½	1	1.20	10
UB013	25865	5/16-18	2 11/16	1¾	1 1/8	1.40	10
UB014	25870	5/16-18	2 11/16	2	1	1.44	10
UB015	25875	5/16-18	3 3/16	2½	1	1.65	10
*UB015PL	25876	5/16-18	3 3/16	2½	1	1.65	10
UB016	25880	5/16-18	3 11/16	3	1	2.03	10
UB017	25885	3/8-16	2¼	1	1¼	1.77	10
UB018	25895	3/8-16	2½	1½	1¼	1.76	10
UB019	25900	3/8-16	2¾	1¾	1 1/8	2.12	10
UB021	25905	3/8-16	2 5/8	2	1¼	2.10	10
*UB021PL	25906	3/8-16	2 5/8	2	1¼	2.10	10
UB022	25910	3/8-16	3 1/8	2½	1¼	4.33	10
UB023	25915	3/8-16	3 5/8	3	1¼	4.09	10
*UB023PL	25916	3/8-16	3 5/8	3	1¼	4.09	10
UB024	25920	3/8-16	4 1/8	3½	1¼	3.32	10
*UB024PL	25921	3/8-16	4 1/8	3½	1¼	3.32	10
UB025	28924	½-13	5	3½	1½	6.59	10
UB026	25926	½-13	6	4½	1½	7.76	10
*UB026PL	25923	½-13	6	4¼	1½	7.76	10
UB045	25945	½-13	8 3/8	6¾	2	9.53	10
18-8 STAINLESS U-BOLTS WITH NUTS							
UBS01	26100	¼-20	1¼	9/16	¾	.52	10
UBS03	26110	¼-20	2¼	¾	1½	.74	10
UBS04	26115	¼-20	1¾	1	1	.58	10

*WITH PLATE AND NUTS – OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST




U-BOLTS
STEEL ZINC • 18-8 STAINLESS • GALVANIZED
With Hex Nuts



PART#	UPC#	THREAD DIA (A)	INSIDE LENGTH (B)	INSIDE WIDTH (C)	THREAD LENGTH (D)	WT. PER PKG.	STD. PKG. UM
18-8 STAINLESS U-BOLTS WITH NUTS							
UBS05	26120	¼-20	2	1⅛	1	1.01	10
UBS06	26125	¼-20	2¼	1¼	1¼	.69	10
UBS07	26130	¼-20	2¾	1½	1⅜	.81	10
UBS08	26135	¼-20	3	1¾	1⅜	.92	10
UBS09	26140	¼-20	3¼	2	1⅜	.97	10
UBS010	26145	5/16-18	2⅜/16	1	1⅜	1.17	10
UBS011	26150	5/16-18	2⅜/16	1⅜	1	1.18	10
UBS516138	10307	5/16-18	2⅜/16	1⅜	1	5.90	50
UBS012	26155	5/16-18	2⅜/16	1½	1	1.23	10
UBS013	26160	5/16-18	2⅞/16	1¾	1⅛	1.40	10
UBS516134	10308	5/16-18	2⅞/16	1¾	1⅜	7.00	50
UBS014	26165	5/16-18	2⅞/16	2	1	1.43	10
UBS015	26170	5/16-18	3⅜/16	2½	1	1.72	10
UBS016	26175	5/16-18	3⅞/16	3	1	2.03	10
UBS017	26180	3/8-16	2¼	1	1¼	1.77	10
UBS018	26190	3/8-16	2½	1½	1¼	1.78	10
UBS020	26195	3/8-16	2¾	1¾	1⅛	2.09	10
UBS021	26200	3/8-16	2⅝/8	2	1¼	2.17	10
UBS022	26205	3/8-16	3⅛/8	2½	1¼	2.70	10
UBS023	26210	3/8-16	3⅝/8	3	1¼	2.91	10
UBS38212	10306	3/8-16	3⅝/8	3	1¼	14.55	50
UBS024	26215	3/8-16	4⅛/8	3½	1¼	3.12	10
UBS025	26216	½-13	6	4½	1½	7.20	10
GALVANIZED U-BOLTS WITH NUTS							
UBG010	76810	5/16-18	2⅜/16	1	1⅜	2.06	10
UBG014	76814	5/16-18	2⅞/16	2	1	2.10	10
UBG015	76815	5/16-18	3⅜/16	2½	1	2.41	10
UBG018	60399	3/8-16	2½	1½	1¼	2.08	10
UBG021	76821	3/8-16	2⅝/8	2	1¼	2.04	10
UBG022	76822	3/8-16	3⅛/8	2½	1¼	2.36	10
UBG023	76823	3/8-16	3⅝/8	3	1¼	2.75	10

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



QUADRIVE CONCRETE SCREW ANCHORS

"STOP THE SNAPPING"
It's a Screw and an Anchor

Large fillet under head to fit $\frac{3}{16}$ " and $\frac{1}{4}$ " holes provides greater driving strength

Fluted, interrupted threads aid tapping into masonry products

Hilo threads for faster application

Silver color to match conduit, strap and concrete

A coating is applied after heat-treating to provide anti-corrosion protection. The coating is a RoHS compliant mechanical zinc coating that offers 2000 hours to 15% red rust corrosion in salt spray testing performed to ASTM B117 specifications.

Metallics offers our Distributor/Contractor users an alternative to the blue color of standard concrete screws. Silver color is cosmetically appealing when used with zinc plated or stainless steel brackets, electrical fixtures or conduit.

The QuaDrive




METALLICS



The Gold Standard of Concrete Screws

QUADRIVE CONCRETE SCREW ANCHOR
STEEL MECHANICAL ZINC/CORROSION RESISTANT



FOUR DRIVES IN ONE HEAD
Hex, Slotted, Phillips & Square Drives
One Masonry Drill Packaged with Every Jar.

Cuts threads in structural concrete, hollow block, brick and mortar. A unique double lead and cutting thread speeds installation.

PART#	UPC#	DIAMETER	LENGTH	DRILL STOCK NO.	WT. PER PKG.	STD. PKG. UM
¼" HEAD						
QCSH1	39145	3/16	1¼	CD1	.79	100/500
QCSH2	39146	3/16	1¾	CD1	1.12	100/500
QCSH3	39147	3/16	2¼	CD2	1.39	100
5/16" HEAD						
QCSH10	39148	¼	1¼	CD5	1.43	100/500
QCSH20	39149	¼	1¾	CD5	1.86	100/500
QCSH30	39150	¼	2¼	CD6	2.29	100
QCSH40	39151	¼	2¾	CD6	2.77	100

ONE MASONRY DRILL AND INSERT BIT PACKAGED WITH EVERY JAR.

1000 BULK PACK IN CARTON – CONCRETE SCREWS ONLY

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
QCSH1B	39152	3/16	1¼	8.30	1000
QCSH2B	39153	3/16	1¾	15.10	1000
QCSH3B	39154	3/16	2¼	18.00	1000
QCSH10B	39155	¼	1¼	10.35	1000
QCSH20B	39156	¼	1¾	17.80	1000
QCSH30B	39157	¼	2¼	22.47	1000
QCSH40B	39158	¼	2¾	34.50	1000

MASONRY DRILLS NOT INCLUDED IN 1000 PACK.

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



Four drives in one head



QUADRIVE CONCRETE SCREW ANCHOR KITS
STEEL MECHANICAL ZINC /CORROSION RESISTANT

PART#	UPC#	SIZE/ITEM	QTY.	WT. PER PKG.	STD. PKG. UM
QCSHK1 (112 pcs) 3/16" Kit	39200	3/16 x 1¼ – 4 Drives	50	1.33	1/25
		3/16 x 1¾ – 4 Drives	35		
		3/16 x 2¼ – 4 Drives	25		
		5/32 x 3½ Masonry Drill	1		
		¼ Drill Chuck	1		
QCSHK2 (112 pcs) ¼" Kit	39204	¼ x 1¼ – 4 Drives	50	2.11	1/25
		¼ x 1¾ – 4 Drives	35		
		¼ x 2¼ – 4 Drives	25		
		3/16 x 3½ Masonry Drill	1		
		5/16 Drill Chuck	1		

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



FLAT HEAD SQUARE DRIVE CONCRETE ANCHOR SCREW

STEEL MECHANICAL ZINC /CORROSION RESISTANT

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
FSCS1	39651	3/16	1¼	.65	100/500
FSCS2	39652	3/16	1¾	.85	100/500
FSCS10	39660	¼	1¼	1.30	100/500
FSCS30	39670	¼	2¼	2.35	100
FSCS40	39675	¼	2¾	2.80	100



BLUE CONCRETE SCREW ANCHOR

It's A Tapping Screw Anchoring System

DOMESTIC STAINLESS STEEL • STEEL MECHANICAL
ZINC /CORROSION RESISTANT

One Masonry Drill Packaged with Every Jar.




Hex




Slotted

INDENTED HEX SLOTTED WASHER HEAD



Cuts threads in structural concrete, hollow block, brick and mortar. A unique double lead and cutting thread speeds installation.

PART#	UPC#	DIAMETER	LENGTH	DRILL STOCK NO.	WT. PER PKG.	STD. PKG. UM
DOMESTIC 5/16" HEX DRIVER						
CSH10D	87111	¼	1¼	CD5	1.28	100



DROP-IN ANCHORS

DOMESTIC

PART#	UPC#	SIZE	HOLE SIZE	ANCHOR LENGTH	WT. PER PKG.	STD. PKG. UM
DOMESTIC STEEL ZINC W/TOOL						
JDIA14D	77173	¼-20	3/8	1	3.01	100
JDIA38D	77177	3/8-16	½	1 ⁹ / ₁₆	3.54	50
JDIA12D	50064	½-13	5/8	2	6.41	50



WEDGE ANCHORS

DOMESTIC STEEL ZINC • DOMESTIC 18-8 STAINLESS • DOMESTIC 316 STAINLESS

PART#	UPC#	DRILL DIAMETER	LENGTH	THREAD LENGTH	MIN. DEPTH	WT. PER PKG.	STD. PKG. UM
DOMESTIC STEEL ZINC							
JTS1134D	99918	¼	1¾	1 ³ / ₁₆	1 ¹ / ₈	3.12	100/500
JTS1214D	99919	¼	2¼	1 ⁷ / ₁₆	1 ¹ / ₈	3.68	100/500
JTS103D	99922	¼	3¼	2 ⁷ / ₁₆	1 ¹ / ₈	4.57	100/500
JTS516234D	99923	5 ¹ / ₁₆	2¾	1 ¹ / ₈	1½	4.69	100/500
JTS5163D	99924	5 ¹ / ₁₆	3	1 ¹ / ₈	1½	5.02	100/500
JTS5164D	99925	5 ¹ / ₁₆	4	1 ¹ / ₈	1½	6.35	100/500
JTS3218D	99926	3 ³ / ₈	2¼	1 ¹ / ₈	1¾	8.05	100/500
JTS3234D	99927	3 ³ / ₈	2¾	1 ⁵ / ₈	1¾	9.30	100/500
JTS303D	99928	3 ³ / ₈	3	1 ⁷ / ₈	1¾	9.92	100/500
TS3312D	99929	3 ³ / ₈	3½	2½	1¾	12.82	100
JTS312D	99942	3 ³ / ₈	3¾	2 ⁵ / ₈	1¾	5.85	50/250
TS385D	99943	3 ³ / ₈	5	3 ⁷ / ₈	1¾	7.45	50
TS387D	99944	3 ³ / ₈	7	5 ⁷ / ₈	1¾	10.05	50
JTS4234D	99945	½	2¾	1¼	2¼	9.10	50/250
JTS4334D	99946	½	3¾	2 ⁵ / ₁₆	2¼	11.00	50/250
JTS4414D	99947	½	4¼	2 ¹³ / ₁₆	2¼	6.12	25/125
TS4512D	99948	½	5½	4 ¹ / ₁₆	2¼	7.28	25
TS407D	99949	½	7	4 ⁹ / ₁₆	2¼	9.55	25
TS12812D	99950	½	8½	6	2¼	20.82	25
TS1210D	99951	½	10	6	2¼	27.01	25
TS1212D	99952	½	12	6	2¼	35.00	25
JTS5312D	99953	5 ⁵ / ₈	3½	1 ⁷ / ₈	2¾	9.22	25/125
JTS5412D	99954	5 ⁵ / ₈	4½	2 ⁷ / ₈	2¾	10.48	25/125
TS505D	99955	5 ⁵ / ₈	5	3 ³ / ₈	2¾	11.60	25
TS506D	99956	5 ⁵ / ₈	6	4 ³ / ₈	2¾	9.00	25
TS507D	99957	5 ⁵ / ₈	7	5 ³ / ₈	2¾	21.00	25
TS508D	99958	5 ⁵ / ₈	8	6	2¾	22.00	25
TS5810D	99959	5 ⁵ / ₈	10	6	2¾	25.00	25
TS5812D	99960	5 ⁵ / ₈	12	6	2¾	31.00	25
JTS6414D	99961	¾	4¼	2 ³ / ₈	3 ³ / ₈	9.44	10
TS6434D	99962	¾	4¾	2 ⁷ / ₈	3 ³ / ₈	10.44	10
TS6512D	99963	¾	5½	3 ⁵ / ₈	3 ³ / ₈	12.05	10
JTS6614D	99964	¾	6¼	4 ³ / ₈	3 ³ / ₈	14.80	10
TS347D	99965	¾	7	5 ¹ / ₈	3 ³ / ₈	15.02	10
TS34812D	99966	¾	8½	6	3 ³ / ₈	17.01	10
TS3410D	99967	¾	10	6	3 ³ / ₈	19.08	10
TS3412D	99968	¾	12	6	3 ³ / ₈	21.00	10
TS786D	99969	7 ⁷ / ₈	6	2 ¹ / ₈	3 ⁷ / ₈	15.00	10
TS788D	99970	7 ⁷ / ₈	8	2 ¹ / ₈	3 ⁷ / ₈	17.01	10
TS7810D	99971	7 ⁷ / ₈	2 ¹ / ₈	2¼	3 ⁷ / ₈	19.20	10
TS671D	99972	1	6	2¼	4½	2.40	5
TS6701D	99973	1	9	2¼	4½	2.45	5
TS6712D	99974	1	12	2¼	4½	3.05	5
DOMESTIC 18-8 STAINLESS							
JTS1134SSD	84201	¼	1¾	1 ⁵ / ₁₆	1 ¹ / ₈	3.10	100/500
JTS1214SSD	84202	¼	2¼	1 ⁷ / ₁₆	1 ¹ / ₈	3.70	100/500
JTS103SSD	99810	¼	3¼	2 ⁷ / ₁₆	1 ¹ / ₈	2.20	50/250
JTS3218SSD	84203	3 ³ / ₈	2¼	1 ¹ / ₈	1¾	8.04	50/250
JTS3234SSD	84204	3 ³ / ₈	2¾	1 ⁵ / ₈	1¾	9.30	100/500
JTS303SSD	84205	3 ³ / ₈	3	1 ⁷ / ₈	1¾	5.07	50/250
JTS3312SSD	84206	3 ³ / ₈	3½	2½	1¾	12.81	100/500
JTS3121SSD	84207	3 ³ / ₈	3¾	2 ⁵ / ₈	1¾	5.99	50/250
TS385SSD	84208	3 ³ / ₈	5	3 ⁷ / ₈	1¾	7.38	50
TS387SSD	84209	3 ³ / ₈	7	5 ⁷ / ₈	1	5.38	25

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



WEDGE ANCHORS

DOMESTIC STEEL ZINC • DOMESTIC 18-8 STAINLESS • DOMESTIC 316 STAINLESS

PART#	UPC#	DRILL DIAMETER	LENGTH	THREAD LENGTH	MIN. DEPTH	WT. PER PKG.	STD. PKG. UM
DOMESTIC 18-8 STAINLESS							
JTS4234SSD	84210	½	2¾	1¼	2¼	4.11	25
JTS4334SSD	84211	½	3¾	2 ⁵ / ₁₆	2¼	5.77	25
JTS4414SSD	84212	½	4¾	2 ¹³ / ₁₆	2¼	6.20	25
TS4512SSD	84213	½	5½	4 ¹ / ₁₆	2¼	7.62	25
JTS407SSD	84214	½	7	4 ⁹ / ₁₆	2¼	9.98	25
TS4812SSD	84215	½	8½	6	2¼	20.82	25
TS6618SSD	84216	½	10	6	2¼	26.00	25
TS1212SSD	84217	½	12	6	2¼	33.00	25
JTS5312SSD	81612	⁵ / ₈	3½	1 ⁷ / ₈	2¾	10.22	25
TS5412SSD	84219	⁵ / ₈	4½	2 ⁷ / ₈	2¾	10.58	25
TS505SSD	84220	⁵ / ₈	5	3 ³ / ₈	2¾	11.60	25
TS506SSD	84221	⁵ / ₈	6	4 ³ / ₈	2¾	19.00	25
TS587	84222	⁵ / ₈	7	4 ⁹ / ₁₆	2¾	15.96	25
TS508SSD	84223	⁵ / ₈	8½	6	2¾	22.68	25
TS5810SSD	84224	⁵ / ₈	10	6	2¾	25.00	25
TS5812SSD	84225	⁵ / ₈	12	6	2¾	31.00	25
JTS6414SSD	84226	¾	4¾	2 ³ / ₈	3 ³ / ₈	18.88	20
JTS6434SSD	84227	¾	4¾	2 ⁷ / ₈	3 ³ / ₈	13.27	20
TS6512SSD	84228	¾	5½	3 ⁵ / ₈	3 ³ / ₈	24.10	20
TS6614SSD	84229	¾	6¼	4 ³ / ₈	3 ³ / ₈	29.60	20
TS607SSD	84230	¾	7	5 ¹ / ₈	3 ³ / ₈	15.02	10
TS3485SSD	84231	¾	8½	6	3 ³ / ₈	17.01	10
TS3410SSD	84232	¾	10	6	3 ³ / ₈	19.08	10
TS3412SSD	84233	¾	12	6	3 ³ / ₈	21.00	10
DOMESTIC 316 STAINLESS							
JTS11341SSD	84234	¼	1¾	1 ⁵ / ₁₆	1 ¹ / ₈	3.10	100/500
JTS1024SSD	84235	¼	2¼	1 ⁷ / ₁₆	1 ¹ / ₈	3.70	100/500
JTS1034SSD	84236	¼	3¼	2 ⁷ / ₁₆	1 ¹ / ₈	5.54	100/500
JTS32181SSD	84237	³ / ₈	2¼	1 ¹ / ₈	1¾	8.04	100/500
JTS32341SSD	84238	³ / ₈	2¾	1 ⁵ / ₈	1¾	9.30	100/500
JTS3031SSD	84239	³ / ₈	3	1 ⁷ / ₈	1¾	10.14	100/500
TS33121SSD	84240	³ / ₈	3½	2½	1¾	12.81	100/500
JTS31211SSD	84241	³ / ₈	3¾	2 ⁵ / ₈	1¾	5.96	50/250
TS3851SSD	84242	³ / ₈	5	3 ⁷ / ₈	1¾	7.38	50/250
TS3871SSD	84243	³ / ₈	7	5 ⁷ / ₈	1¾	6.08	25/125
JTS42341SSD	84244	½	2¾	1¼	2¼	4.11	25/125
JTS43341SSD	84245	½	3¾	2 ⁵ / ₁₆	2¼	5.77	25/125
JTS44141SSD	84246	½	4¾	2 ¹³ / ₁₆	2¼	6.21	25/125
TS45121SSD	84247	½	5½	4 ¹ / ₁₆	2¼	7.62	25/125
JTS4071SSD	84248	½	7	4 ⁹ / ₁₆	2¼	9.98	25/125
TS48121SSD	84249	½	8½	6	2¼	20.82	25/125
TS66181SSD	84250	½	10	6	2¼	26.00	25/125
TS12121SSD	84251	½	12	6	2¼	33.00	25/125
JTS53121SSD	84252	⁵ / ₈	3½	1 ⁷ / ₈	2¾	10.22	25/125
JTS54121SSD	84253	⁵ / ₈	4½	2 ⁷ / ₈	2¾	10.58	25/125
TS5051SSD	84254	⁵ / ₈	5	3 ³ / ₈	2¾	11.70	25/125
TS5061SSD	84255	⁵ / ₈	6	4 ³ / ₈	2¾	13.49	25/125
TS5871SSD	84256	⁵ / ₈	7	5 ³ / ₈	2¾	15.96	25/125
TS5081SSD	84257	⁵ / ₈	8½	6	2¾	18.27	25/125
TS58101SSD	84258	⁵ / ₈	10	6	2¾	21.36	25/125
TS58121SSD	84259	⁵ / ₈	12	6	2¾	27.00	25/125
JTS64141SSD	84260	¾	4¾	2 ³ / ₈	3 ³ / ₈	13.09	20/100
JTS64341SSD	84261	¾	4¾	2 ⁷ / ₈	3 ³ / ₈	13.78	20/100
TS65121SSD	84262	¾	5½	3 ⁵ / ₈	3 ³ / ₈	14.76	20/100

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



WEDGE ANCHORS

DOMESTIC STEEL ZINC • DOMESTIC 18-8 STAINLESS • DOMESTIC 316 STAINLESS

PART#	UPC#	DRILL DIAMETER	LENGTH	THREAD LENGTH	MIN. DEPTH	WT. PER PKG.	STD. PKG. UM
DOMESTIC 316 STAINLESS							
TS66141SSD	84263	3/4	6 1/4	4 3/8	3 3/8	19.20	20/100
TS6071SSD	84264	3/4	7	5 1/8	3 3/8	10.00	10/50
TS34851SSD	84265	3/4	8 1/2	6	3 3/8	12.30	10/50

ASSORTED PLASTIC ANCHORS



"Big Red" Conical Plastic Anchor

PART#	UPC#	LENGTH	SCREW SIZE	HOLE SIZE	WT. PER PKG.	STD. PKG. UM
JRA1	80929	3/4	6-8	3/16	.10	100/500
JRA15	80930	7/8	8-10	3/16	.10	100/500
JRA2	80931	1	10-12	1/4	.18	100/500
RA22M	50086	1	10-12	1/4	2.53	2000
JRA3	80932	1 1/2	12-14	5/16	.31	100/500

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



**"BIG RED"
CONICAL PLASTIC WALL ANCHOR KITS**

NOW WITH QUADRIVE OPTION!
DOMESTIC

PART#	UPC#	SIZE	QTY	SIZE	ITEM	WT. PER PKG.	STD. PKG. UM
WAKJ16T	20285/jar	3/16	100	3/16	Red Plastic Anchors	.65	1/25
			100	8 x1	Pan Tri-Drive	.69	1/18
			1	3/16	Masonry Drill		
WAKJ16QD	38981/jar	3/16	100	3/16	Red Plastic Anchors	.79	1/25
			100	8 x1	QuaDrive 1/4	.70	1/18
			1	3/16	Masonry Drill		
WAKJ14T	20447/jar	1/4	100	1/4	Red Plastic Anchors	1.00	1/25
			100	10 x1	Pan Tri-Drive	.93	1/18
			1	1/4	Masonry Drill, 000R2B Bit		
WAKJ14QD	39161/jar	1/4	100	1/4	Red Plastic Anchors	1.07	1/25
			100	10 x1	QuaDrive 5/16	1.03	1/18
			1	1/4	Masonry Drill		
WAKJ14QD145	39174	1/4	100	1/4	Red Plastic Anchors	1.10	1/25
			100	10x1 1/4	QuaDrive 5/16		1/18
			1	1/4	Masonry Drill		
WAKJ15QD	39165/jar	1/4	100	1/4	Red Plastic Anchors	.83	1/25
			100	12x1 1/4	QuaDrive 5/16	.77	1/18
			1	1/4	Masonry Drill		




"DENVER BLUE" CONICAL PLASTIC WALL ANCHOR KITS

**NOW WITH QUADRIVE OPTION!
DOMESTIC**

In some areas of the country, tradesmen prefer blue to red. Same Product - Different Color

PART#	UPC#	SIZE	QTY.	SIZE	ITEM		WT. PER PKG.	STD. PKG. UM
WAKJ14TB	20577/jar	¼	100	¼	Blue Plastic Anchors		1.01	1/25
			100	10 x1	Pan Tri-Drive		.95	1/18
			1	¼	Masonry Drill, 000R2B Bit			
WAKJ14QDB	39167/jar	¼	100	¼	Blue Plastic Anchors		1.07	1/25
			100	10 x1	QuaDrive 5/16		1.03	1/18
			1	¼	Masonry Drill			
WAKJ1425QDB	19987/kit	¼	100	¼	Blue Plastic Anchors		1.12	1/25
			100	10 x1	QuaDrive 5/16			1/18
			1	¼	Masonry Drill			
WAKJ141QDB	39189/jar	¼	100	¼	Blue Plastic Anchor		1.13	1/25
			100	10 x1¼	QuaDrive 5/16		1.14	1/18
			1	¼	Masonry Drill			
WAKJ15QDB	39171/jar	¼	100	¼	Blue Plastic Anchors		.83	1/25
			100	12 x1¼	QuaDrive 5/16		.80	1/18
			1	¼	Masonry Drill			



THREADED ROD

DOMESTIC • STEEL ZINC

Threaded Rod Sold Only In Full Bundle Quantities Where Listed.

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM	TUBE QTY.
DOMESTIC STEEL ZINC					
TRS610D	21669	¼-20 x 10'	60.50	1	500 feet
TRS8/6D	21644	¾-16 x 6'	43.75	1	150 feet
TRS810A	21669	¾-16 x 10'	72.75	1	250 feet
TRS9/6BD	21652	½-13 x 6'	38.76	1	72 feet




SILVERHAWK™ TOP BEAM CLAMP

STEEL ZINC

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM
SHUBC38	81532	¾	1.88	10

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



J-BOLTS

STEEL ZINC • 18-8 STAINLESS STEEL • GALVANIZED
DOMESTIC

PART#	UPC#	THREAD LENGTH	THREAD SIZE/ OVERALL LENGTH	INSIDE HOOK DIA.	WT. PER PKG.	STD. PKG. UM
STEEL ZINC						
BTJ1	81055	1½	¼-20 x 2 ⁵ / ₁₆	7/ ₁₆	.31	10
BTJ4	81061	1½	¼-20 x 4	7/ ₁₆	.52	10
BTJ2	81057	2	5/ ₁₆ -18 x 3	½	.66	10
BTJ3	81059	2¼	¾-16 x 3¾	5/ ₈	1.18	10
BTJ7	20322	2¼	¾-16 x 7	5/ ₈	2.03	10
18-8 STAINLESS STEEL						
BTJ3SS	53355	2¼	¾-16 x 3¾	5/ ₈	1.18	10
BTJ7SS	98333	2¼	¾-16 x 7	5/ ₈	2.03	10
GALVANIZED						
BTJ6G	81656	2	½-13 x 3½	½	4.95	10

HEXAGON NUTS AND WASHERS ORDERED SEPARATELY. OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



With Lag Screw Thread

SCREW EYES
DOMESTIC STEEL ZINC

PART#	UPC#	OVERALL LENGTH	HOLE DIAMETER	THREAD DIAMETER	THREAD LENGTH	WT. PER PKG.	STD. PKG. UM
DOMESTIC STEEL ZINC							
JSE1	80996	1 ⁵ / ₁₆	1/2	#8	1/2	.83	100
JSE2	80997	1 ⁵ / ₁₆	5/8	1/4	3/4	1.58	100
JSE3	80998	2 ³ / ₁₆	1 ¹ / ₁₆	9/32	7/8	4.06	100
JSE4	81415	2 ⁵ / ₈	3/4	5/16	1	6.82	100
JSE13	81423	8	1-1/8	9/16	2 ⁵ / ₈	4.71	10
SE6	22416	8	7/16	7/16	2 ⁷ / ₈	11.50	25
STEEL ZINC							
JSE5	81416	3 ³ / ₄	1/2	1/4	3/4	6.65	100
JSE7	81414	5 ¹ / ₂	3/4	7/16	2 ¹ / ₈	8.27	25
SE8	22418	5 ¹ / ₄	1	1/2	2 ¹ / ₂	13.00	50
SE10	22420	8	1 ¹ / ₈	9/16	2 ⁵ / ₈	11.50	25

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



HANGER BOLTS
STEEL ZINC • PLAIN
DOMESTIC

PART#	UPC#	DESCRIPTION	WT. PER PKG.	STD. PKG. UM
STEEL ZINC				
JHAB14	82747	8-32 x 1 ¹ / ₂	.63	100
JHAB9	81000	10-24 x 2	1.12	100
JHAB10	81001	1/4-20 x 3	3.10	100
JHAB11	81002	3/8-16 x 3	7.65	100
JHAB13	84111	3/8-16 x 4	9.42	100
HAB15B	23289	3/8-16 x 4 ¹ / ₂	25.67	250
JHAB12	84110	3/8-16 x 6	7.31	50
HAB12B	23281	3/8-16 x 6	18.41	125
HAB17	23284	3/8-16 x 8	17.50	50
PLAIN				
HAB13PLB	20130	3/8-16 x 4	24.14	250
HAB15PLB	23283	3/8-16 x 4 ¹ / ₂	25.00	250
HAB12PLB	23282	3/8-16 x 6	18.00	125

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST.



GROUNDING SCREWS

ROUND HEAD WASHER "COMBO" SLOTTED/PHILLIPS
STEEL GREEN ZINC



PART#	BOX UPC#	JAR UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
GS20	16105		10-32	3/8	.58	100
JGS20		82643	10-32	3/8	.54	100
GS20500		82005	10-32	3/8	2.75	500

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST – BOX, PLASTIC HANGING CLAMSHELL



GROUNDING SCREWS

HEX WASHER "COMBO" SLOTTED/PHILLIPS
TYPE 23 THREAD CUTTING
STEEL GREEN ZINC



PART#	BOX UPC#	JAR UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
JGSH15*		39496	8-32	1/4	.30	100
GSH1510M*	82101		8-32	1/4	26.74	10000
GSH23	16115		10-32	3/8	.51	100
JGSH23		82091	10-32	3/8	.54	100
GSH23500		82015	10-32	3/8	2.55	500
GSH2310M		82016	10-32	3/8	51.0	10000
JGSH14		82074	1/4-20	1/2	1.20	100

*SLOTTED ONLY, DENOTES A PRODUCT NOT MANUFACTURED IN THE USA.

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST – BOX, PLASTIC HANGING CLAMSHELL



GROUNDING SCREWS

"QUADRIVE" HEX WASHER, SLOTTED, PHILLIPS
AND SQUARE DRIVE DOG POINT
STEEL GREEN ZINC

Four drives
in one head



PART#	BOX UPC#	JAR UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
GSH21	16111		10-32	3/8	.65	100
JGSH21		82081	10-32	3/8	.63	100
GSH21500		82011	10-32	3/8	2.99	500
GSH21M	82085		10-32	3/8	5.14	1000

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST – BOX PLASTIC HANGING CLAMSHELL

Introduced
in 1999

The QuaDrive

Four drives
in one head

- Hex
- Slotted
- Phillips
- Square Drive

Introduced
in 1999



GROUNDING SCREWS

"QUADRIVE" HEX WASHER, SLOTTED/PHILLIPS
AND SQUARE DRIVE - TYPE 23 THREAD CUTTING
STEEL GREEN ZINC

PART#	BOX UPC#	JAR UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
GSH22	16112		10-32	3/8	.53	100
JGSH22		82090	10-32	3/8	.57	100
GSH22500		82012	10-32	3/8	2.97	500

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST – BOX, PLASTIC HANGING OR CLAMSHELL

- Hex
- Slotted
- Phillips

7 inch



GROUNDING PIGTAILS

WITH HEX WASHER "COMBO" SLOTTED/PHILLIPS
DOG POINT • STEEL GREEN ZINC

Assembled in
USA

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM
SOLID COPPER INSULATED WIRE				
PT30	16000	#14 Wire	1.41	100 box
PT40	16005	#12 Wire	1.88	100 box
PT40K	10679	#12 Wire	4.77	250 jar
PT40J	16039	#12 Wire	1.94	100 jar

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



7 inch



GROUNDING PIGTAILS

WITH HEX WASHER "COMBO" SLOTTED/PHILLIPS
DOG POINT • STEEL GREEN ZINC

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM
STRANDED COPPER INSULATED WIRE (With Fork And Ring Terminal)				
PTS30	16001	#14 Wire	1.41	50 box
PTS40	16006	#12 Wire	1.88	50 box

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

7 inch



Grounding
Screw Attached

GROUNDING PIGTAILS

WITH HEX WASHER "COMBO" SLOTTED/PHILLIPS
DOG POINT • STEEL GREEN ZINC

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM
BARE SOLID COPPER WIRE IN A PLASTIC BOX				
PT30B	16015	#14 Wire	1.42	100 box
PT40B	16010	#12 Wire	1.87	100 box

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

GROUNDING PIGTAILS

WITH "QUADRIVE" HEX WASHER, SLOTTED/PHILLIPS,
SQUARE DRIVE, DOG POINT • STEEL GREEN ZINC

7 inch



Grounding
Screw Attached

The QuaDrive  +  +  +  = 

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM
SOLID COPPER INSULATED WIRE				
PT35	16021	#14 Wire	1.62	100 box
PT45	16026	#12 Wire	2.06	100 box
PT45M	16028	#12 Wire	19.40	1000 box

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

-  Hex
-  Slotted
-  Phillips

8 inch



8" GROUNDING PIGTAILS

- #12 Solid Copper Wire with Grounding Screw attached.
- 10-32 x 3/8 Hex Head Phillips/Slotted Dog Point Steel Green Zinc.

PART#	UPC#	LENGTH	SCREW DIAMETER	SCREW LENGTH	WT. PER PKG.	STD. PKG. UM
PT408	16008	8	10-32	3/8	2.30	100

GROUNDING PIGTAILS

WITH "QUADRIVE" HEX WASHER, SLOTTED/PHILLIPS,
SQUARE DRIVE DOG POINT • STEEL GREEN ZINC

12 INCH



QuaDrive

Grounding
Screw Attached

PART#

UPC#

SIZE

WT. PER
PKG.STD. PKG.
UM

SOLID COPPER INSULATED WIRE

PT4012

16012

#12 Wire

.72

25 bag

PT4012V

16094

#12 Wire

15.50

500 box

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



PAN HEAD TRI-DRIVE TELECOM CABINET SCREWS

STEEL ZINC • BLACK OXIDE

For use in Telecom Cabinets, Relay Racks and Patch Panels



Tri-Drive

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
STEEL ZINC					
JTEL1032	84440	10-32	5/8	.64	100/500
JTEL103234	84442	10-32	3/4	.74	100/500
TEL1224	39096	12-24	5/8	.48	50/250
JTEL1224	84445	12-24	5/8	.48	50/250
JTEL1228	84450	12-28	5/8	.48	50/250
BLACK OXIDE					
TEL1024BLK	39250	10-24	5/8	.31	50
JTEL1024BLK	84444	10-24	5/8	.62	100/500
TEL1032BLK	39260	10-32	5/8	.33	50
JTEL1032BLK	84441	10-32	5/8	.64	100/500
TEL1032BLKV	39262	10-32	5/8	3.06	500
TEL1224BLK	39097	12-24	5/8	.48	50
JTEL1224BLK	84446	12-24	5/8	.85	100
TEL1224BLKV	39099	12-24	5/8	4.08	500

J=JAR PACKAGE – NO J=PLASTIC CLAMSHELL HANGING BOX

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST




**TAMPER-RESIST SPANNER
OVAL/PAN HEAD SWITCH PLATE SCREWS**
18-8 STAINLESS

PART#	UPC#	DIAMETER	LENGTH	WT. PER PKG.	STD. PKG. UM
SPT201	10279	6-32	¼	.17	50
SPT200	16355	6-32	½	.19	50
SPT300	10270	6-32	1	.27	50
SPT400	10275	6-32	1-½	.35	50
SPT812	16362	8-32	1-¼	.68	50
SPT820*	16367	10-24	¾	.64	100
WHITE					
SPT200W	16354	6-32	½	.38	100

*PAN HEAD.

COMES COMPLETE WITH 00SP6B SPANNER INSERT DRIVER. **OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST**



INSULATING FOAM GASKETS

- Energy saving gaskets prevent heat and cold loss through outlets and switches located on outside walls.
- Constructed of UL Rated, close-cell polyethylene insulating foam.
- Available in three different designs: Toggle Switch, Duplex Receptacle & GFI or Decora

PART#	UPC#	ITEM	WT. PER EACH	STD. PKG. UM
WGT25	71651	Toggle Switch	.14	25
WGR25	71652	Duplex Receptacle	.14	25
WGD25	71653	GFI/Decora	.14	25
WGT100	71654	Toggle Switch	.48	100
WGR100	71655	Duplex Receptacle	.48	100
WGD100	71656	GFI/Decora	.48	100
WGC100*	71657	Combo Pack	.48	100

*CONTAINS: 30 TOGGLE, 30 DUPLEX, 40 DECORA – **OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST**



CONDUIT DRIVE STRAPS

STEEL ZINC ROUND TYPE

PART#	UPC#	SIZE EMT	SIZE PIPE & FLEX. COND.	SIZE OVERALL LENGTH	WT. PER PKG.	STD. PKG. UM
For use in metal and plastic conduit and tubing						
CDS1	21200	¾ - ½	¾	2	1.93	100
CDS2	21205	¾	½	2-¼	2.23	100
CDS3	21210	1	¾	2-¼	2.37	100

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



CONDUIT DRIVE STRAPS

STEEL COPPER PLATED ROUND TYPE

PART#	UPC#	SIZE COPPER TUBE	SIZE COPPER PIPE	SIZE OVERALL LENGTH	WT. PER PKG.	STD. PKG. UM
For use in areas requiring copper pipe and tubing						
CDS5	21300	½	¾ - ½	2	1.87	100
CDS6	21305	¾	¾	2-¼	2.50	100

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST




CONDUIT DRIVE STRAPS

STAMPED GALVANIZED

PART#	UPC#	SIZE COPPER PIPE	SIZE	WT. PER PKG.	STD. PKG. UM
SDS20	21220	¾	½	2.13	100
SDS30	21225	1	¾	2.29	100

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



STACKING STAPLES

PLASTIC

PART#	UPC#	CABLE SIZE	WT. PER PKG.	STD. PKG. UM
SCT6215	21755	For stacking two 2-wire #14 or #12 NM cable	.39	50
SCT6215C	21785	For stacking two 2-wire #14 or #12 NM cable	.87	100
SCT6215V	21786	For stacking two 2-wire #14 or #12 NM cable	4.06	500
SCT6315	21760	For stacking three 2-wire or a 2-wire & 3-wire #14 or #12 NM cable	.46	50
SCT6315C	21783	For stacking three 2-wire or a 2-wire & 3-wire #14 or #12 NM cable	.99	100
SCT6315V	21784	For stacking three 2-wire or a 2-wire & 3-wire #14 or #12 NM cable	4.42	500
SCT6415	21765	For stacking two 3-wire or four 2-wire #14 or #12 NM cable	.46	50
SCT6415C	21788	For stacking two 3-wire or four 2-wire #14 or #12 NM cable	1.08	100
SCT6415V	21787	For stacking two 3-wire or four 2-wire #14 or #12 NM cable	4.85	500

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



SERVICE ENTRANCE STAPLES

PLASTIC

PART#	UPC#	CABLE SIZE	COLOR	WT. PER PKG.	STD. PKG. UM
SES4115	21770	#6 type SER	Gray	.63	50
SES4215	21771	#6 type SEU	Gray	.60	50
SES4312	21775	#2 type SER	Gray	.45	25
SES4412	21776	#2 type SEU	Gray	.33	25
SES4512	21781	4/0 type SEU	Gray	.51	25
SES4612	21780	4/0 type SER	Gray	.67	25

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

**NON-INSULATED
CABLE STAPLES
STEEL**

C = 100 PCS PER BOX
 F = 500 PCS PER JAR
 P = 5,000 PCS PER PAIL
 EXAMPLE: CST40 = 100 PCS FST40 = 500 PCS
 PST40 = 5,000 PCS



PART#	UPC#	USE	LENGTH	WIDTH	WT. PER PKG.	STD. PKG. UM
CST40	21000	N.M.C. 2 Romex #12 & #14	1	1/2	.60	100/box
JCST40	84970				.61	100/jar
FST40	21005				2.89	500/jar
PST40	21007				26.95	5000/pail
CST100	21010	N.M.C. & Armored #14, #12, #10 w/gr	1 1/4	9/16 W RX & BX	.73	100/box
JCST100	84980				.62	100/jar
FST100	21015				3.88	500/jar
PST100	21017				35.90	5000/pail
N.M.C. - TO BE USED ON NON-METALLIC CABLE						
CST300	21020	Service Entrance SEU3 #6	1 3/8	1 3/16	1.18	100/box
FST300	21022				6.26	500/jar
CST350	21025	Service Entrance SEU2 #6	1 1/2	1 1/16 For 2 #3 Full 10 Ga. Wire	1.31	100/box
FST350	21027				6.41	500/jar
M151	23565	4/0 SER Cable Steel	2 1/2	1 7/8	3.81	100

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST

**INSULATED CABLE STAPLES
STEEL/PLASTIC**

For better cable protection!

CST40I



PART#	UPC#	WIRE SIZE	SIZE	WT. PER PKG.	STD. PKG. UM
CST40I	21030	#12, #14	1 x 1/2	.59	100 box
JCST40I	85374	#12, #14	1 x 1/2	.54	100 jar
CST100I	21018	#10, #12, #14	1 1/4 x 9/16	.71	100 box
JCST100I	85378	#10, #12, #14	1 1/4 x 9/16	.71	100 jar
CST350P	21093	#10, #12, #14	1 1/4 x 9/16	27.25	500 pail
CST100P	29006	#10, #12, #14	1 1/4 x 9/16	13.35	1500 pail
FST100I	21019	#10, #12, #14	1 1/4 x 9/16	3.50	250 jar
PST100I	21021	#10, #12, #14	1 1/4 x 9/16	37.00	5000 pail
FST40I	21035	#10, #12, #14	1 x 1/2	2.74	500 jar
PST40I	21040	#10, #12, #14	1 x 1/2	28.98	5000 pail

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



DATA COMM. STAPLES .190 DIAMETER PLASTIC

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM
DCS1	21938	.190	.23	100
DCS1V	21939	.190	1.15	500

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



WHITE INSULATED TWO NAIL STAPLES PLASTIC

PART#	UPC#	SIZE	WT. PER PKG.	STD. PKG. UM
CS50	21914	1/2	.45	100
CS50V	21917	1/2	2.25	500
CS50P	21916	1/2	9.98	2000
CS75	21918	3/4	.48	100
CS75P	21920	3/4	8.05	1500

1/2 secures 14-2 or 12-2 with ground non-metallic cable and other non-metallic cable 1/2 wide

3/4 secures 12-3 or 10-3 with ground non-metallic cable and other non-metallic cable 3/4 wide

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



CABLE STAPLES PLASTIC

PART#	UPC#	CABLE SIZE	WT. PER PKG.	STD. PKG. UM
PCS125	21790	2 & 3 wire NM cable up to #12 2-wire UF cable up to #12 & other cable up to 1/2 wide	.45	100
PCS125V	21791	2 & 3 wire NM cable up to #12 2-wire UF cable up to #12 & other cable up to 1/2 wide	.45	500
PCS345	21795	2 wire NM cable up to #8 3-wire UF cable up to #12 & other cable up to 3/4 wide	.47	100

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



SMALL WIRE STAPLES PLASTIC

PART#	UPC#	CABLE SIZE	WT. PER PKG.	STD. PKG. UM
SPS5151	21810	1/4 x 1/8	.20	100

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



CO-AXIAL STAPLES PLASTIC

PART#	UPC#	WIDTH	WT. PER PKG.	STD. PKG. UM
CAS5051	21800	1/4	.20	100

OTHER SIZES AND QUANTITIES AVAILABLE BY REQUEST



METALLICS

M A D E I N
U S A



SCAN TO LEARN MORE
nsiindustries.com/metallics

