



1960 Cherry St., Louisville, CO 80027  
P: 303-531-0861 E: support@quicksilverscientific.com

**PRODUCT SPECIFICATION AND CERTIFICATE OF ANALYSIS**

Document #	FPS.089	Rev. 1	Effective Date 04/22/2024
Product Code #	QSFSHO01		

Product Name	Full Spectrum Hemp Extract
Lot Number	FSHO2402/1
Manufacturing Date:	04/2024
Bottle Size:	50mL
Storage Recommendation:	Room Temperature
Shelf Life / EXP Date:	04/2026

**Active Compounds**

Test Performed	Method	Specification	Result	Pass/Fail
THC	LC/MS/MS or HPLC	≤ 0.3%	0.0%	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Cannabidiol	LC/MS/MS or HPLC	≥ 16mg/2 mL	21 mg/2mL	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail

**Elemental Impurities**

Test Performed	Method	Specification	Result	Pass/Fail
Arsenic	USP <730>	≤ 2ppm	<0.001 ppm	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Cadmium	USP <730>	≤ 2ppm	<0.001 ppm	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Lead	USP <730>	≤ 1ppm	<0.001 ppm	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Mercury	USP <730>	≤ 1ppm	<0.001 ppm	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail

**Microbiological Stability**

Test Performed	Method	Specification	Result	Pass/Fail
Water Activity	USP <922>	≤ 0.849	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Yeast/Mold	AOAC2014.05	≤ 1000cfu/mL	Conforms	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail

\*\*See QC SOP.47 for additional testing requirements if water activity is above specification. Attach any additional testing forms as required.

**NOTES:** N/A BM 04/23/2024

Released: \_\_\_\_\_  
Quality Control: Brandon Morey Electronically signed by: Brandon Morey  
Reason: Reviewed and Approved  
Date: Apr 23, 2024 15:06 MDT Date: \_\_\_\_\_



1960 Cherry St., Louisville, CO 80027  
P: 303-531-0861 E: support@quicksilverscientific.com

## PRODUCT SPECIFICATION AND CERTIFICATE OF ANALYSIS

Document #	<b>FPS.089</b>	Rev. <b>1</b>	Effective Date <b>04/22/2024</b>
Product Code #	<b>QSFHO01</b>		

### REVISION HISTORY

Rev.	Effective Date	DCR No.	Description of Changes
1	04/22/2024	DCR20240418A	Updated to new Microbiological format.
0	01/12/2024	DCR20240110E	New Document.