







Dog Fence Top Rail/Dual Rail End Installation Instructions

Note: These instructions are for **BOTH** top and dual rail fence systems. Extra components will be utilized for Dual Rail systems **ONLY**.

HARDWARE PARTS			
<p>A</p> <p>QTY: 4</p>  <p>1 3/8" Brace Cup Black SKU: DE8141-1</p>	<p>B</p> <p>QTY: 4</p>  <p>1 5/8" Brace Band Black SKU: DE8080-1</p>	<p>C</p> <p>QTY: 4</p>  <p>Carriage Bolt w/Washer & Nut Hot Dip Galvanized - 5/16" x 1 1/2" SKU: DE8042</p>	<p>D</p> <p>QTY: 2</p>  <p>1 5/8" Black Vinyl Cap SKU: DE2886-1</p>
<p>E</p> <p>QTY: 2</p>  <p>17 Gauge 1 5/8" Black Powder Coated Galvanized Pipe (See below for measurements)</p>	<p>F</p> <p>QTY: 2</p>  <p>Black Ground Sleeve for 1 5/8" Post SKU: DE8196</p>	<p>Recommended Tools (not included)</p> <p>Power Drill with 5/16" Drill Bit</p> <p>Socket Wrench 5/16" or Adjustable wrenches</p> <p>Sledgehammer</p> <p>Earth Auger/Digging Bar</p>	

Pipes Part List						
6' End				5' End		
	Qty	Pipe Measurement	SKU	Qty	Pipe Measurement	SKU
End Posts (E)	2	17 Gauge Black Powder Coated Galvanized Steel Pipe 1 5/8" x 84"	DE8358-084	2	17 Gauge Black Powder Coated Galvanized Steel Pipe 1 5/8" x 72"	DE8358-072
4' End				3' End		
	Qty	Pipe Measurement	SKU	Qty	Pipe Measurement	SKU
End Posts (E)	2	17 Gauge Black Powder Coated Galvanized Steel Pipe 1 5/8" x 60"	DE8358-060	2	17 Gauge Black Powder Coated Galvanized Steel Pipe 1 5/8" x 48"	DE8358-048


Dog Fence Top Rail/Dual Rail End Installation Instructions

Note: These instructions are for **BOTH** top and dual rail fence systems. Extra components will be utilized for Dual Rail systems **ONLY**.

1. Lay out your fence design, taking care to note where your ends are going to be placed within the system.

Note: Ends should be placed anywhere the fence is terminating. Either against an existing structure like a house/shed or another fence line.


1.



2. Using a **DRIVE CAP (Sold Separately; SKU: DE2812)** and a sledgehammer, drive one (1) **GROUND SLEEVE (F)** into the ground leaving $\frac{1}{2}$ " above ground to keep out debris and allow for securing the post. Care should be taken to ensure that the sleeves are as straight as possible.


Note: On hard ground it may be necessary to use an **EARTH AUGER (Sold Separately; SKU: DE8189)** or **DIGGING BAR** to make a hole before driving the ground sleeves in.

2.



3. Insert the **VINYL CAPS (D)** on the top of each **END POSTS (E)** before sliding the posts into the **GROUND SLEEVE (F)**.

3.




4. For Top Rail: Slip **BRACE BAND (B)** and **BRACE CUP (A)** over the **END POST (E)** and position them at the top of the **END POST (E)**. When attaching the **BRACE CUP (A)** to the **BRACE BAND (B)**, position the cup so that it will be on the **INSIDE** of the fence line. Use **CARRIAGE BOLT (C)** to hold the **BRACE BAND (B)** and **BRACE CUP (A)** in position. Do not fully tighten. This cup is used to terminate the top rail at an end point. See **TOP RAIL INSTRUCTIONS** for more details.


Top Rail

4-a.

Step 1



Step 2




4. For Dual Rail: Slip **BRACE BAND (B)** and **BRACE CUP (A)** over the **END POST (E)** and position them at the bottom of the **END POST (E)**. When attaching the **BRACE CUP (A)** to the **BRACE BAND (B)**, position the cup so that it will be on the **INSIDE** of the fence line. Use **CARRIAGE BOLT (C)** to hold the **BRACE BAND (B)** and **BRACE CUP (A)** in position. Do not fully tighten. This cup is used to terminate the bottom rail at an end point. See **DUAL RAIL INSTRUCTIONS** for more details. Refer to **STEP 4-a** to install the top rail band.


Dual Rail

4-b.


Step 1



Step 2



Step 3



Birds Eye View

Existing Structure

