

# HYBRID<sup>®</sup> 46M

## TECH SPECS



<b>SKU</b>	SU5107
<b>Caliber</b>	9MM to 45 ACP / 5.56 NATO to 45-70 GOV & up to .46 WBY MAG
<b>Accessories</b>	Charlie, ASR, Pistons, 3-Lug
<b>Weight</b>	12.2 - 14.9 oz
<b>Length</b>	5.78 - 7.72"
<b>Diameter</b>	1.57"
<b>Materials</b>	17-4 SS and Grade 9 Titanium
<b>Ships With</b>	<ul style="list-style-type: none"><li>• Charlie ASR Mount</li><li>• Charlie Front Cap .46 CAL</li><li>• Bravo &amp; Charlie Spanner Wrench</li><li>• Charlie Multi-Tool</li><li>• <i>Piston sold separately</i></li></ul>

## DB READINGS

<b>.45 ACP</b>	131 dB	45 Semi-Auto
<b>.300 BLK</b>	126.4 dB	8.5" AR
<b>.308 WIN</b>	130.2 dB	20" Bolt
<b>.300 WM</b>	135.9 dB	24" Bolt
<b>.338 LM</b>	138.3 dB	26" Bolt
<b>.45-70 GOV</b>	131.5 dB	20" Lever

# COMPATIBLE ACCESSORIES

## ASR MUZZLE BRAKE

AC1276	9/16 x 24 .30 CAL
AC1282	1/2 x 28 .30 CAL
AC142	1/2 x 28 .223 CAL
AC1557	5/8 x 32 .458 CAL
AC1733	5/8 x 24 .458 CAL
AC591	5/8 x 24 .30 CAL
AC4766	9/16 x 24 .355CAL/9MM
AC4768	1/2 x 28 .355 CAL/9MM
AC1961	11/16 x 24 .458 CAL
AC2631	3/4 x 24 .458 CAL
AC855	M18 x 1.5 .338 CAL
AC856	M18 x 1 .338 CAL
AC857	5/8 x 24 .338 CAL
AC858	3/4 x 24 .338 CAL

## ASR SINGLE PORT MUZZLE BRAKE

AC2627	5/8 x 24 .30 CAL
AC2628	1/2 x 28 9MM

## ASR FLASH HIDER

AC1283	1/2 x 28 .30 CAL
AC1561	M13.5 x 1 LH 9MM
AC1562	1/2 x 36 9MM
AC141	1/2 x 28 .223 CAL
AC1570	1/2 x 28 9MM
AC590	5/8 x 24 .30 CAL
AC233	M15 x 1 .30 CAL
AC1278	9/16 x 24 LH .30 CAL

## ASR CLOSED-TINE FLASH HIDER

AC5326	1/2 x 28 .223 CAL
--------	-------------------

## CHARLIE ASR MOUNT AC622

## THREAD OVER MOUNT (TOM)

AC5229	CHARLIE TOM
--------	-------------

## THREAD OVER MUZZLE DEVICE (TOMD)

AC5231	1/2 x 28 .223 CAL
AC5232	1/2 x 28 .30 CAL
AC5233	5/8 x 24 .30 CAL

## CHARLIE DIRECT THREAD MOUNT

AC4740	1/2 x 28
AC4743	5/8 x 24
AC4741	11/16 x 24
AC4742	3/4 x 24
AC4744	9/16 x 24
AC4745	M13 x .75
AC4747	M18 x 1
AC4748	M18 x 1.5

## CHARLIE PISTON MOUNT

AC4751
--------

*\*Must be used in conjunction with Charlie Piston Mount*

# COMPATIBLE ACCESSORIES

## PISTON \*

AC25	1/2 x 28
AC24	.578 x 28
AC26	M13.5 x 1 LH
AC30	5/8 x 24
AC28	M16 x 1 LH
AC31	9/16 x 24
AC1756	1/2 x 28 SN
AC59	1/2 x 28 XL
AC626	M13.5 x 1 LH XL
AC57	1/2 x 36
AC29	M16 x 1
AC27	M14.5 x 1 LH
AC1346	.578 x 28 XL

## COMMON PISTON KIT\*

AC728	INCLUDES 1/2 x 28, .578 x 28, 13.5 x 1 LH, 16 x 1 LH, 9/16 x 24
-------	---

## METRIC PISTON O-RING PACK

AC90	M13.5
AC91	M14.5
AC92	M16

## PISTON ASSEMBLY O-RING PACK AC88

## FIXED BARREL SPACER AC22

### 3-LUG MUZZLE DEVICE\*

AC2604	1/2 x 28 9MM
AC2607	1/2 x 36 9MM
AC2609	5/8 x 24 9MM
AC2602	M13.5 x 1 LH 9MM
AC4756	M18 x 1 9MM
AC2603	5/8 x 24 .45 CAL
AC2605	.578 x 28 .45 CAL
AC2606	9/16 x 24 .45 CAL
AC2608	M16 x 1 LH .45 CAL

### LOW PROFILE 3-LUG\*

AC2447	9MM
AC2448	.45 CAL

## CHARLIE FRONT CAPS

AC4736	.223 CAL
AC4738	.30 CAL
AC4739	9MM
AC5219	INTERNAL FLASH HIDER FRONT CAP .223 CAL
AC5258	INTERNAL FLASH HIDER FRONT CAP .30 CAL

*\*Must be used in conjunction with Charlie Piston Mount*