# **3U HDA Rack Mount**

Fiber Patch Panel Enclosure







**Extreme Density** - 33% increase in density compared to standard LGX panel.



**Easy Access** - Large opening for easy front cable access to each port.



**E-Z Glide™ Tray** - Tray slides smoothly along guides with gentle catches and stops.



**Non-captive Mounting Ears** - Preinstall screws in rack, simply place rack on screws and tighten.



**Blue Bend Radius Bracket** - Creates gradual bend for cable preventing kinks.



**Magnetic Door** - Blue Bend Radius Bracket is magnetized and attaches to metal door.



#### **More Features**

- · Hinged front and rear doors
- Removable top panel and front faceplate
- Non-captive side and rear entries for trunks
- · Standard 19" rack mountable unit

#### **Specifications**

- Dimensions: standard 3U height x 19" W x 15 7/8" D
- · Material: 16AWG steel
- Coating: electrostatic polyester powder coat black paint

### **WHAT'S INCLUDED**


- · 6 blue half-moon cable managers
- 4 pressure sensitive Velcro® wire mgmt. straps
- · 1 ground lug kit
- · 1 Velcro® splice tray tie down (2 meters)
- · 10 nylon Fiber Manager Loops
- · Mounting hardware: M6 screws, M6 cage nuts
- 4 zip ties
- · Port identification label

| Splicing      | MAX. FIBER COUNT |     | ADAPTER PANEL CAPACITY | SPLICE TRAY CAPACITY        |              |              |                |
|---------------|------------------|-----|------------------------|-----------------------------|--------------|--------------|----------------|
|               | LC               | SC  | HDA                    | Plastic                     | Metal        |              |                |
|               | 216              | 144 | 12                     | ST-PA-24  8 *Can Screw Down | ST-M-12<br>9 | ST-M-24<br>9 | ST-M-24-8<br>9 |
|               |                  |     |                        | 192                         | 108          | 216          | 216            |
| Preterminated | 432*             | 144 | 12                     |                             |              |              |                |

<sup>\*</sup> Using 36-Fiber adapter plates

# **HDA Rack Mount Sliding Tray**

- Blue Half-moon Cable Managers
- Velcro® Tie Downs
- Screw Down Holes for Splice Tray
- E-Z Glide™ Tray
- Blue Bend Radius Bracket
- Magnetic Door (Blue Bend Radius Bracket is Magnetized)
- Easy Access Opening
- Door Metal Tab (Secures Door on Hinge)






# **3U HDA Rack Mount**

Fiber Patch Panel Enclosure







Broadband: (888) 235-2097 Datacom: (800) 523-6075