

SECTION 1 – STATEMENT OF CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

SUPPLIER:	Spitwater		
ADDRESS:	953 Metry St, Albury, NSW, 2640		
Trade Name:	FlowRPM Ceramic Vehicle Wash		
TELEPHONE:	1800 774 892	WEB:	spitwater.com.au
AH EMERGENCY TELEPHONE:	1300 774 575 in Australia (M-F 7am-7pm)	Synonym:	FRCVW
Substance:	Water-based detergent	Product Use:	Vehicle washing detergent
Creation Date:	Nov 2023	Revision Date:	Nov 2028

SECTION 2 – HAZARDS IDENTIFICATION

Classification of the substance or mixture	
Dangerous Goods	Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail".
GHS Classification	Skin Irritation - Category 2 Eye Irritation - Category 2A
Poisons Schedule	Not scheduled
Label elements	
GHS label pictograms	
Signal word	WARNING
Hazard statement(s)	
H315	Causes skin irritation.
H319	Causes serious eye irritation.
Precautionary statement(s): General	
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
Precautionary statement(s): Prevention	
P264	Wash hands and all exposed skin thoroughly after handling.
P280	Wear protective gloves and eye protection.
Precautionary statement(s): Response	
P302+P352	IF ON SKIN: Wash skin with plenty of water.
P321	Specific treatment (see Section 4 on this SDS).
P332 + P313	If skin irritation occurs: Get medical attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical attention.
Precautionary statement(s): Storage	
	Store in accordance with local regulations.
Precautionary statement(s): Disposal	
P501	Dispose of contents and container in accordance with local regulations.

SAFETY DATA SHEET

Product Name: FlowRPM Ceramic Vehicle Wash

Date of Issue: Nov 2023

Page 2 of Total 5

Note

IMPORTANT

This SDS and the hazard classifications contained therein, only apply to the product in its concentrated form, as supplied.

SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS

Ingredients:	CAS Number:	Proportion (%w/w):
Inorganic phosphate	Prop blend	< 10
Sodium Aryl Alkyl Sulphonate	Prop blend	< 10
Ingredients determined to be non-hazardous at the concentrations used (including water)	various	balance

SECTION 4 – FIRST AID MEASURES

Inhalation	Remove person to fresh air away from exposure. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Obtain medical attention if symptoms occur.
Skin contact	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness or irritation occurs seek medical assistance. Continue to flush skin and hair with plenty of water.
Eye contact	Immediately irrigate with copious quantities of water for 15 minutes. Eyelids to be held open. Remove clothing if contaminated and wash skin. If irritation persists seek medical assistance.
Ingestion	Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek medical advice (e.g., doctor).
Advice to Doctor	Treat symptomatically.
First Aid Facilities	Eye wash station. Normal washroom facilities.

SECTION 5 – FIRE FIGHTING MEASURES

Fire and Explosion Hazards	Non-flammable liquid. However, on evaporation of the aqueous component, the residual material may burn.
Extinguishing Media	Use an extinguishing media suitable for surrounding fires.
Fire Fighting	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion or decomposition.
Flash Point	Not applicable
Hazchem	None allocated

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Emergency Procedures	Wear PPE in accordance with Section 8 of this SDS. With minor spills, wipe up with absorbent material (e.g., clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal. In the event of a major spill, prevent spillage from entering drains or water courses. Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. As a water-based product, if spilt on electrical equipment the product will cause short-circuits. If possible, contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.
-----------------------------	---

SECTION 7 – HANDLING AND STORAGE

SAFETY DATA SHEET

Product Name: FlowRPM Ceramic Vehicle Wash

Date of Issue: Nov 2023

Page 3 of Total 5

Handling	Avoid skin or eye contact with concentrate. Wear protective clothing when risk of exposure occurs. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with water after handling. Launder contaminated clothing before re-use.
Storage	Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Keep container standing upright. Keep containers closed when not in use - check regularly for leaks.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits	National Occupational Exposure Limits, as published by Safe Work Australia: Time-weighted Average (TWA): None established for product or ingredients >1%. Short Term Exposure Limit (STEL): None established for product or ingredients >1%.
Ventilation	No special requirements. Ensure adequate ventilation in use.
Personal Protective Equipment	Use good occupational work practice. The use of protective clothing and equipment depends upon the degree and nature of exposure. The following protective equipment should be available;
Eye Protection 	Safety glasses should be used for handling concentrate in quantity, cleaning up spills, decanting, etc. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
Hand Protection 	Wear gloves of an impervious material such as butyl rubber, natural latex, neoprene, PVC and nitrile – to handle in quantity, clean up spills, decanting, etc. Final choice of appropriate gloves will vary according to individual circumstances. i.e., methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
Body Protection 	Suitable protective workwear (e.g., apron, long sleeves/trousers, boots and cotton overalls buttoned at neck and wrist) are recommended. Chemical resistant apron is recommended where large quantities are handled.
Respirator	If engineering controls are not effective in controlling airborne exposure, then an approved respirator with a replaceable mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Viscous liquid	Colour	Yellow opaque
Odour	Watermelon Fragrance	Specific Gravity	Not available
Boiling Point	Approximately 100 °C	Freezing Point	Approximately 0 °C
Vapour Pressure	Not available	Vapour Density	Not available
Flash Point	Non-flammable	Flammable Limits	Not applicable
Water Solubility	Miscible in all proportions	pH	7.5 – 8.5

SECTION 10 – STABILITY AND REACTIVITY

Reactivity	Stable at normal temperatures and pressure.
Conditions to Avoid	Extremes of temperature and direct sunlight.
Incompatibilities	Strong oxidizing agents.

**Hazardous
Decomposition**

Thermal decomposition may result in the release of toxic and/or irritating fumes.

SECTION 11 – TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Inhalation	Inhalation of mists or aerosols can produce mucous membrane and respiratory irritation.
Skin contact	Contact with skin may cause irritation. Severity depends on the concentration and duration of exposure.
Eye contact	Contact with eyes may cause irritation. Severity depends on the concentration and duration of exposure.
Ingestion	Swallowing may result in nausea, irritation.
Chronic exposure	Causes irritation to eyes and skin.
Toxicology Information	Not toxic, based on ingredient calculated values.
Carcinogen Status	No significant ingredient is classified as carcinogenic by SWA.
Respiratory Sensitisation	Not expected to be a respiratory sensitizer.
Skin Sensitisation	Not expected to be a skin sensitizer.
Germ cell mutagenicity	Not considered to be a mutagenic hazard.
Reproductive Toxicity	Not considered to be toxic to reproduction.
STOT-single exposure	Not expected to cause toxicity to a specific target organ.
STOT-repeated exposure	Not expected to cause toxicity to a specific target organ.
Aspiration Hazard	Not expected to be an aspiration hazard.

SECTION 12 – ECOLOGICAL INFORMATION

Eco-toxicity Product	Not expected to be harmful to aquatic life.
Persistence and degradability	No information available
Bio accumulative potential	Bioaccumulation is not expected.
Mobility in soil	Due to its physicochemical characteristics, highly mobile in the environment and will partition to the aquatic compartment.
Other adverse effects	Not available
Environmental Protection	Do not discharge this material into waterways.

SECTION 13 – DISPOSAL CONSIDERATIONS

	Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.
--	---

SECTION 14 – TRANSPORT INFORMATION

ADG	Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail".
Marine Pollutant	No
Land Transport (ADG)	
UN Number	None allocated
Proper Shipping Name	None allocated
Class	None allocated



SAFETY DATA SHEET

Product Name: FlowRPM Ceramic Vehicle Wash

Date of Issue: Nov 2023

Page 5 of Total 5

HAZCHEM Code	None allocated
Packing Group	None allocated
ERG	None allocated
Limited Quantity	None allocated
Segregation	None allocated

SECTION 15 – REGULATORY INFORMATION

GHS Classification	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
SUSMP	Not scheduled
ADG Code	Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail".
AICS	All ingredients present on AICS

SECTION 16 – OTHER INFORMATION

Issue Date	Nov 2023
Version Number	V6: format change
Abbreviations and acronyms	ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail. AICS: Australian Inventory of Chemical Substances. CAS Number: Chemical Abstracts Service Registry Number. GHS: Globally Harmonized System of Classification and Labelling of Chemicals HAZCHEM: An emergency action code of numbers and letters which gives information to emergency services. HCIS: Hazardous Chemical Information System SWA: Safe Work Australia. SDS: Safety Data Sheet STEL: Short Term Exposure Limit. SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons. TWA: Time Weighted Average. UN Number: United Nations Number.
Literature references	Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice (Safe Work Australia) GHS Hazardous Chemical Information List (Safe Work Australia) Guidance on the Classification of Hazardous Chemicals under the WHS Regulations. Global Harmonized System of Classification and Labelling of Chemicals (GHS) "Australian Exposure Standards". Safe Work Australia Australian Code for The Transport of Dangerous Goods by Road and Rail Standard for the Uniform Scheduling of Medicines and Poisons Safety Data Sheets – individual raw materials – Suppliers HCIS – Hazardous Chemical Information System – National Safe Work Australia Data Base.
Disclaimer	This SDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.

End of SDS