



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS
which includes the amended Hazardous Products Act (HPA) and the Hazardous Products
Regulation (HPR)

Revision Date 10-Mar-2026

Version 3

1. Identification

Product identifier

Product Name ULTRA COPPER GASKET MAKER 3 OZ.

Other means of identification

Product Code 81878

Synonyms CAN Item Number .?

Recommended use of the chemical and restrictions on use

Recommended Use Sealant

Restrictions on use No information available

Details of the supplier of the safety data sheet

Manufacturer Address

ITW Permatex, Inc.
6875 Parkland Blvd.
Solon, Ohio 44139 USA
Telephone: 1-87-Permatex
(866) 732-9502

May Also Be Distributed by:

ITW Permatex Canada
101-2360 Bristol Circle
Oakville, ON Canada L6H 6M5
Telephone: (800) 924-6994

E-mail address mail@permatex.com

Emergency telephone number

24 Hour Emergency Phone Number Chem-Tel: 800-255-3924
International Emergency:
00+1+ 813-248-0585
Contract Number: MIS0003453

24-hour emergency phone number No information available

2. Hazard(s) identification

Classification

This product is not considered hazardous by either the US OSHA Hazard Communication Standard 2024, or Canada Hazardous Products Act (HPA) and Hazardous Products Regulation (HPR), as amended.

Label elements

Hazard statements

This product is not considered hazardous by either the US OSHA Hazard Communication Standard 2024, or Canada Hazardous

Products Act (HPA) and Hazardous Products Regulation (HPR), as amended.

6.24876 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
 31.02389 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
 96.57079 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
 96.57079 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).
 96.57079 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Other Information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Synonyms CAN Item Number .?.

| Chemical name | CAS No. | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|---------------|------------|----------|--|---|
| IRON OXIDE | 1309-37-1 | 1-5% | - | - |
| SILICA, MICA | 12001-26-2 | 0.5-1.5% | - | - |

4. First-aid measures

Description of first aid measures

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Rinse mouth.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

| | |
|---|--|
| Large Fire | CAUTION: Use of water spray when fighting fire may be inefficient. |
| Unsuitable extinguishing media | Do not scatter spilled material with high pressure water streams. |
| Specific hazards arising from the chemical | No information available. |
| Explosion data | |
| Sensitivity to mechanical impact | None. |
| Sensitivity to static discharge | None. |
| Special protective equipment and precautions for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls/personal protection

Control Parameters

Exposure Limits

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH |
|----------------------------|--|--|--|
| IRON OXIDE 1309-37-1 | TWA: 5 mg/m ³ respirable particulate matter | TWA: 10 mg/m ³ fume TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ fume and total dust Iron oxide (vacated) TWA: 5 mg/m ³ respirable fraction regulated under Rouge | TWA: 5 mg/m ³ ; Fe dust and fume IDLH: 2500 mg/m ³ Fe dust and fume |
| SILICA, MICA 12001-26-2 | TWA: 0.1 mg/m ³ respirable particulate matter | TWA: 20 mppcf respirable dust <1% Crystalline silica | TWA: 3 mg/m ³ ; containing <1% Quartz respirable dust |

| | | | |
|--|--|--|------------------------------|
| | | (vacated) TWA: 3 mg/m ³ respirable dust <1% Crystalline silica TWA: 20 mppcf <1% Crystalline silica | IDLH: 1500 mg/m ³ |
|--|--|--|------------------------------|

| Chemical name | Alberta | British Columbia | Ontario | Quebec |
|----------------------------|--|--|--|--|
| IRON OXIDE 1309-37-1 | TWA: 5 mg/m ³ ; respirable | TWA: 10 mg/m ³ ; total particulate TWA: 3 mg/m ³ ; respirable particulate TWA: 5 mg/m ³ ; dust and fume STEL: 10 mg/m ³ ; fume | TWA: 5 mg/m ³ ; respirable particulate matter | TWAEV: 5 mg/m ³ ; dust and fume |
| SILICA, MICA 12001-26-2 | TWA: 3 mg/m ³ ; respirable | TWA: 0.1 mg/m ³ ; respirable | TWA: 3 mg/m ³ ; respirable particulate matter | TWAEV: 0.1 mg/m ³ ; respirable aerosol fraction |

| Chemical name | Manitoba | New Brunswick | Newfoundland and Labrador | Nova Scotia |
|---------------|--|---|--|--|
| IRON OXIDE | TWA: 5 mg/m ³ ; respirable particulate matter | TWA: 5 mg/m ³ ; respirable fraction | TWA: 5 mg/m ³ ; respirable particulate matter | TWA: 5 mg/m ³ ; respirable particulate matter |
| SILICA, MICA | TWA: 0.1 mg/m ³ ; respirable particulate matter | TWA: 3 mg/m ³ ; respirable fraction | TWA: 0.1 mg/m ³ ; respirable particulate matter | TWA: 0.1 mg/m ³ ; respirable particulate matter |

| Chemical name | Nunavut | Prince Edward Island | Saskatchewan | Yukon |
|---------------|---|--|---|---|
| IRON OXIDE | TWA: 5 mg/m ³ ; dust and fume TWA: 10 mg/m ³ ; STEL: 10 mg/m ³ ; dust and fume STEL: 20 mg/m ³ ; | TWA: 5 mg/m ³ ; respirable particulate matter | TWA: 5 mg/m ³ ; dust and fume TWA: 10 mg/m ³ ; STEL: 10 mg/m ³ ; dust and fume STEL: 20 mg/m ³ ; | TWA: 5 mg/m ³ ; fume TWA: 30 mppcf; TWA: 10 mg/m ³ ; STEL: 10 mg/m ³ ; fume STEL: 20 mg/m ³ ; |
| SILICA, MICA | TWA: 3 mg/m ³ ; respirable fraction STEL: 6 mg/m ³ ; respirable fraction | TWA: 0.1 mg/m ³ ; respirable particulate matter | TWA: 3 mg/m ³ ; respirable fraction STEL: 6 mg/m ³ ; respirable fraction | TWA: 20 mppcf; |

Biological occupational exposure limits

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Appropriate eye/face protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction.

Hand protection Appropriate hand protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction.

Skin and body protection Appropriate skin and body protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction.

Respiratory protection Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Paste / Gel Liquid
Appearance Paste
Color Copper
Odor Mild
Odor threshold No information available

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|---------------------------------------|--------------------|-------------------------|
| pH | 7-8 | |
| Melting point / freezing point | No data available | |
| Boiling point / boiling range | No data available | Polymerization |
| Flash point | > 94 °C / 201.2 °F | Tag Closed Cup |
| Evaporation rate | Not applicable | |
| Flammability (solid, gas) | No data available | |
| Flammability Limit in Air | | |
| Upper flammability limit: | No data available | |
| Lower flammability limit: | No data available | |
| Vapor pressure | <5 mm Hg @ 80°F | |
| Vapor density | 3.0 | Air = 1 |
| Relative density | 1.05 | |
| Water solubility | No Data Available | |
| Solubility(ies) | No data available | |
| Partition coefficient | No data available | |
| Autoignition temperature | No data available | |
| Decomposition temperature | No data available | |
| Kinematic viscosity | No data available | |
| Dynamic viscosity | No data available | |
| Particle characteristics | | |
| Particle Size | No data available | |
| Particle Size Distribution | No data available | |

Other information

Explosive properties No information available
Oxidizing properties No information available
Softening point No information available
Molecular weight No information available
VOC content <3%
Density No information available
Bulk density No information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid None known based on information supplied.

Incompatible materials None known based on information supplied.

Hazardous decomposition products Carbon oxides. Nitrogen oxides (NOx). Formaldehyde. May release 2-butanone oxime (ethyl methyl ketoxime) at elevated temperature.

11. Toxicological information

Information on likely routes of exposure

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral) 15,460.00 mg/kg
ATEmix (dermal) 10,103.60 mg/kg
ATEmix (inhalation-gas) 99,999.00 ppm
ATEmix (inhalation-vapor) 99,999.0000 mg/l
ATEmix (inhalation-dust/mist) 99,999.000 mg/l

6.24876 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
 31.02389 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
 96.57079 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
 96.57079 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
 96.57079 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-------------------------|-----------------------|-------------|-----------------|
| IRON OXIDE 1309-37-1 | > 10000 mg/kg (Rat) | - | - |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|---------------|--------------------------|-----------|-----|------|
| IRON OXIDE | A4 - Not Classifiable as | Group 3 - | - | - |

| | | | | |
|-----------|--------------------|--|--|--|
| 1309-37-1 | a Human Carcinogen | Unclassifiable as to carcinogenicity in humans | | |
|-----------|--------------------|--|--|--|

Legend

IARC (International Agency for Research on Cancer)
Group 3 - Not classifiable as to carcinogenicity in humans

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity The environmental impact of this product has not been fully investigated.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|-------------------------|----------------------|---|----------------------------|-----------|
| IRON OXIDE 1309-37-1 | - | LC50: =100000mg/L (96h, Danio rerio) | - | - |

Persistence and degradability No information available.

Bioaccumulation**Component Information**

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number Waste designations and classifications should be determined by the end user based on the application for which the product was used.

14. Transport information

DOT Not regulated

TDG Not regulated

MEX Not regulated

IATA Not regulated

IMDG Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

| | |
|---------------|----------------|
| TSCA | Complies |
| DSL/NDSL | Complies |
| EINECS/ELINCS | Complies |
| ENCS | Not determined |
| IECSC | Complies |
| KECI | Not determined |
| PICCS | Complies |
| AICS | Complies |
| NZIoC | Not Determined |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|----------------------------------|------------|---------------|--------------|
| IRON OXIDE 1309-37-1 | X | - | X |
| SILICA, MICA 12001-26-2 | X | X | X |
| 2-Ethylhexanoic acid 149-57-5 | X | - | - |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

| | | | | |
|-------------|------------------|----------------|--------------------|-----------------------|
| NFPA | Health hazards 0 | Flammability 1 | Instability 0 | Special hazards - |
| HMIS | Health hazards 0 | Flammability 1 | Physical hazards 0 | Personal protection X |

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend**

SVHC: Substances of Very High Concern for Authorization:
 PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
 vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances
 STOT: Specific Target Organ Toxicity
 ATE: Acute Toxicity Estimate
 LC50: 50% Lethal Concentration
 LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| | | | |
|---------|-----------------------------|------|----------------------------------|
| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value | * | Skin designation |
| + | Sensitizers | | |

Key literature references and sources for data used to compile the SDS

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 U.S. Environmental Protection Agency
 Acute Exposure Guideline Level(s) (AEGl(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan National Institute of Technology and Evaluation (NITE)
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications
 International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program
 International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set
 United Nations World Health Organization (WHO)

Revision Date 10-Mar-2026

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.