



REMKE

CONNECTING POSSIBILITIES



CROSS-REFERENCE



RSRS AND RSSS CORD GRIPS CROSS REFERENCE

RSRS STEEL CORD GRIPS				
Cable Range	Remke*	Appleton	(Hubbell) Kellems	
3/8"				
.125 - .188	RSRS-003	CG-1238-S	SHC-1008-ZP	
.188 - .250	RSRS-004	CG-1838-S	SHC-1009-ZP	
.250 - .312	RSRS-005	CG-1838-S	SHC-1010-ZP	
.312 - .375	RSRS-006	CG-3138-S	SHC-1011-ZP	
.375 - .438	RSRS-007	CG-3138-S	SHC-1012-ZP	
1/2"				
.125 - .188	RSRS-103	CG-1250-S	SHC-1020-ZP	
.188 - .250	RSRS-104	CG-1850-S	SHC-1021-ZP	
.250 - .312	RSRS-105	CG-1850-S	SHC-1022-ZP	
.312 - .375	RSRS-106	CG-3150-S	SHC-1022-ZP	
.375 - .438	RSRS-107	CG-3150-S	SHC-1023-ZP	
.438 - .500	RSRS-108	CG-3750-S	SHC-1023-ZP	
.500 - .562	RSRS-109	CG-5050-S	SHC-1024-ZP	
.562 - .625	RSRS-110	CG-5050-S	SHC-1024-ZP	
3/4"				
.438 - .562	RSRS-209	CG-3775-S	SHC-1033-ZP	
.500 - .625	RSRS-210	CG-5075-S	SHC-1034-ZP	
.562 - .688	RSRS-211	CG-5075-S	SHC-1037-ZP	
.625 - .750	RSRS-212	CG-6275-S	SHC-1038-ZP	
.688 - .812	RSRS-213	CG-7575-S	SHC-1038-ZP	
1"				
.438 - .562	RSRS-309	CG-50100-S	SHC-1097-ZP	
.500 - .625	RSRS-310	CG-50100-S	SHC-1097-ZP	
.562 - .688	RSRS-311	CG-62100-S	SHC-1097-ZP	
.625 - .750	RSRS-312	CG-62100-S	SHC-1098-ZP	
.688 - .812	RSRS-313	CG-75100-S	SHC-1099-ZP	
.750 - .875	RSRS-314	CG-75100-S	SHC-1099-ZP	
.812 - .938	RSRS-315	CG-87100-S	SHC-1043-ZP	

*Add suffix -E for Remke part number with mesh.

RSSS STAINLESS STEEL CORD GRIPS				
Cable Range	Remke	(Hubbell) Kellems	Appleton	Thomas & Betts
3/8"				
.125 - .188	RSSS-003	—	CG-1238SS	2919SST
.188 - .250	RSSS-004	SHC-1009-SS	CG-1838SS	2919SST
.250 - .312	RSSS-005	SHC-1010-SS	CG-2538SS	2919SST
.312 - .375	RSSS-006	SHC-1011-SS	CG-3138SS	NA
.375 - .438	RSSS-007	SHC-1012-SS	CG-3738SS	NA
1/2"				
.125 - .188	RSSS-103	SHC-1020-SS	CG-1250SS	2920SST
.188 - .250	RSSS-104	SHC-1021-SS	CG-1850SS	2920SST
.250 - .312	RSSS-105	SHC-1022-SS	CG-2550SS	2920SST
.312 - .375	RSSS-106	SHC-1022-SS	CG-3150SS	2920SST
.375 - .438	RSSS-107	SHC-1023-SS	CG-3750SS	2921SST
.438 - .500	RSSS-108	SHC-1023-SS	CG-4350SS	2921SST
.500 - .562	RSSS-109	SHC-1024-SS	CG-5050SS	2921SST
.562 - .625	RSSS-110	SHC-1024-SS	CG-5650SS	2922SST
3/4"				
.438 - .500	RSSS-208	—	CG-4375SS	2931SST
.500 - .562	RSSS-209	—	CG-5075SS	2931SST
.500 - .625	RSSS-210	SHC-1036-SS	CG-5375SS	2932SST
.562 - .688	RSSS-211	—	CG-5675SS	2932SST
.625 - .750	RSSS-212	SHC-1037-SS	CG-6275SS	2932SST
.688 - .812	RSSS-213	SHC-1038-SS*	CG-6875SS	2932SST

NOTE: Larger Remke Stainless Steel Cord Grips cross to these competitors; Hubbell/Kellems - SCH-xxxx-SS Series; Appleton - CGxxxxSS Series; Thomas & Betts - xxxxSST Series. Please contact factory for more information.

RSP NON-METALLIC CORD GRIPS CROSS REFERENCE

STRAIGHT, WITHOUT MESH GRIP			
Cable Range	Remke	(Hubbell) Kellems	Woodhead
3/8"			
.125 - .188	RSP-003	—	—
.188 - .250	RSP-004	—	—
.250 - .312	RSP-005	—	—
.312 - .375	RSP-006	—	—
.375 - .438	RSP-007	—	—
1/2"			
.125 - .188	RSP-103	SHC-1014-CR	5520
.188 - .250	RSP-104	SHC-1015-CR	5522
.250 - .312	RSP-105	SHC-1016-CR	5524
.312 - .375	RSP-106	SHC-1017-CR	5526
.375 - .438	RSP-107	SHC-1018-CR	5528
.438 - .500	RSP-108	SHC-1023-CR	5530
.500 - .562	RSP-109	SHC-1024-CR	5532*
.562 - .625	RSP-110*	SHC-1024-CR*	5534
3/4"			
.438 - .562	RSP-209	SHC-1036-CR	5536
.500 - .625	RSP-210	SHC-1036-CR	5538
.562 - .688	RSP-211	SHC-1037-CR	5540
.625 - .750	RSP-212	SHC-1037-CR	5542
.688 - .812	RSP-213*	SHC-1038-CR*	5544*

*The Cable may have to be stripped to pass through the bore of the body.

90°, WITHOUT MESH GRIP			
Cable Range	Remke	(Hubbell) Kellems	Woodhead
1/2"			
.125 - .188	RSP-9103	NHC-1020-CR	5521
.188 - .250	RSP-9104	NHC-1021-CR	5523
.250 - .312	RSP-9105	NHC-1022-CR	5525
.312 - .375	RSP-9106	NHC-1022-CR	5527
.375 - .438	RSP-9107	NHC-1023-CR	5529
.438 - .500	RSP-9108	NHC-1023-CR	5531
.500 - .562	RSP-9109	NHC-1024-CR	5533*
.562 - .625	RSP-9110*	NHC-1024-CR*	5535
3/4"			
.438 - .562	RSP-9209	NHC-1035-CR	5537
.500 - .625	RSP-9210	NHC-1036-CR	5539
.562 - .688	RSP-9211	—	5541
.625 - .750	RSP-9212	NHC-1037-CR	5543
.688 - .812	RSP-9213*	NHC-1038-CR*	5545*

*The Cable may have to be stripped to pass through the bore of the body.

STRAIGHT, WITH MESH GRIP			
Cable Range	Remke	(Hubbell) Kellems	Woodhead
3/8"			
.125 - .188	RSP-003-E	—	—
.188 - .250	RSP-004-E	—	—
.250 - .312	RSP-005-E	—	—
.312 - .375	RSP-006-E	—	—
.375 - .438	RSP-007-E	—	—
1/2"			
.125 - .188	RSP-103-E	—	—
.188 - .250	RSP-104-E	074-01-1479	5522M
.250 - .312	RSP-105-E	074-01-1480	5524M
.312 - .375	RSP-106-E	074-01-1481	5526M
.375 - .438	RSP-107-E	074-01-1482	5528M
.438 - .500	RSP-108-E	074-01-1333	5530M
.500 - .562	RSP-109-E	074-01-1334*	5532M*
.562 - .625	RSP-110-E*	074-01-1334*	5534M*
3/4"			
.438 - .562	RSP-209-E	074-01-1335	5536M
.500 - .625	RSP-210-E	074-01-1336	5538M
.562 - .688	RSP-211-E	074-01-1337	5540M
.625 - .750	RSP-212-E	074-01-1337	5542M
.688 - .812	RSP-213-E*	—	5544M*

*The Cable may have to be stripped to pass through the bore of the body.

90°, WITH MESH GRIP			
Cable Range	Remke	(Hubbell) Kellems	Woodhead
1/2"			
.125 - .188	RSP-9103-E	—	5521M
.188 - .250	RSP-9104-E	074-01-1345	5523M
.250 - .312	RSP-9105-E	074-01-1346	5525M
.312 - .375	RSP-9106-E	074-01-1346	5527M
.375 - .438	RSP-9107-E	074-01-1347	5529M
.438 - .500	RSP-9108-E	074-01-1347	5531M
.500 - .562	RSP-9109-E	074-01-1348*	5533M*
.562 - .625	RSP-9110-E*	074-01-1348*	5535M*
3/4"			
.438 - .562	RSP-9209-E	074-01-1349	5537M
.500 - .625	RSP-9210-E	074-01-1350	5539M
.562 - .688	RSP-9211-E	—	5541M
.625 - .750	RSP-9212-E	074-01-1351	5543M
.688 - .812	RSP-9213-E*	074-01-1352	5545M*

*The Cable may have to be stripped to pass through the bore of the body.

WH SERIES CONDUIT HUBS AND ALUMINUM LIQUIDTIGHT PRODUCTS CROSS REFERENCE

WATERTIGHT CONDUIT HUBS						
Hub Size	Remke	Bridgeport	Appleton	O.Z./Gedney	Myers	Thomas & Betts
1/2"	WH-1	151-DC	HUB-50	CH-50	ST-1	H050
3/4"	WH-2	152-DC	HUB-75	CH-75	ST-2	H075
1"	WH-3	153-DC	HUB-100	CH-100	ST-3	H100
1 1/4"	WH-4	154-DC	HUB-125	CH-125	ST-4	H125
1 1/2"	WH-5	155-DC	HUB-150	CH-150	ST-5	H150
2"	WH-6	156-DC	HUB-200	CH-200	ST-6	H200
2 1/2"	WH-7	157-DC	HUB-250	CH-250	ST-7	H250
3"	WH-8	158-DC	HUB-300	CH-300	ST-8	H300
3 1/2"	WH-9	159-DC	HUB-350	CH-350	ST-9	H350
4"	WH-10	160-DC	HUB-400	CH-400	ST-10	H400
1/2"	WH-1-G	—	—	—	STG-1	—
3/4"	WH-2-G	—	—	—	STG-2	—
1"	WH-3-G	—	—	—	STG-3	—
1 1/4"	WH-4-G	—	—	—	STG-4	—
1 1/2"	WH-5-G	—	—	—	STG-5	—
2"	WH-6-G	—	—	—	STG-6	—

WIRE MESH PRODUCTS CROSS REFERENCE

STANDARD SUPPORT GRIPS, CLOSED MESH—DOUBLE EYE—SINGLE WEAVE					
Cable Range	Remke	(Bryant) Economy	Pass & Seymour Slater/Flexcor	(Hubbell) Kellems	Woodhead
.50 – 0.62	2201-001R	SPC050-DE	FC050-UU	022-01-001	35001
.63 – 0.74	2201-002R	SPC062-DE	FC062-UU	022-01-002	35002
.75 – 0.99	2201-003R	SPC075-DE	FC075-UU	022-01-003	35003
1.00 – 1.24	2201-004R	SPC100-DE	FC100-UU	022-01-005	35004
1.25 – 1.49	2201-005R	SPC125-DE	FC125-UU	022-01-006	35005
1.50 – 1.74	2201-006R	SPC150-DE	FC150-UU	022-01-007	35006
1.75 – 1.99	2201-007R	SPC175-DE	FC175-UU	022-01-008	35007
2.00 – 2.49	2201-008R	SPC200-DE	FC200-UU	022-01-009	35008
2.50 – 2.99	2201-009R	SPC250-DE	FC250-UU	022-01-010	35009
3.00 – 3.49	2201-010R	SPC300-DE	FC300-UU	022-01-011	35010
3.50 – 3.99	2201-011R	SPC350-DE	FC350-UU	022-01-012	35011

STANDARD SUPPORT GRIPS, CLOSED MESH—SINGLE EYE—SINGLE WEAVE					
Cable Range	Remke	(Bryant) Economy	Pass & Seymour Slater/Flexcor	(Hubbell) Kellems	Woodhead
.50 – 0.62	2201-013R	SPC050-U	FC050-U	022-01-013	35030
.63 – 0.74	2201-014R	SPC062-U	FC062-U	022-01-014	35031
.75 – 0.99	2201-015R	SPC075-U	FC075-U	022-01-015	35032
1.00 – 1.24	2201-016R	SPC100-U	FC100-U	022-01-017	35033
1.25 – 1.49	2201-017R	SPC125-U	FC125-U	022-01-018	35034
1.50 – 1.74	2201-018R	SPC150-U	FC150-U	022-01-019	35035
1.75 – 1.99	2201-019R	SPC175-U	FC175-U	022-01-020	35036
2.00 – 2.49	2201-020R	SPC200-U	FC200-U	022-01-021	35037
2.50 – 2.99	2201-021R	SPC250-U	FC250-U	022-01-022	35038
3.00 – 3.49	2201-022R	SPC300-U	FC300-U	022-01-023	35039
3.50 – 3.99	2201-023R	SPC350-U	FC350-U	022-01-024	35040

WIDE RANGE STRAIN RELIEF GRIPS, NON-INSULATED—NPT THREAD					
Cable Range	Remke	(Bryant) Economy	Pass & Seymour Slater/Flexcor	(Hubbell) Kellems	Woodhead
.22 – 0.32	7303-001R	BDSR25	BOX22	073-03-1200	—
.30 – 0.43	7303-002R	BDSR37	BOX30	073-03-1201	—
.40 – 0.54	7303-003R	BDSR50	BOX40	073-03-1202	—
.52 – 0.73	7303-004R	BDSR62	BOX52	073-03-1203	—
.70 – 0.97	7303-005R	BDSR87	BOX70	073-03-1204	—
.94 – 1.25	7303-006R	BDSR100	BOX94	073-03-1205	—

WIDE RANGE STRAIN RELIEF GRIPS, INSULATED BUSHING—NPS THREAD					
Cable Range	Remke	(Bryant) Economy	Pass & Seymour Slater/Flexcor	(Hubbell) Kellems	Woodhead
.22 – 0.32	7303-008R	BDSR25-B	BOX22	073-03-1206	36501
.30 – 0.43	7303-009R	BDSR37-B	BOX30	073-03-1207	36503
.40 – 0.54	7303-010R	BDSR-50-B	BOX40	073-03-1208	36505
.52 – 0.73	7303-011R	BDSR-62-B	BOX52	073-03-1209	36508
.70 – 0.97	7303-012R	BDSR-87-B	BOX70	073-03-1210	36512
.94 – 1.25	7303-013R	BDSR-118-B	BOX94	073-03-1211	36515
1.20 – 1.5	7303-014R	BDSR-125-B	BOX120	073-03-1212	36516
1.40 – 1.75	7303-015R	BDSR-150-B	BOX140	073-03-1213	36517
1.62 – 2.00	7303-016R	BDSR-175-B	—	073-03-1214	36518
2.00 – 2.45	7303-017R	BDSR-200-B	—	073-03-1215	36519

WIRE MESH PRODUCTS CROSS REFERENCE

BUS DROP GRIPS, SINGLE EYE—WIDE RANGE

Cable Range	Remke	(Bryant) Economy	Pass & Seymour Slater/Flexcor	(Hubbell) Kellems	Woodhead
.22 – 0.32	7304-001R	BDS25-U	FC22	073-04-1276	36560
.30 – 0.43	7304-002R	BDS37-U	FC30	073-04-1277	36562
.41 – 0.56	7304-003R	BDS50-U	FC40	073-04-1278	36564
.53 – 0.73	7304-004R	BDS62-U	FC52	073-04-1279	36567
.70 – 0.85	7304-005R	BDS75-U	FC70	073-04-1280	36569
.82 – 1.00	7304-006R	BDS87-U	—	073-04-1281	36571
0.96 – 1.25	7304-007R	BDS100-U/	FC94	073-04-1282	36574
—	—	BDS118-U	—	—	—

BUS DROP GRIPS, UNIVERSAL BALE—WIDE RANGE

Cable Range	Remke	(Bryant) Economy	Pass & Seymour Slater/Flexcor	(Hubbell) Kellems	Woodhead
.22 – 0.32	7304-009R	BDS25-H	FC22-LB	073-04-1283	36580
.30 – 0.43	7304-010R	BDS37-H	FC30-LB	073-04-1284	36582
.41 – 0.56	7304-011R	BDS50-H	FC40-LB	073-04-1285	36584
.53 – 0.73	7304-012R	BDS62-H	FC52-LB	073-04-1286	36587
.70 – 0.85	7304-013R	BDS75-H	FC70-LB	073-04-1287	36589
.82 – 1.00	7304-014R	BDS87-H	—	073-04-1288	36591
.96 – 1.25	7304-015R	BDS100-H	FC94-LB	073-04-1289	36594
—	—	BDS118-H	—	—	—

BUS DROP SAFETY SPRINGS

Description	Remke	(Bryant) Economy	Pass & Seymour Slater/Flexcor	(Hubbell) Kellems	Woodhead
40 Lb. Spring	203-02-001	S-40	203-02-001	203-02-001	36237
80 Lb. Spring	203-02-002	S-80	203-02-002	203-02-002	36238

