

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Revision Date 10-Apr-2025 Version 1

1. Identification

Product identifier

Product Name RT-16-A RUST TREATMENT 16OZ BO

Other means of identification

Product Code 81773

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Automotive Care Product

Restrictions on use No information available

Details of the supplier of the safety data sheet

Manufacturer Address

ITW Permeters | ITW Perm

ITW Permatex, Inc. ITW Permatex Canada 6875 Parkland Blvd. ITW Permatex Canada 101-2360 Bristol Circle

Solon, Ohio 44139 USA Oakville, ON Canada L6H 6M5 Telephone: 1-87-Permatex Telephone: (800) 924-6994

(866) 732-9502

E-mail address mail@permatex.com

Emergency telephone number

24 Hour Emergency Phone Number Chem-Tel: 800-255-3924

International Emergency: 00+1+ 813-248-0585

Contract Number: MIS0003453

24-hour emergency phone number No information available

2. Hazard(s) identification

Classification

This product is not considered hazardous by either the US OSHA Hazard Communication Standard 2024, or Canada Hazardous Products Act (HPA) and Hazardous Products Regulation (HPR), as amended.

Label elements

Hazard statements

This product is not considered hazardous by either the US OSHA Hazard Communication Standard 2024, or Canada Hazardous

Products Act (HPA) and Hazardous Products Regulation (HPR), as amended.

37 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

47.9443 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

51.9529 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

49.9486 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

40.3299 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Other Information

May be harmful if swallowed. Causes mild skin irritation.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
BARIUM SULFATE	7727-43-7	5-10%	-	-
PROPYLENE GLYCOL	57-55-6	1-5%	-	-
2-BUTOXYETHANOL	111-76-2	1-5%	-	-

4. First-aid measures

Description of first aid measures

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Rinse mouth.

Most important symptoms and effects, both acute and delayed

Symptoms Prolonged contact may cause redness and irritation.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

surrounding environment.

CAUTION: Use of water spray when fighting fire may be inefficient. Large Fire

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

No information available.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Pick up and transfer to properly labeled containers. Methods for cleaning up

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. **Storage Conditions**

8. Exposure controls/personal protection

Control Parameters **Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
BARIUM SULFATE	TWA: 5 mg/m ³ inhalable	TWA: 15 mg/m³ total dust	TWA: 10 mg/m ³ ; total dust
7727-43-7	particulate matter particulate	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ ; respirable
	matter containing no Asbestos	fraction	dust
	and <1% Crystalline silica	(vacated) TWA: 10 mg/m ³	
		total dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
2-BUTOXYETHANOL	TWA: 20 ppm	TWA: 50 ppm	TWA: 5 ppm;
111-76-2		TWA: 240 mg/m ³	TWA: 24 mg/m ³ ;
		(vacated) TWA: 25 ppm	IDLH: 700 ppm
		(vacated) TWA: 120 mg/m ³	
		dSk	
		Sdv	

Chemical name	Alberta	British Columbia	Ontario	Quebec
BARIUM SULFATE	TWA: 10 mg/m ³ ;	TWA: 5 mg/m ³ ;	TWA: 5 mg/m ³ ;	TWAEV: 5 mg/m ³ ;
7727-43-7	-	inhalable	inhalable particulate	inhalable dust
			matter	
PROPYLENE GLYCOL	-	-	TWA: 10 mg/m ³ ; aerosol	-
57-55-6			only	
			TWA: 50 ppm; aerosol	
			and vapor	
			TWA: 155 mg/m ³ ;	
			aerosol and vapor	
2-BUTOXYETHANOL	TWA: 20 ppm;	TWA: 20 ppm;	TWA: 20 ppm;	TWAEV: 20 ppm;
111-76-2	TWA: 97 mg/m³;			

Chemical name	Manitoba	New Brunswick	Newfoundland and	Nova Scotia
			Labrador	
BARIUM SULFATE	TWA: 5 mg/m ³ ;			
	inhalable particulate	inhalable fraction	inhalable particulate	inhalable particulate
	matter		matter	matter
2-BUTOXYETHANOL	TWA: 20 ppm;	TWA: 20 ppm;	TWA: 20 ppm;	TWA: 20 ppm;

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
BARIUM SULFATE	TWA: 10 mg/m ³ ;	TWA: 5 mg/m ³ ;	TWA: 10 mg/m ³ ;	
	STEL: 20 mg/m ³ ;	inhalable particulate	STEL: 20 mg/m ³ ;	
		matter		
2-BUTOXYETHANOL	TWA: 20 ppm;	TWA: 20 ppm;	TWA: 20 ppm;	TWA: 50 ppm;
	STEL: 30 ppm;		STEL: 30 ppm;	TWA: 240 mg/m ³ ;
				STEL: 150 ppm;
				STEL: 720 mg/m³;
				Sk

Biological occupational exposure limits

Chemical name	ACGIH
2-BUTOXYETHANOL	200 mg/g creatinine - urine (Butoxyacetic acid with
111-76-2	hydrolysis) - end of shift

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Appropriate eye/face protection should be selected and used according to the chemical

nature, hazards and use of this product and safety requirements of the local jurisdiction.

Hand protection Appropriate hand protection should be selected and used according to the chemical nature,

hazards and use of this product and safety requirements of the local jurisdiction.

Skin and body protection Appropriate skin and body protection should be selected and used according to the

chemical nature, hazards and use of this product and safety requirements of the local

jurisdiction.

Respiratory protectionAppropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. If

exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available

Color White Odor Mild

Odor threshold No information available

Property Values Remarks • Method

pH 3.5

Melting point / freezing pointNo data availableBoiling point / boiling range100 °C / 212 °FFlash pointNo data available

Evaporation rate <1 Butyl acetate = 1

Flammability (solid, gas) No data available

Flammability Limit in Air

Upper flammability limit: No data available
Lower flammability limit: No data available
Vapor pressure 24 mm Hg

Vapor density >1 Air = 1

Relative density 1.22

Water solubility
Soluble in water
No data available
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
No data available

Particle characteristics

Particle Size No data available Particle Size Distribution No data available

Other information

Explosive properties
Oxidizing properties
No information available
No information available
No information available
No information available

VOC content 5.3342

DensityNo information availableBulk densityNo information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid None known based on information supplied.

Incompatible materials None known based on information supplied.

Hazardous decomposition products Carbon oxides. Hydrogen chloride.

11. Toxicological information

Information on likely routes of exposure

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available. Causes mild skin irritation.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Prolonged contact may cause redness and irritation.

Acute toxicity .

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

 ATEmix (oral)
 2,604.50 mg/kg

 ATEmix (dermal)
 47,387.50 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-vapor)
 54.30 mg/l

 ATEmix (inhalation-dust/mist)
 5.73 mg/l

37 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

47.9443 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

51.9529 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

49.9486 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

40.3299 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
BARIUM SULFATE	= 307000 mg/kg (Rat)	-	-
7727-43-7			
PROPYLENE GLYCOL	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	-
57-55-6			
2-BUTOXYETHANOL	= 470 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
111-76-2			= 486 ppm (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Causes mild skin irritation.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
2-BUTOXYETHANOL	A3 - Confirmed Animal	Group 3 -	-	-
111-76-2	Carcinogen with	Unclassifiable as to		

Unknown Relevance to	carcinogenicity in	
Humans	humans	

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer) Group 3 - Not classifiable as to carcinogenicity in humans

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
PROPYLENE GLYCOL	EC50: =19000mg/L	LC50: =51600mg/L	-	EC50: >1000mg/L (48h,
57-55-6	(96h,	(96h, Oncorhynchus		Daphnia magna)
	Pseudokirchneriella	mykiss)		
	subcapitata)	LC50: 41 - 47mL/L (96h,		
		Oncorhynchus mykiss)		
		LC50: =51400mg/L		
		(96h, Pimephales		
		promelas)		
		LC50: =710mg/L (96h,		
		Pimephales promelas)		
2-BUTOXYETHANOL	-	LC50: =1490mg/L (96h,	-	EC50: >1000mg/L (48h,
111-76-2		Lepomis macrochirus)		Daphnia magna)
		LC50: =2950mg/L (96h,		
		Lepomis macrochirus)		

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
PROPYLENE GLYCOL	-1.07
57-55-6	
2-BUTOXYETHANOL	0.81
111-76-2	

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused Dispose of in accordance with local regulations. Dispose of waste in accordance with

products environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number Waste designations and classifications should be determined by the end user based on the

application for which the product was used.

14. Transport information

DOTNot regulatedTDGNot regulatedMEXNot regulated

IMDG Not regulated

Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA Complies Complies DSL/NDSL Does not comply **EINECS/ELINCS ENCS** Does not comply **IECSC** Complies Complies KECI **PICCS** Complies **AICS** Does not comply Complies **NZIoC**

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical

or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
BARIUM SULFATE - 7727-43-7	1.0
2-BUTOXYETHANOL - 111-76-2	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
WATER	-	-	X
7732-18-5			
BARIUM SULFATE	X	X	X
7727-43-7			
2-BUTOXYETHANOL	X	X	X
111-76-2			
PROPYLENE GLYCOL	X	-	X
57-55-6			
SILICON DIOXIDE	-	X	X
7631-86-9			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPAHealth hazards2Flammability0Instability0Special hazards-HMISHealth hazards0Flammability0Physical hazards0Personal protectionX

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)
Ceiling Maximum limit value * Skin designation

+ Sensitizers

Key literature references and sources for data used to compile the SDS

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

U.S. Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set United Nations World Health Organization (WHO)

Revision Date 10-Apr-2025

Revision NoteNo information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.