




#### NOTES:

- 1.) PART A IS PLATED ELECTROLESS NICKEL .0001 MIN-.0003 MAX.
- 2.) PART UP IS UNPLATED
- 3.) BREAK ALL SHARP CORNERS
- 4.) REF. BAR-16 (1" HEX X .610 I.D.)



REV.	DATE	CHANGE	UNLESS OTHERWISE SPECIFIED:		NAME	DATE			
A	2/5/02	DRAWING RELEASED C.V.	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± 1/64 ANGULAR: MACH ±1° BEND ±1° ONE PLACE DECIMAL ±.015 TWO PLACE DECIMAL ±.010 THREE PLACE DECIMAL ±.005	DRAWN	JCN	7/15			
B	2/7/02	REVISED PLATING SPEC.		CHECKED			TITLE:  ADAPTER		
C	2/18/02	"H" UNDERCUT DIA. .825 WAS .740, "D" BORE DEPTH WAS THREAD DEPTH		ENG APPR.					
D	7/30/15	REDRAWN	INTERPRET GEOMETRIC TOLERANCING PER:	MFG APPR.					
			MATERIAL ALUMINUM	Q.A.			SIZE DWG. NO. <b>A</b> RAPG-16M50F-A		
			FINISH NICKEL PLATED	THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF REMKE INDUSTRIES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF REMKE INDUSTRIES IS PROHIBITED.					
			DO NOT SCALE DRAWING	SCALE: 1.5:1			SHEET 1 OF 1		

5

4

3

2

1