



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS  
which includes the amended Hazardous Products Act (HPA) and the Hazardous Products  
Regulation (HPR)

Revision Date 07-Apr-2026

Version 2

## 1. Identification

### Product identifier

**Product Name** PX HEAD GASKET REPAIR 16 OZ

### Other means of identification

**Product Code** 30300

**UN number or ID number** UN3266

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** No information available

**Restrictions on use** No information available

### Details of the supplier of the safety data sheet

#### Manufacturer Address

ITW Permatex, Inc.  
6875 Parkland Blvd.  
Solon, Ohio 44139 USA  
Telephone: 1-87-Permatex  
(866) 732-9502

#### May Also Be Distributed by:

ITW Permatex Canada  
101-2360 Bristol Circle  
Oakville, ON Canada L6H 6M5  
Telephone: (800) 924-6994

**E-mail address** mail@permatex.com

### Emergency telephone number

**Company Phone Number** 866-732-9502

**24 Hour Emergency Phone Number** Chem-Tel: 800-255-3924  
International Emergency:  
00+1+ 813-248-0585  
Contract Number: MIS0003453

**24-hour emergency phone number** No information available

## 2. Hazard(s) identification

### Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

### Label elements

**Emergency Response Guide Number** 154

Contains SODIUM METASILICATE



### Danger

#### Hazard statements

Causes severe skin burns and eye damage.

#### Precautionary Statements - Prevention

Do not breathe dust.

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves, protective clothing, eye protection and face protection.

#### Precautionary Statements - Response

Immediately call a POISON CENTER or doctor.

Specific treatment (see supplemental first aid instructions on this label).

#### Eyes

Immediately call a POISON CENTER or doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash contaminated clothing before reuse.

#### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER or doctor.

#### Ingestion

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

#### Precautionary Statements - Storage

Store locked up.

#### Precautionary Statements - Disposal

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

3 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

20.1 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

42.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

42.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

42.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

#### Other Information

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

### 3. Composition/information on ingredients

#### Substance

Not applicable.

#### Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)

PROPYLENE GLYCOL	57-55-6	10-30%	-	-
SODIUM METASILICATE	6834-92-0	10-30%	-	-
SILICA, AMORPHOUS	112926-00-8	0.5-1.5%	-	-
COPPER	7440-50-8	0.5-1.5%	-	-

#### 4. First-aid measures

##### Description of first aid measures

<b>General advice</b>	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
<b>Inhalation</b>	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical attention.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.
<b>Self-protection of the first aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Wear personal protective clothing (see section 8).

##### Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Burning sensation. Redness. May cause blindness. Coughing and/ or wheezing. May cause redness and tearing of the eyes.
<b>Effects of Exposure</b>	No information available.

##### Indication of any immediate medical attention and special treatment needed

<b>Note to physicians</b>	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.
---------------------------	--

#### 5. Fire-fighting measures

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Small Fire</b>	In case of fire, use water spray, foam, dry chemical, or CO <sub>2</sub> .
<b>Large Fire</b>	In case of fire, use water spray, foam, dry chemical, or CO <sub>2</sub> .
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b>Specific hazards arising from the chemical</b>	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
<b>Hazardous combustion products</b>	No information available.

**Explosion data****Sensitivity to mechanical impact** None.**Sensitivity to static discharge** None.**Special protective equipment and precautions for fire-fighters**

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**6. Accidental release measures****Personal precautions, protective equipment and emergency procedures****Personal precautions**

Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

**Other information**

Refer to protective measures listed in Sections 7 and 8.

**Methods and material for containment and cleaning up****Methods for containment**

Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**

Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

**Prevention of secondary hazards**

Clean contaminated objects and areas thoroughly observing environmental regulations.

**7. Handling and storage****Precautions for safe handling****Advice on safe handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

**Conditions for safe storage, including any incompatibilities****Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

**8. Exposure controls/personal protection****Control Parameters****Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
SILICA, AMORPHOUS 112926-00-8	-	TWA: 20 mppcf TWA: (80)/(% SiO <sub>2</sub> ) mg/m <sup>3</sup> (vacated) TWA: 6 mg/m <sup>3</sup> : (80)/(% SiO <sub>2</sub> ) mg/m <sup>3</sup> TWA	-
COPPER 7440-50-8	TWA: 0.2 mg/m <sup>3</sup> fume	TWA: 0.1 mg/m <sup>3</sup> fume TWA: 1 mg/m <sup>3</sup> dust and mist (vacated) TWA: 0.1 mg/m <sup>3</sup> Cu dust, fume, mist	TWA: 1 mg/m <sup>3</sup> ; dust and mist TWA: 0.1 mg/m <sup>3</sup> ; fume IDLH: 100 mg/m <sup>3</sup> dust, fume



## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state	Liquid
Appearance	No information available
Color	Copper
Odor	No information available
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	14	
Melting point / freezing point	No data available	
Boiling point / boiling range	No data available	
Flash point	No data available	
Evaporation rate	Not applicable	
Flammability (solid, gas)	No data available	
Flammability Limit in Air		
Upper flammability limit:	No data available	
Lower flammability limit:	No data available	
Vapor pressure	No data available	
Vapor density	No data available	
Relative density	No data available	
Water solubility	No Data Available	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Kinematic viscosity	No data available	
Dynamic viscosity	No data available	
Particle characteristics		
Particle Size	No data available	
Particle Size Distribution	No data available	
<u>Other information</u>		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening point	No information available	
Molecular weight	No information available	
VOC content	23.1	
Density	No information available	
Bulk density	No information available	

## 10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Hazardous polymerization	No information available.
Conditions to avoid	Exposure to air or moisture over prolonged periods.
Incompatible materials	Acids. Bases. Oxidizing agent.
Hazardous decomposition products	None known based on information supplied.

## 11. Toxicological information

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May result in permanent damage including blindness.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Redness. Burning. May cause blindness. Coughing and/ or wheezing.

#### Acute toxicity

#### **Numerical measures of toxicity**

#### **The following ATE values have been calculated for the mixture**

<b>ATEmix (oral)</b>	7,042.10 mg/kg
<b>ATEmix (dermal)</b>	75,541.80 mg/kg
<b>ATEmix (inhalation-gas)</b>	99,999.00 ppm
<b>ATEmix (inhalation-vapor)</b>	99,999.00 mg/L
<b>ATEmix (inhalation-dust/mist)</b>	99,999.00 mg/L

- 3 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 20.1 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 42.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 42.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 42.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
PROPYLENE GLYCOL 57-55-6	= 20 g/kg ( Rat )	= 20800 mg/kg ( Rabbit )	-
SODIUM METASILICATE 6834-92-0	= 1153 mg/kg ( Rat )	-	-
SILICA, AMORPHOUS 112926-00-8	> 20000 mg/kg ( Rat )	-	-
COPPER 7440-50-8	-	-	> 5.11 mg/L ( Rat ) 4 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin corrosion/irritation</b>	Classification based on data available for ingredients. Causes severe skin burns and eye damage.
<b>Serious eye damage/eye irritation</b>	Classification based on data available for ingredients. Causes serious eye damage. Causes burns.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
SILICA, AMORPHOUS 112926-00-8	-	Group 3 - Unclassifiable as to carcinogenicity in humans	-	-

**Legend**

**IARC (International Agency for Research on Cancer)**

Group 3 - Not classifiable as to carcinogenicity in humans

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

## 12. Ecological information

**Ecotoxicity** Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
PROPYLENE GLYCOL 57-55-6	EC50: =19000mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =51600mg/L (96h, Oncorhynchus mykiss) LC50: 41 - 47mL/L (96h, Oncorhynchus mykiss) LC50: =51400mg/L (96h, Pimephales promelas) LC50: =710mg/L (96h, Pimephales promelas)	-	EC50: >1000mg/L (48h, Daphnia magna)
SODIUM METASILICATE 6834-92-0	-	LC50: =210mg/L (96h, Brachydanio rerio)	-	-
COPPER 7440-50-8	EC50: 0.0426 - 0.0535mg/L (72h, Pseudokirchneriella subcapitata) EC50: 0.031 - 0.054mg/L (96h, Pseudokirchneriella subcapitata)	LC50: 0.0068 - 0.0156mg/L (96h, Pimephales promelas) LC50: <0.3mg/L (96h, Pimephales promelas) LC50: =0.2mg/L (96h, Pimephales promelas) LC50: =0.052mg/L (96h, Oncorhynchus mykiss) LC50: =1.25mg/L (96h, Lepomis macrochirus) LC50: =0.3mg/L (96h, Cyprinus carpio) LC50: =0.8mg/L (96h, Cyprinus carpio)	-	EC50: =0.03mg/L (48h, Daphnia magna)

		LC50: =0.112mg/L (96h, Poecilia reticulata)		
--	--	--	--	--

**Persistence and degradability** No information available.

**Bioaccumulative potential**

**Component Information**

Chemical name	Partition coefficient
PROPYLENE GLYCOL 57-55-6	-1.07

**Other adverse effects** No information available.

### 13. Disposal considerations

**Waste treatment methods**

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

**US EPA Waste Number** Waste designations and classifications should be determined by the end user based on the application for which the product was used.

### 14. Transport information

**DOT**

**UN number or ID number** UN3266  
**Proper shipping name** Corrosive liquid, basic, inorganic, n.o.s.  
**Transport hazard class(es)** 8  
**Packing group** III  
**DOT Marine Pollutant** PP  
**Marine pollutant** COPPER.  
**Description** UN3266, Corrosive liquid, basic, inorganic, n.o.s.(SODIUM METASILICATE), 8, III, Marine pollutant (COPPER), Limited Quantity  
**Special Provisions** IB3, T7, TP1, TP28  
**Emergency Response Guide Number** 154

**TDG**

**UN number or ID number** UN3266  
**UN proper shipping name** Corrosive liquid, basic, inorganic, n.o.s.  
**Transport hazard class(es)** 8  
**Packing group** III  
**Description** UN3266, Corrosive liquid, basic, inorganic, n.o.s.(SODIUM METASILICATE), 8, III, Limited Quantity

**MEX**

**UN number or ID number** UN3266  
**UN proper shipping name** Corrosive liquid, basic, inorganic, n.o.s.  
**Transport hazard class(es)** 8  
**Packing group** III  
**Description** UN3266, Corrosive liquid, basic, inorganic, n.o.s.(SODIUM METASILICATE), 8, III, Limited Quantity  
**Special Provisions** 223, 274

**ICAO (air)**

<b>UN number or ID number</b>	UN3266
<b>UN proper shipping name</b>	Corrosive liquid, basic, inorganic, n.o.s.
<b>Transport hazard class(es)</b>	8
<b>Packing group</b>	III
<b>Description</b>	UN3266, Corrosive liquid, basic, inorganic, n.o.s.(SODIUM METASILICATE), 8, III, Limited Quantity
<b>Special Provisions</b>	A3

**IATA**

<b>UN number or ID number</b>	UN3266
<b>UN proper shipping name</b>	Corrosive liquid, basic, inorganic, n.o.s.
<b>Transport hazard class(es)</b>	8
<b>Packing group</b>	III
<b>ERG Code</b>	8L
<b>Special Provisions</b>	A3, A803
<b>Description</b>	UN3266, Corrosive liquid, basic, inorganic, n.o.s.(SODIUM METASILICATE), 8, III, Limited Quantity'

**IMDG**

<b>UN number or ID number</b>	UN3266
<b>UN proper shipping name</b>	Corrosive liquid, basic, inorganic, n.o.s.
<b>Transport hazard class(es)</b>	8
<b>Packing group</b>	III
<b>EmS-No.</b>	F-A, S-B
<b>Special Provisions</b>	223, 274
<b>Description</b>	UN3266, Corrosive liquid, basic, inorganic, n.o.s.(SODIUM METASILICATE), 8, III, Limited Quantity

**15. Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture****International Regulations**

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

**International Inventories**

<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>EINECS/ELINCS</b>	Not determined
<b>ENCS</b>	Not determined
<b>IECSC</b>	Complies
<b>KECI</b>	Not determined
<b>PICCS</b>	Not determined
<b>AICS</b>	Complies
<b>NZIoC</b>	Complies

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing Chemicals Inventory

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
COPPER - 7440-50-8	1.0

#### **SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
COPPER 7440-50-8	-	X	X	-

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
COPPER 7440-50-8	5000 lb / kg (final RQ)	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

### US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

#### **U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	X
PROPYLENE GLYCOL 57-55-6	X	-	X
COPPER 7440-50-8	X	X	X
SILICA, AMORPHOUS 112926-00-8	X	X	X

#### **U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

## **16. Other information**

<b>NFPA</b>	<b>Health hazards</b> 3	<b>Flammability</b> 0	<b>Instability</b> 0	<b>Special hazards</b> -
<b>HMIS</b>	<b>Health hazards</b> 3	<b>Flammability</b> 0	<b>Physical hazards</b> 0	<b>Personal protection</b> X

**Key or legend to abbreviations and acronyms used in the safety data sheet**

#### **Legend**

SVHC: Substances of Very High Concern for Authorization:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances  
 STOT: Specific Target Organ Toxicity  
 ATE: Acute Toxicity Estimate  
 LC50: 50% Lethal Concentration  
 LD50: 50% Lethal Dose

**Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitizers		

**Key literature references and sources for data used to compile the SDS**

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 U.S. Environmental Protection Agency  
 Acute Exposure Guideline Level(s) (AEGL(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 Japan National Institute of Technology and Evaluation (NITE)  
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 U.S. National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications  
 International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program  
 International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set  
 United Nations World Health Organization (WHO)

**Revision Date** 07-Apr-2026

**Revision Note** No information available.

**Disclaimer**

**The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.**