



NOTES:

- 1.) PART A IS PLATED ELECTROLESS NICKEL .0001 MIN-.0003 MAX.
- 2.) PART UP IS UNPLATED
- 3.) BREAK ALL SHARP CORNERS
- 4.) REF. BAR-24 (1-9/16 HEX X .990 I.D.)

REV.	DATE	CHANGE	UNLESS OTHERWISE SPECIFIED:	NAME	DATE	REMKE REMKE INDUSTRIES 310 CHADDICK DR, WHEELING, IL. 60090	
A	2/5/02	DRAWING RELEASED C.V.	DIMENSIONS ARE IN INCHES	DRAWN	JCN	7/15	TITLE: ADAPTER
B	2/7/02	REVISED PLATING SPECS.	TOLERANCES:	CHECKED			
C	2/18/02	"D" BORE DEPTH WAS THREAD DEPTH	FRACTIONAL ± 1/64	ENG APPR.			SIZE DWG. NO. A RAPG-29M100F-A
D	5/22/02	DWG P/N RAPG-29M100F-A WAS RAPG-29M1F-A	ANGULAR: MACH ± 1° BEND ± 1°	MFG APPR.			
E	4/19/05	"F" DIA. NOW 1.10", WAS .990	ONE PLACE DECIMAL ± .015	Q.A.			SCALE: 1.1:1 SHEET 1 OF 1
F	7/30/15	REDRAWN	TWO PLACE DECIMAL ± .010	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF REMKE INDUSTRIES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF REMKE INDUSTRIES IS PROHIBITED.			
			THREE PLACE DECIMAL ± .005				
			INTERPRET GEOMETRIC TOLERANCING PER:				
			MATERIAL				
			ALUMINUM				
			FINISH				
			NICKEL PLATED				
			DO NOT SCALE DRAWING				

5

↑

4

3

2

1