

Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

according to Regulation (EU) 2020/878 Issue date: 20/01/2021 Revision date: 27/12/2024 Version: 7.1

1.1. Product identifier

Product form : Mixture
Trade name : V1D

Product code : 10180, 10188, 10188-51, 10201-5, 10202-5, 50129, 50138, 50138-51, 50150, S50153,

50158-5, 50159-5, 1001007, 1001020, 1001210, 1020025, 1052810, 1052880, 1052890, 1052900, 1099000, 1090012, 5001030, 5001030CN, 5004020, 5004030, T16000, T16001,

T16003, T16004, T56000, T56001, T56003, T56004

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Intended for general public

Main use category : Professional uses: Public domain (administration, education, entertainment, services,

craftsmen), Consumer uses: Private households (= general public = consumers)

Use of the substance/mixture : Tyre sealant Function or use category : Adhesives, sealants

Uses advised against

Restrictions on use : No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

ITW Global Tire Repair Europe GmbH Carl-Benz Str. 10, 88696 Owingen, Germany

Tel 0049 7551-9200-100 Email: Comments@itwgtr.com

1.4. Emergency telephone number

Emergency number : Chemtel: +1(813)248-0585 (International);

England, Medical Toxicology Information Services: +442071880100; Wales & Ireland, National Poisons Information Service: 0844 892 0111; Scotland, National Poisons Information Centre: 0870 600 6266

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302 Skin sensitisation, Category 1 H317 Specific target organ toxicity – Repeated exposure, Category 2 H373

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. May cause an allergic skin reaction. May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).

according to Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS08

Signal word (CLP) : Warning

: Natural rubber; Ethylene glycol; 2-methylisothiazol-3(2H)-one Contains

Hazard statements (CLP) : H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.

H373 - May cause damage to organs (kidneys) through prolonged or repeated exposure

(oral).

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P261 - Avoid breathing mist, spray, vapours.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves, eye protection.

P301+P312 - IF SWALLOWED: Call a POISON CENTER, doctor if you feel unwell.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

Child-resistant fastening Not applicable Tactile warning : Applicable

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	Conc.	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethylene glycol substance with national workplace exposure limit(s) (IE); substance with a Community workplace exposure limit	CAS-No.: 107-21-1 EC-No.: 203-473-3 EC Index-No.: 603-027-00-1	≥ 40 - < 60	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
Natural rubber substance with national workplace exposure limit(s) (IE)	CAS-No.: 9006-04-6 EC-No.: 232-689-0	≥ 25 - < 40	Skin Sens. 1B, H317
Ammonia, aqueous solution	CAS-No.: 1336-21-6 EC-No.: 215-647-6 EC Index-No.: 007-001-01-2	≥ 0.25 - < 0.5	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1)
Potassium hydroxide substance with national workplace exposure limit(s) (IE)	CAS-No.: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8	≥ 0.25 - < 0.5	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335

according to Regulation (EU) 2020/878

Name	Product identifier	Conc.	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Methanol substance with national workplace exposure limit(s) (IE); substance with a Community workplace exposure limit	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X	≥ 0.0015 - < 0.02	Flam. Liq. 2, H225 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 STOT SE 1, H370
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9	< 0.0015	Acute Tox. 2 (Inhalation), H330 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (Conc.)
Ammonia, aqueous solution	CAS-No.: 1336-21-6 EC-No.: 215-647-6 EC Index-No.: 007-001-01-2	(5 ≤ C < 100) STOT SE 3; H335
Potassium hydroxide	CAS-No.: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8	(0.5 ≤ C < 2) Skin Irrit. 2; H315 (0.5 ≤ C < 2) Eye Irrit. 2; H319 (2 ≤ C < 5) Skin Corr. 1B; H314 (5 ≤ C ≤ 100) Skin Corr. 1A; H314
Methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X	(3 ≤ C < 10) STOT SE 2; H371 (10 ≤ C ≤ 100) STOT SE 1; H370
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9	(0.0015 ≤ C ≤ 100) Skin Sens. 1A; H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell. Never give anything by mouth to an

unconscious person.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Get medical

advice/attention if you feel unwell.

First-aid measures after skin contact : Take off contaminated clothing. Remove affected clothing and wash all exposed skin area

with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with wat

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion : Rinse mouth out with water. Never give anything by mouth to an unconscious person. Call a

poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : May cause an allergic skin reaction. Rednesses. Itching. Skin rash/inflammation.

Symptoms/effects after eye contact : Lacrimation. Redness. Blurred vision.

Symptoms/effects after ingestion : Ingestion may cause nausea and vomiting. Abdominal pain.



according to Regulation (EU) 2020/878

Chronic symptoms : May cause damage to organs through prolonged or repeated exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5.1. Extinguishing media

Suitable extinguishing media Carbon dioxide. Dry powder. Water spray. Use extinguishing agent suitable for surrounding

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : In case of fire and/or explosion do not breathe fumes. Burning produces stinking and toxic

fumes. Heating will cause a rise in pressure with a risk of bursting.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

5.3. Advice for firefighters

Firefighting instructions : Evacuate the danger area. Move containers from fire area if it can be done without personal

> risk. Exercise caution when fighting any chemical fire. Fight fire with normal precautions from a reasonable distance. Use water spray or fog for cooling exposed containers. Prevent

fire fighting water from entering the environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all contact with skin, eyes, or clothing.

For non-emergency personnel

: Wear recommended personal protective equipment. Protective equipment

Evacuate unnecessary personnel. Ventilate spillage area. Avoid breathing vapours, fume. **Emergency procedures**

Do not get in eyes, on skin, or on clothing. Do not touch or walk on the spilled product. No

action shall be taken without appropriate training or involving any personal risk.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel.

6.2. Environmental precautions

Avoid release to the environment. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible. Do not touch or walk on the spilled product. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Caution: this product can cause the floor to be slippery. Move containers from spill area.

Methods for cleaning up Small quantities of liquid spill: take up in non-combustible absorbent material and shovel

into container for disposal. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Absorb remaining liquid with sand or inert absorbent and remove to safe place. Clean contaminated surfaces with an excess of water.

Prevent entry to sewers and public waters.

Other information : Dispose of via an authorised person/ licensed waste disposal contractor or by other suitable

waste treatment techniques.

according to Regulation (EU) 2020/878

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Provide adequate ventilation to minimize dust and/or vapour concentrations. Ensure good

ventilation of the work station. Avoid breathing fume, vapours, mist. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid release to the environment. Keep in original containers. Empty containers retain product residue and can be hazardous.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Always

wash hands after handling the product. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Store in a dry place. Keep cool. Keep away from food, drink

and animal feedingstuffs. Store away from other materials. Refer to Section 10 on Incompatible Materials. Store in accordance with local, regional, national or international

regulation.

Incompatible products : Oxidizing agent. Strong acids. Strong bases.

Incompatible materials : Direct sunlight.

Storage area : Store in a well-ventilated place. Store away from heat.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Natural rubber (9006-04-6)		
Ireland - Occupational Exposure Limits		
Local name	Natural Rubber Latex (as inhalable allergenic proteins)	
OEL TWA	0.0001 mg/m³	
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2024	
Ethylene glycol (107-21-1)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Ethylene glycol	
IOEL TWA	52 mg/m³	
	20 ppm	
IOEL STEL	104 mg/m³	
	40 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
Ireland - Occupational Exposure Limits		
Local name	Ethane-1,2-diol [Ethylene glycol]	

Safety Data Sheet

according to Regulation (EU) 2020/878

Ethylene glycol (107-21-1)	
OEL TWA	10 mg/m³ particulate 52 mg/m³ vapour
	20 ppm vapour
OEL STEL	104 mg/m³ vapour
	40 ppm vapour
Remark	IOELV (Indicative Occupational Exposure Limit Values), Skin (Substances which have the capacity to penetrate intact skin when they come in contact with it and be absorbed into the body. A substantial contribution to the total body burden via dermal exposure is possible)
Regulatory reference	Chemical Agents Code of Practice 2024
Methanol (67-56-1)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Methanol
IOEL TWA	260 mg/m³
	200 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
Ireland - Occupational Exposure Limits	
Local name	Methanol [Methyl alcohol]
OEL TWA	260 mg/m³
	200 ppm
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2021
Ireland - Biological limit values	
Local name	Methanol
Ireland - BMGV	15 mg/l Parameter: methanol - Medium: urine - Sampling time: End of shift - Notations: B (Background), Ns (Non-specific)
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)
Potassium hydroxide (1310-58-3)	
Ireland - Occupational Exposure Limits	
Local name	Potassium hydroxide
OEL STEL	2 mg/m³
Regulatory reference	Chemical Agents Code of Practice 2021

Recommended monitoring procedures

Monitoring methods	
Monitoring methods	Refer to all applicable national, international and local regulations or provisions. Workplace atmospheres. Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy. Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.



according to Regulation (EU) 2020/878

Monitoring methods	
9	Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents.

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Provide local exhaust or general room ventilation. Handle in accordance with good industrial hygiene and safety procedures. Avoid all unnecessary exposure. Ensure exposure is below occupational exposure limits (where available).

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

Eye and face protection

Eye protection:

Use splash goggles when eye contact due to splashing is possible. Chemical goggles or safety glasses. ISO 16321-1

Skin protection

Skin and body protection:

Wear suitable protective clothing. Skin protection appropriate to the conditions of use should be provided

Hand protection:

Chemical resistant gloves (according to European standard ISO 374-1 or equivalent). Nitrile rubber gloves. Thickness. ≥ 0.4 mm. Breakthrough time: 2 hours

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Where excessive vapour, mist, or dust may result, use approved respiratory protection equipment

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : whitish. : Ammonia. Odour Odour threshold : Not available : Not available Melting point Freezing point : Not available Boiling point : 100 °C Flammability : Not available Lower explosion limit : Not available Upper explosion limit : Not available

Flash point : not observed (ASTM D92)
Auto-ignition temperature : 440 °C (ASTM D2155)

Decomposition temperature : Not available pH : 9 (20 °C)
Viscosity, kinematic : Not available

Viscosity, dynamic : 750 – 1200 mPa·s (20 °C) Solubility : insoluble in water.

Partition coefficient n-octanol/water (Log Kow) : Not available
Vapour pressure : 0.1 hPa (20 °C)
Vapour pressure at 50 °C : Not available
Density : Not available

Safety Data Sheet

according to Regulation (EU) 2020/878

Relative density : 1

Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Hazardous polymerisation: Will not occur.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Protect from sunlight. Overheating.

10.5. Incompatible materials

Strong bases. Strong acids. Oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

V1D		
ATE CLP (oral)	1219.512 mg/kg bodyweight	
Ethylene glycol (107-21-1)		
LD50 dermal rat	> 3500 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	> 2.5 mg/l/4h	
LC50 Inhalation - Rat (Vapours)	> 2.5 mg/l/4h	
Ammonia, aqueous solution (1336-21-6)		
LD50 oral rat	350 mg/kg	
LD50 oral	350 mg/kg	
Skin corrosion/irritation :	Not classified (Based on available data, the classification criteria are not met) pH: 9 (20 °C)	
Serious eye damage/irritation	Not classified (Based on available data, the classification criteria are not met) pH: 9 (20 °C)	
Respiratory or skin sensitisation	May cause an allergic skin reaction.	
Germ cell mutagenicity	Not classified (Based on available data, the classification criteria are not met)	
Carcinogenicity	Not classified (Based on available data, the classification criteria are not met)	
Reproductive toxicity	Not classified (Based on available data, the classification criteria are not met)	

Safety Data Sheet

according to Regulation (EU) 2020/878

STOT-single exposure :	Not classified (Based on available data, the classification criteria are not met)
Potassium hydroxide (1310-58-3)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure :	May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).
Ethylene glycol (107-21-1)	
LOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight/day
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight/day kidneys
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

: Not classified (Based on available data, the classification criteria are not met)

Other information

Aspiration hazard

Other information

: No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term (chronic)

Additional information

: Not classified (Based on available data, the classification criteria are not met)

: Not classified (Based on available data, the classification criteria are not met)

: No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation.

Ethylene glycol (107-21-1)		
LC50 - Fish [1]	72860 mg/l (Pimephales promelas)	
EC50 - Crustacea [1]	> 100 mg/l (Daphnia magna)	
NOEC (chronic)	≥ 1000 mg/l (23 d, Americamysis bahia)	
NOEC chronic crustacea	4.2 mg/l	
Ammonia, aqueous solution (1336-21-6)		
LC50 - Fish [1]	8.2 mg/l (96 h, Pimephales promelas)	
EC50 - Crustacea [1]	2.81 mg/l	
EC50 - Crustacea [2]	0.66 ml/l (48 h, Daphnia pulex)	
NOEC chronic crustacea	3.47 mg/l	

12.2. Persistence and degradability

V1D	
Persistence and degradability	Biodegradability in water: no data available.

Safety Data Sheet

according to Regulation (EU) 2020/878

12.3. Bioaccumulative potential

V1D	
Bioaccumulative potential	No data available concerning bioaccumulation.

12.4. Mobility in soil

V1D	
Ecology - soil	No additional information available.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

Other adverse effects : No other effects known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions. Disposal must be carried out using appropriate EWC code.

Product/Packaging disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations. Do not dispose of the packaging without first carrying out the necessary cleaning.

Ecological waste information

: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated for transport				
14.2. UN proper shipping	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard c	lass(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental haz	ards			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information	n available			



according to Regulation (EU) 2020/878

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

1.1. Product identifier.

Safety Data Sheet

according to Regulation (EU) 2020/878

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BLV	Biological limit value	
CAS-No.	Chemical Abstract Service number	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
EC-No.	European Community number	
EN	European Standard	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	
WGK	Water Hazard Class	

Data sources

: ECHA (European Chemicals Agency). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 and all its amendments and modifications. Supplier's safety documents.

Training advice : Training staff on good practice.

Full text of H- and EUH-statements:		
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	

Safety Data Sheet

according to Regulation (EU) 2020/878

Eye Imit. 2 Serious eye damage/eye irritation, Category 1 Eye Imit. 2 Serious eye damage/eye irritation, Category 2 Filam. Liq. 2 Filammable liquids, Category 2 Met. Corr. 1 Corrosive to metals, Category 1 Skin Corr. 14 Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Corr. 18 Skin corrosion/irritation, Category 1, Sub-Category 1B Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 Skin Sens. 1 Skin sensitisation, category 1 Skin Sens. 1 Skin sensitisation, category 17 Skin Sens. 1 Skin sensitisation, category 17 Skin Sens. 1 Skin sensitisation, category 18 Skin Sens. 1 Skin sensitisation, category 18 Skin Sens. 1 Skin sensitisation, category 17 Skin Sens. 1 Specific target organ toxicity - Repeated exposure, Category 2 STOT SE 2 Specific target organ toxicity - Single exposure, Category 1 STOT SE 3 Specific target organ toxicity - Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H290 May be corrosive to metals. H301 Toxic if svallowed. H311 Toxic if svallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H316 Causes serious eye damage. H317 May cause an allergic skin reaction. H330 Fatal if inhaled. H331 Toxic if inhaled. H332 May cause damage to organs. H373 May cause damage to organs. H371 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).	Full text of H- and EUI	Full text of H- and EUH-statements:		
Flam. Liq. 2 Flammable liquids, Category 2 Met. Corr. 1 Corrosive to metals, Category 1 Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Corr. 1B Skin corrosion/irritation, Category 1, Sub-Category 1B Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 Skin Sens. 1 Skin sensitisation, Category 1 Skin Sens. 1A Skin sensitisation, Category 1 Skin Sens. 1B Skin sensitisation, category 1B STOT RE 2 Specific target organ toxicity - Repeated exposure, Category 2 STOT SE 1 Specific target organ toxicity - Single exposure, Category 2 STOT SE 2 Specific target organ toxicity - Single exposure, Category 2 STOT SE 3 Specific target organ toxicity - Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H290 May be corrosive to metals. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H3331 Toxic if inhaled. H335 May cause damage to organs. H370 Causes damage to organs. H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).	Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Met. Corr. 1 Corrosive to metals, Category 1 Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1B Skin Corr. 1B Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 Skin Sens. 1 Skin sensitisation, Category 1 Skin Sens. 1A Skin sensitisation, Category 1 Skin Sens. 1B Skin sensitisation, Category 1B Stort RE 2 Specific target organ toxicity - Repeated exposure, Category 2 STOT RE 2 Specific target organ toxicity - Single exposure, Category 2 STOT SE 1 Specific target organ toxicity - Single exposure, Category 2 STOT SE 3 Specific target organ toxicity - Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H290 May be corrosive to metals. H301 H302 Harmful if swallowed. H311 Toxic if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H333 May cause damage to organs. H373 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).	Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Corr. 1B Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 Skin Sens. 1A Skin sensitisation, category 1A Skin Sens. 1B Skin sensitisation, category 1B STOT RE 2 Specific target organ toxicity – Repeated exposure, Category 2 STOT SE 1 Specific target organ toxicity – Single exposure, Category 2 STOT SE 2 Specific target organ toxicity – Single exposure, Category 3 STOT SE 3 Specific target organ toxicity – Single exposure, Category 3 STOT SE 3 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H290 May be corrosive to metals. H301 Toxic if swallowed. H301 Toxic if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H331 Toxic if inhaled. H333 May cause damage to organs. H371 May cause damage to organs. H373 May cause damage to organs. H373 May cause damage to organs. H373 May cause damage to organs. H400 Very toxic to aquatic life.	Flam. Liq. 2	Flammable liquids, Category 2		
Skin Corr. 1B Skin corrosion/irritation, Category 1, Sub-Category 1B Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 Skin Sens. 1 Skin sensitisation, Category 1 Skin Sens. 1A Skin sensitisation, category 1A Skin Sens. 1B Skin sensitisation, category 1B STOT RE 2 Specific target organ toxicity – Repeated exposure, Category 2 STOT SE 1 Specific target organ toxicity – Single exposure, Category 2 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2 STOT SE 3 Specific target organ toxicity – Single exposure, Category 2 STOT SE 3 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H290 May be corrosive to metals. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H316 Causes sevin sey damage. H317 May cause an allergic skin reaction. H318 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H331 Toxic if inhaled. H332 May cause damage to organs. H371 May cause damage to organs. H373 May cause damage to organs. H373 May cause damage to organs. H400 Very toxic to aquatic life.	Met. Corr. 1	Corrosive to metals, Category 1		
Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 Skin Sens. 1A Skin sensitisation, category 1A Skin Sens. 1B Skin sensitisation, category 1B STOT RE 2 Specific target organ toxicity – Repeated exposure, Category 2 STOT SE 1 Specific target organ toxicity – Single exposure, Category 2 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2 STOT SE 3 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H290 May be corrosive to metals. H301 Toxic if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H335 May cause respiratory irritation. H336 May cause respiratory irritation. H377 May cause damage to organs. H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).	Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A		
Skin Sens. 1 Skin sensitisation, Category 1 Skin Sens. 1A Skin sensitisation, category 1A Skin Sens. 1B Skin sensitisation, category 1B STOT RE 2 Specific target organ toxicity – Repeated exposure, Category 2 STOT SE 1 Specific target organ toxicity – single exposure, Category 2 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2 STOT SE 3 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H290 May be corrosive to metals. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H335 May cause respiratory irritation. H370 Causes damage to organs. H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).	Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B		
Skin Sens. 1A Skin sensitisation, category 1A Skin Sens. 1B Skin sensitisation, category 1B STOT RE 2 Specific target organ toxicity – Repeated exposure, Category 2 STOT SE 1 Specific target organ toxicity – Single exposure, Category 1 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2 STOT SE 3 Specific target organ toxicity – Single exposure, Category 2 STOT SE 3 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H290 May be corrosive to metals. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H335 May cause respiratory irritation. H370 Causes damage to organs. H371 May cause damage to organs. H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).	Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 18 Skin sensitisation, category 1B STOT RE 2 Specific target organ toxicity – Repeated exposure, Category 2 STOT SE 1 Specific target organ toxicity – Single exposure, Category 1 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2 STOT SE 3 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation Highly flammable liquid and vapour. H225 Highly flammable liquid and vapour. H290 May be corrosive to metals. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. Causes skin irritation. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H335 May cause respiratory irritation. H370 Causes damage to organs. H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).	Skin Sens. 1	Skin sensitisation, Category 1		
STOT RE 2 Specific target organ toxicity – Repeated exposure, Category 2 STOT SE 1 Specific target organ toxicity – single exposure, Category 1 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2 STOT SE 3 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H290 May be corrosive to metals. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H332 May cause respiratory irritation. H335 May cause respiratory irritation. H370 Causes damage to organs. H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).	Skin Sens. 1A	Skin sensitisation, category 1A		
STOT SE 1 Specific target organ toxicity – single exposure, Category 1 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2 STOT SE 3 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H290 May be corrosive to metals. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H335 May cause respiratory irritation. H370 Causes damage to organs. H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).	Skin Sens. 1B	Skin sensitisation, category 1B		
STOT SE 2 Specific target organ toxicity – Single exposure, Category 2 STOT SE 3 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H290 May be corrosive to metals. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H335 May cause respiratory irritation. H370 Causes damage to organs. H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).	STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2		
STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H290 May be corrosive to metals. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H331 Toxic if inhaled. H335 May cause respiratory irritation. H370 Causes damage to organs. H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral). H400 Very toxic to aquatic life.	STOT SE 1	Specific target organ toxicity – single exposure, Category 1		
H225 Highly flammable liquid and vapour. H290 May be corrosive to metals. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H331 Toxic if inhaled. H335 May cause respiratory irritation. H370 Causes damage to organs. H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral). H400 Very toxic to aquatic life.	STOT SE 2	Specific target organ toxicity – Single exposure, Category 2		
H290 May be corrosive to metals. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H335 May cause respiratory irritation. H336 May cause damage to organs. H370 Causes damage to organs. H371 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral). H400 Very toxic to aquatic life.	STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation		
H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H331 Toxic if inhaled. H335 May cause respiratory irritation. H370 Causes damage to organs. H371 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral). H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).	H225	Highly flammable liquid and vapour.		
H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H331 Toxic if inhaled. H335 May cause respiratory irritation. H370 Causes damage to organs. H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral). H400 Very toxic to aquatic life.	H290	May be corrosive to metals.		
H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H335 May cause respiratory irritation. H370 Causes damage to organs. H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral). H400 Very toxic to aquatic life.	H301	Toxic if swallowed.		
H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H335 May cause respiratory irritation. H370 Causes damage to organs. H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral). H400 Very toxic to aquatic life.	H302	Harmful if swallowed.		
H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H335 May cause respiratory irritation. H370 Causes damage to organs. H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral). H400 Very toxic to aquatic life.	H311	Toxic in contact with skin.		
H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H335 May cause respiratory irritation. H370 Causes damage to organs. H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral). H400 Very toxic to aquatic life.	H314	Causes severe skin burns and eye damage.		
H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H335 May cause respiratory irritation. H370 Causes damage to organs. H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral). H400 Very toxic to aquatic life.	H315	Causes skin irritation.		
H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H335 May cause respiratory irritation. H370 Causes damage to organs. H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral). H400 Very toxic to aquatic life.	H317	May cause an allergic skin reaction.		
H330 Fatal if inhaled. H331 Toxic if inhaled. H335 May cause respiratory irritation. H370 Causes damage to organs. H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral). H400 Very toxic to aquatic life.	H318	Causes serious eye damage.		
H331 Toxic if inhaled. H335 May cause respiratory irritation. H370 Causes damage to organs. H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral). H400 Very toxic to aquatic life.	H319	Causes serious eye irritation.		
H335 May cause respiratory irritation. H370 Causes damage to organs. H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral). H400 Very toxic to aquatic life.	H330	Fatal if inhaled.		
H370 Causes damage to organs. H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral). H400 Very toxic to aquatic life.	H331	Toxic if inhaled.		
H371 May cause damage to organs. H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral). H400 Very toxic to aquatic life.	H335	May cause respiratory irritation.		
H373 May cause damage to organs (kidneys) through prolonged or repeated exposure (oral). H400 Very toxic to aquatic life.	H370	Causes damage to organs.		
H400 Very toxic to aquatic life.	H371	May cause damage to organs.		
	H373	May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).		
H410 Very toxic to aquatic life with long lasting effects.	H400	Very toxic to aquatic life.		
	H410	Very toxic to aquatic life with long lasting effects.		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Acute Tox. 4 (Oral)	H302	Calculation method
Skin Sens. 1	H317	Calculation method
STOT RE 2	H373	Calculation method

Safety Data Sheet (SDS), EU_ITW

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.