

SKU	Material	Conductor Type	Color Code	Length (L) (IN)	Width (W) (IN)	Mounting Bolt Size (IN)
L810	Cu	Cu	Red	1.52	0.42	#10 (3/16)
L810P	Cu	Cu	Red	1.52	0.42	#10 (3/16)
L814	Cu	Cu	Red	1.52	0.42	1/4
L814P	Cu	Cu	Red	1.52	0.42	1/4
L838	Cu	Cu	Red	1.52	0.57	3/8
L838P	Cu	Cu	Red	1.52	0.57	3/8
L610	Cu	Cu	Blue	1.77	0.42	#10 (3/16)
L614	Cu	Cu	Blue	1.77	0.42	1/4
L614P	Cu	Cu	Blue	1.77	0.42	1/4
L638	Cu	Cu	Blue	1.91	0.59	3/8
L638P	Cu	Cu	Blue	1.91	0.59	3/8
L656	Cu	Cu	Blue	1.91	0.59	5/16
L656P	Cu	Cu	Blue	1.91	0.59	5/16
L410	Cu	Cu	Gray	1.77	0.49	#10 (3/16)
L414	Cu	Cu	Gray	1.77	0.49	1/4
L414P	Cu	Cu	Gray	1.77	0.49	1/4
L438	Cu	Cu	Gray	1.91	0.59	3/8
L438P	Cu	Cu	Gray	1.91	0.59	3/8
L456	Cu	Cu	Gray	1.77	0.49	5/16
L456P	Cu	Cu	Gray	1.77	0.49	5/16
L314	Cu	Cu	White	2.07	0.53	1/4
L338	Cu	Cu	White	2.07	0.59	3/8
L356	Cu	Cu	White	2.07	0.54	5/16
L214	Cu	Cu	Brown	2.07	0.6	1/4
L214P	Cu	Cu	Brown	2.07	0.6	1/4
L238	Cu	Cu	Brown	2.07	0.6	3/8
L238P	Cu	Cu	Brown	2.07	0.6	3/8
L256	Cu	Cu	Brown	2.07	0.6	5/16
L256P	Cu	Cu	Brown	2.07	0.6	5/16
L138	Cu	Cu	Green	2.21	0.67	3/8
L156	Cu	Cu	Green	2.11	0.67	5/16
L1014P	Cu	Cu	Pink	2.21	0.74	1/4
L1014	Cu	Cu	Pink	2.21	0.74	1/4
L1038	Cu	Cu	Pink	2.21	0.74	3/8
L1038P	Cu	Cu	Pink	2.21	0.74	3/8
L1048	Cu	Cu	Pink	2.5	0.74	1/2
L1056	Cu	Cu	Pink	2.21	0.74	5/16

L1056P	Cu	Cu	Pink	2.21	0.74	5/16
L2014	Cu	Cu	Black	2.68	0.82	1/4
L2014P	Cu	Cu	Black	2.68	0.82	1/4
L2038	Cu	Cu	Black	2.68	0.82	3/8
L2038P	Cu	Cu	Black	2.68	0.82	3/8
L2048	Cu	Cu	Black	2.68	0.82	1/2
L2048P	Cu	Cu	Black	2.68	0.82	1/2
L3014	Cu	Cu	Orange	2.8	0.9	1/4
L3014P	Cu	Cu	Orange	2.8	0.9	1/4
L3038	Cu	Cu	Orange	2.8	0.9	3/8
L3038P	Cu	Cu	Orange	2.8	0.9	3/8
L3048	Cu	Cu	Orange	2.8	0.9	1/2
L3048P	Cu	Cu	Orange	2.8	0.9	1/2
L4048	Cu	Cu	Purple	2.8	1	1/2
L25048	Cu	Cu	Yellow	3.03	1.09	1/2
L30048	Cu	Cu	White	3.39	1.19	1/2
L35048	Cu	Cu	Red	3.47	1.28	1/2
L4014	Cu	Cu	Purple	2.8	1	1/4
L4014P	Cu	Cu	Purple	2.8	1	1/4
L4038	Cu	Cu	Purple	2.8	1	3/8
L4038P	Cu	Cu	Purple	2.8	1	3/8
L40048	Cu	Cu	Blue	3.86	1.39	1/2
L4048P	Cu	Cu	Purple	2.8	1	1/2
L50048	Cu	Cu	Brown	4.13	1.54	1/2
L50058	Cu	Cu	Brown	4.13	1.54	5/8
L60058	Cu	Cu	Green	4.25	1.72	5/8
L75048	Cu	Cu	Black	5.16	1.9	1/2
L75058	Cu	Cu	Black	5.16	1.9	5/8
L10058	Cu	Cu	White	5.61	2.15	5/8
L638B	Cu	Cu	Blue	1.91	0.59	3/8
L438B	Cu	Cu	Gray	1.91	0.59	3/8
L238B	Cu	Cu	Brown	2.07	0.60	3/8
L256B	Cu	Cu	Brown	2.07	0.60	5/16
L156B	Cu	Cu	Green	2.11	0.67	5/16
L1056B	Cu	Cu	Pink	2.25	0.74	5/16
L2038B	Cu	Cu	Black	2.68	0.82	3/8
L3038B	Cu	Cu	Orange	2.76	0.90	3/8
L3048B	Cu	Cu	Orange	2.76	0.90	1/2
L25038B	Cu	Cu	Yellow	3.03	1.09	3/8
L25048B	Cu	Cu	Yellow	3.03	1.09	1/2
L30048B	Cu	Cu	White	3.39	1.19	1/2

L35058B	Cu	Cu	Red	3.47	1.28	5/8
L4048B	Cu	Cu	Purple	2.80	1.00	1/2
L50058B	Cu	Cu	Brown	4.13	1.54	5/8
L60058B	Cu	Cu	Green	4.25	1.72	5/8
L70048B	Cu	Cu	Pink	5.16	1.77	1/2
L70058B	Cu	Cu	Pink	5.16	1.77	5/8
GL810	Cu	Cu	Red	1.20	0.42	#10 (3/16)
GL814	Cu	Cu	Red	1.20	0.42	1/4
GL814-B	Cu	Cu	Red	1.20	0.42	1/4
GL838	Cu	Cu	Red	1.20	0.42	3/8
GL856	Cu	Cu	Red	1.20	0.42	5/16
GL614	Cu	Cu	Blue	1.50	0.42	1/4
GL638	Cu	Cu	Blue	1.50	0.49	3/8
GL656	Cu	Cu	Blue	1.50	0.49	5/16
GL414	Cu	Cu	Gray	1.50	0.49	1/4
GL414-B	Cu	Cu	Gray	1.50	0.49	1/4
GL438	Cu	Cu	Gray	1.50	0.56	3/8
GL456	Cu	Cu	Gray	1.50	0.49	5/16
GL338	Cu	Cu	White	1.98	0.59	3/8
GL214	Cu	Cu	Brown	1.80	0.60	1/4
GL256	Cu	Cu	Brown	1.80	0.60	5/16
GL238	Cu	Cu	Brown	1.80	0.60	3/8
GL114	Cu	Cu	Green	1.84	0.67	1/4
GL156	Cu	Cu	Green	1.84	0.67	5/16
GL138	Cu	Cu	Green	1.84	0.67	3/8
GL256-B	Cu	Cu	Brown	2.24	0.82	5/16
GL1056	Cu	Cu	Pink	1.84	0.74	5/16
GL1038	Cu	Cu	Pink	1.84	0.74	3/8
GL1038-B	Cu	Cu	Pink	1.84	0.74	3/8
GL1048	Cu	Cu	Pink	1.84	0.74	1/2
GL2056	Cu	Cu	Black	2.24	0.82	5/16
GL2038	Cu	Cu	Black	2.24	0.82	3/8
GL2048	Cu	Cu	Black	2.24	0.82	1/2
GL3038	Cu	Cu	Orange	2.36	0.90	3/8
GL3048	Cu	Cu	Orange	2.36	0.90	1/2
GL4038	Cu	Cu	Purple	2.36	1.00	3/8
GL4048	Cu	Cu	Purple	2.36	1.00	1/2
GL25038	Cu	Cu	Yellow	2.48	1.09	3/8
GL25048	Cu	Cu	Yellow	2.48	1.09	1/2
GL30048	Cu	Cu	White	2.48	1.19	1/2
GL35038	Cu	Cu	Red	1.63	1.28	3/8

GL35048	Cu	Cu	Red	2.61	1.28	1/2
GL40048	Cu	Cu	Blue	3.08	1.39	1/2
GL50048	Cu	Cu	Brown	3.28	1.54	1/2
GL50058	Cu	Cu	Brown	3.28	1.54	5/8
GL60048	Cu	Cu	Green	3.50	1.72	1/2
GL60058	Cu	Cu	Green	3.50	1.72	5/8
GL75048	Cu	Cu	Black	3.87	1.76	1/2
GL75058	Cu	Cu	Black	4.37	1.90	5/8

[illegible]

0.39	0.52	1.20	1/0 AWG	1/0 AWG - 6 AWG	•
0.44	0.56	1.38	2/0 AWG	2/0 AWG - 4 AWG	•
0.44	0.56	1.38	2/0 AWG	2/0 AWG - 4 AWG	•
0.44	0.56	1.38	2/0 AWG	2/0 AWG - 4 AWG	•
0.44	0.56	1.38	2/0 AWG	2/0 AWG - 4 AWG	•
0.44	0.56	1.38	2/0 AWG	2/0 AWG - 4 AWG	•
0.44	0.56	1.38	2/0 AWG	2/0 AWG - 4 AWG	•
0.49	0.62	1.38	3/0 AWG	3/0 AWG - 2 AWG	•
0.49	0.62	1.38	3/0 AWG	3/0 AWG - 2 AWG	•
0.49	0.62	1.38	3/0 AWG	3/0 AWG - 2 AWG	•
0.49	0.62	1.38	3/0 AWG	3/0 AWG - 2 AWG	•
0.49	0.62	1.38	3/0 AWG	3/0 AWG - 2 AWG	•
0.49	0.62	1.38	3/0 AWG	3/0 AWG - 2 AWG	•
0.55	0.69	1.42	4/0 AWG	4/0 AWG - 1 AWG	•
0.59	0.75	1.61	250 MCM	250 MCM - 1/0 AWG	•
0.66	0.82	1.97	300 MCM	300 MCM - 2/0 AWG	•
0.7	0.87	1.97	350 MCM	350 MCM - 3/0 AWG	•
0.55	0.69	1.42	4/0 AWG	4/0 AWG - 1 AWG	•
0.55	0.69	1.42	4/0 AWG	4/0 AWG - 1 AWG	•
0.55	0.69	1.42	4/0 AWG	4/0 AWG - 1 AWG	•
0.55	0.69	1.42	4/0 AWG	4/0 AWG - 1 AWG	•
0.76	0.95	1.97	400 MCM	400 MCM - 4/0 AWG	•
0.55	0.69	1.42	4/0 AWG	4/0 AWG - 1 AWG	•
0.84	1.06	2.24	500 MCM	500 MCM - 250 MCM	•
0.84	1.06	2.24	500 MCM	500 MCM - 250 MCM	•
0.93	1.19	2.24	600 MCM	600 MCM - 250 MCM	•
1.04	1.31	2.64	750 MCM	750 MCM - 500 MCM	
1.04	1.31	2.64	750 MCM	750 MCM - 500 MCM	•
1.19	1.53	3.15	1000 MCM	1000 MCM - 750 MCM	•
0.21	0.30	0.98	6 AWG	6 AWG-8 AWG	•
0.25	0.34	0.98	4 AWG	4 AWG-6 AWG	•
0.32	0.42	1.10	2 AWG	2 AWG-6 AWG	•
0.32	0.42	1.10	2 AWG	2 AWG-6 AWG	•
0.36	0.47	1.10	1 AWG	1 AWG-6 AWG	•
0.39	0.52	1.20	1/0 AWG	1/0 AWG-6 AWG	•
0.44	0.56	1.38	2/0 AWG	2/0 Awg-4 AWG	•
0.49	0.62	1.38	3/0 AWG	3/0 AWG-2 AWG	•
0.49	0.62	1.38	3/0 AWG	3/0 AWG-2 AWG	•
0.59	0.75	1.61	250 MCM	250 MCM-1/0 AWG	•
0.59	0.75	1.61	250 MCM	250 MCM-1/0 AWG	•
0.66	0.82	1.97	300 MCM	300 MCM-2/0 AWG	•

0.70	0.87	1.97	350 MCM	350 MCM-3/0 AWG	•
0.55	0.69	1.42	4/0 AWG	4/0 AWG-1 AWG	•
0.84	1.06	2.24	500 MCM	500 MCM-250 MCM	•
0.93	1.19	2.24	600 MCM	600 MCM-250 MCM	•
0.98	1.24	2.64	700 MCM	700 MCM-350 MCM	•
0.98	1.24	2.64	700 MCM	700 MCM-350 MCM	•
0.17	0.27	0.49	8 AWG	8 AWG	•
0.17	0.27	0.49	8 AWG	8 AWG	•
0.17	0.27	0.44	8 AWG	8 AWG	•
0.17	0.27	0.49	8 AWG	8 AWG	
0.17	0.27	0.49	8 AWG	8 AWG	
0.21	0.30	0.71	6 AWG	6 AWG - 8 AWG	•
0.21	0.30	0.71	6 AWG	6 AWG - 8 AWG	
0.21	0.30	0.71	6 AWG	6 AWG - 8 AWG	•
0.25	0.34	0.71	4 AWG	4 AWG - 6 AWG	•
0.25	0.34	0.71	4 AWG	4 AWG-6 AWG	
0.25	0.34	0.71	4 AWG	4 AWG - 6 AWG	•
0.25	0.34	0.71	4 AWG	4 AWG - 6 AWG	•
0.28	0.38	0.83	300 MCM	300 MCM - 2/0 AWG	•
0.32	0.42	0.83	2 AWG	2 AWG - 6 AWG	•
0.32	0.42	0.83	2 AWG	2 AWG - 6 AWG	•
0.32	0.42	0.83	2 AWG	2 AWG - 6 AWG	•
0.36	0.47	0.83	1 AWG	1 AWG - 6 AWG	•
0.36	0.47	0.83	1 AWG	1 AWG - 6 AWG	•
0.36	0.47	0.83	1 AWG	1 AWG - 6 AWG	•
0.32	0.42	0.83	2 AWG	2 AWG-6 AWG	
0.39	0.52	0.83	1/0 AWG	1/0 AWG - 6 AWG	•
0.39	0.52	0.83	1/0 AWG	1/0 AWG - 6 AWG	•
0.39	0.52	0.83	1/0 AWG	1/0 AWG-6 AWG	
0.39	0.52	0.83	1/0 AWG	1/0 AWG - 6 AWG	•
0.44	0.56	0.94	2/0 AWG	2/0 AWG - 4 AWG	•
0.44	0.56	0.94	2/0 AWG	2/0 AWG - 4 AWG	•
0.44	0.56	0.94	2/0 AWG	2/0 AWG - 4 AWG	•
0.49	0.62	0.98	3/0 AWG	3/0 AWG - 2 AWG	•
0.49	0.62	0.98	3/0 AWG	3/0 AWG - 2 AWG	•
0.55	0.69	0.98	4/0 AWG	4/0 AWG - 1 AWG	•
0.55	0.69	0.98	4/0 AWG	4/0 AWG - 1 AWG	•
0.59	0.75	1.06	250 MCM	250 MCM - 1/0 AWG	•
0.59	0.75	1.06	250 MCM	250 MCM - 1/0 AWG	•
0.66	0.82	1.06	300 MCM	300 MCM - 2/0 AWG	•
0.70	0.87	1.10	350 MCM	350 MCM - 3/0 AWG	•

0.70	0.87	1.10	350 MCM	350 MCM - 3/0 AWG	•
0.76	0.95	1.18	400 MCM	400 MCM - 4/0 AWG	•
0.84	1.06	1.38	500 MCM	500 MCM - 250 MCM	•
0.84	1.06	1.38	500 MCM	500 MCM - 250 MCM	•
0.93	1.19	1.50	600 MCM	600 MCM - 250 MCM	•
0.93	1.19	1.50	600 MCM	600 MCM - 250 MCM	•
1.04	1.31	1.85	750 MCM	750 MCM - 500 MCM	•
1.04	1.31	1.85	750 MCM	750 MCM - 500 MCM	•

[illegible]

	#1 AWG 836/30	#1 AWG 225/24	#1 AWG 259/.0180
1/0 AWG 266/24	1/0 AWG 1064/30	1/0 AWG 275/24	1/0 AWG 259/.0202
1/0 AWG 266/24	1/0 AWG 1064/30	1/0 AWG 275/24	1/0 AWG 259/.0202
1/0 AWG 266/24	1/0 AWG 1064/30	1/0 AWG 275/24	1/0 AWG 259/.0202
1/0 AWG 266/24	1/0 AWG 1064/30	1/0 AWG 275/24	1/0 AWG 259/.0202
1/0 AWG 266/24	1/0 AWG 1064/30	1/0 AWG 275/24	1/0 AWG 259/.0202
1/0 AWG 266/24	1/0 AWG 1064/30	1/0 AWG 275/24	1/0 AWG 259/.0202
2/0 AWG 342/24	2/0 AWG 1323/30	2/0 AWG 325/24	2/0 AWG 259/.0227
2/0 AWG 342/24	2/0 AWG 1323/30	2/0 AWG 325/24	2/0 AWG 259/.0227
2/0 AWG 342/24	2/0 AWG 1323/30	2/0 AWG 325/24	2/0 AWG 259/.0227
2/0 AWG 342/24	2/0 AWG 1323/30	2/0 AWG 325/24	2/0 AWG 259/.0227
2/0 AWG 342/24	2/0 AWG 1323/30	2/0 AWG 325/24	2/0 AWG 259/.0227
2/0 AWG 342/24	2/0 AWG 1323/30	2/0 AWG 325/24	2/0 AWG 259/.0227
	3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
4/0 AWG 532/24	4/0 AWG 2107/30	4/0 AWG 550/24	4/0 AWG 259/.0286
		313 MCM 775/24	300 MCM 427/.0265
	3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
	3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
	3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
	3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
		313 MCM 775/24	300 MCM 427/.0265
	3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
350 MCM 882/24		373 MCM 925/24	400 MCM 427/.0306
350 MCM 882/24		373 MCM 925/24	400 MCM 427/.0306
		444 MCM 1100/24	450 MCM 427/.0325
		1600/24	.0280 600MCM 703/.0280
750 MCM 1862/24		777 MCM 1925/24	750 MCM 703/.0327
#6 AWG 63/24			#7 AWG 133/.0125
			#5 AWG 133/.0158
			#3 AWG 133/.0199
			#3 AWG 133/.0199
#2 AWG 161/24	#2 AWG 665/30	#2 AWG 150/24	#2 AWG 133/.0223
	#1 AWG 836/30	#1 AWG 225/24	#1 AWG 259/.0180
1/0 AWG 266/24	1/0 AWG 1064/30	1/0 AWG 275/24	1/0 AWG 259/.0202
2/0 AWG 342/24	2/0 AWG 1323/30	2/0 AWG 325/24	2/0 AWG 259/.0227
2/0 AWG 342/24	2/0 AWG 1323/30	2/0 AWG 325/24	2/0 AWG 259/.0227
4/0 AWG 532/24	4/0 AWG 2107/30	4/0 AWG 550/24	4/0 AWG 259/.0286

		313 MCM 775/24	300 MCM 427/.0265
	3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
350 MCM 882/24		373 MCM 925/24	400 MCM 427/.0306
500MCM 1225/24		535MCM 1325/24	500MCM 427/ .0342
		1600/25	.0280 600MCM 703/ .0280
		1600/24	.0280 600MCM 703/ .0280
#8 AWG 41/24			#8 AWG 133/.0111
#8 AWG 41/24			#8 AWG 133/.0111
#8 AWG 41/24			#8 AWG 133/.0111
#6 AWG 63/24			#7 AWG 133/.0125
#6 AWG 63/24			#7 AWG 133/.0125
			#5 AWG 133/.0158
			#5 AWG 133/.0158
			#5 AWG 133/.0158
#4 AWG 105/24	#4 AWG 420/30	#4 AWG 105/24	#4 AWG 133/.0177
			#3 AWG 133/.0199
			#3 AWG 133/.0199
			#3 AWG 133/.0199
#2 AWG 161/24	#2 AWG 665/30	#2 AWG 150/24	#2 AWG 133/.0223
#2 AWG 161/24	#2 AWG 665/30	#2 AWG 150/24	#2 AWG 133/.0223
#2 AWG 161/24	#2 AWG 665/30	#2 AWG 150/24	#2 AWG 133/.0223
	#1 AWG 836/30	#1 AWG 225/24	#1 AWG 259/.0180
	#1 AWG 836/30	#1 AWG 225/24	#1 AWG 259/.0180
	#1 AWG 836/30	#1 AWG 225/24	#1 AWG 259/.0180
1/0 AWG 266/24	1/0 AWG 1064/30	1/0 AWG 275/24	1/0 AWG 259/.0202
1/0 AWG 266/24	1/0 AWG 1064/30	1/0 AWG 275/24	1/0 AWG 259/.0202
1/0 AWG 266/24	1/0 AWG 1064/30	1/0 AWG 275/24	1/0 AWG 259/.0202
2/0 AWG 342/24	2/0 AWG 1323/30	2/0 AWG 325/24	2/0 AWG 259/.0227
2/0 AWG 342/24	2/0 AWG 1323/30	2/0 AWG 325/24	2/0 AWG 259/.0227
	3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
	3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
4/0 AWG 532/24	4/0 AWG 2107/30	4/0 AWG 550/24	4/0 AWG 259/.0286
		262 MCM 650/24	250 MCM 427/.0242

	262 MCM 650/24	250 MCM 427/.0242
	313 MCM 775/24	300 MCM 427/.0265
350 MCM 882/24	373 MCM 925/24	400 MCM 427/.0306
350 MCM 882/24	373 MCM 925/24	400 MCM 427/.0306
	444 MCM 1100/24	450 MCM 427/.0325
	444 MCM 1100/24	450 MCM 427/.0325
	1600/24	.0280 600MCM 703/ .02
	1600/24	.0280 600MCM 703/ .02

[illegible]

#1 AWG 133/.0251	#1 AWG 266/24	#1 AWG 2107/34	50mm2 9.27mm
1/0 AWG 133/.0282	1/0 AWG342/24	1/0 AWG 2646/34	70mm2 10.92mm
1/0 AWG 133/.0282	1/0 AWG342/24	1/0 AWG 2646/34	70mm2 10.92mm
1/0 AWG 133/.0282	1/0 AWG342/24	1/0 AWG 2646/34	70mm2 10.92mm
1/0 AWG 133/.0282	1/0 AWG342/24	1/0 AWG 2646/34	70mm2 10.92mm
1/0 AWG 133/.0282	1/0 AWG342/24	1/0 AWG 2646/34	70mm2 10.92mm
1/0 AWG 133/.0282	1/0 AWG342/24	1/0 AWG 2646/34	70mm2 10.92mm
2/0 AWG 133/.0316	2/0 AWG418/24		85mm2 11.94mm
2/0 AWG 133/.0316	2/0 AWG418/24		85mm2 11.94mm
2/0 AWG 133/.0316	2/0 AWG418/24		85mm2 11.94mm
2/0 AWG 133/.0316	2/0 AWG418/24		85mm2 11.94mm
2/0 AWG 133/.0316	2/0 AWG418/24		85mm2 11.94mm
2/0 AWG 133/.0316	2/0 AWG418/24		85mm2 11.94mm
3/0 AWG 259/.0255	2/0 AWG 532/24	2/0 AWG 3325/34	95mm2 12.80mm
	3/0 AWG 637/24	3/0 AWG 4256/34	120mm2 14.40mm
4/0 AWG 133/.0399	4/0 AWG 735/24	4/0 AWG 5320/34	150mm2 16.00mm
300 MCM 259/.0340	250 MCM 882/24	250 MCM 6384/34	185mm2 17.80mm
3/0 AWG 259/.0255	2/0 AWG 532/24	2/0 AWG 3325/34	95mm2 12.80mm
3/0 AWG 259/.0255	2/0 AWG 532/24	2/0 AWG 3325/34	95mm2 12.80mm
3/0 AWG 259/.0255	2/0 AWG 532/24	2/0 AWG 3325/34	95mm2 12.80mm
3/0 AWG 259/.0255	2/0 AWG 532/24	2/0 AWG 3325/34	95mm2 12.80mm
300 MCM 259/.0340	250 MCM 882/24	250 MCM 6384/34	185mm2 17.80mm
3/0 AWG 259/.0255	2/0 AWG 532/24	2/0 AWG 3325/34	95mm2 12.80mm
400 MCM 259/.0393	350 MCM 1225/24	350 MCM 8806/34	240mm2 20.30mm
400 MCM 259/.0393	350 MCM 1225/24	350 MCM 8806/34	240mm2 20.30mm
450 MCM 259/.0417	400 MCM 1470/24	400 MCM 10101/34	300mm2 22.63mm
427/.0359 600MCM 427/.0375		500 MCM 12691/34	
800 MCM 427/.0433	600 MCM 2527/24	650 MCM 16226/34	500mm2 29.3mm
#7 AWG 49/.0206	#7 AWG 63/24	#7 AWG 532/34	10mm2 4.12mm
5 AWG 49/.0260		#5 AWG 836/34	20mm2 5.72mm
#3 AWG 49/.0328	#3 AWG 161/24	#3 AWG 1323/34	30mm2 7.01mm
#3 AWG 49/.0328	#3 AWG 161/24	#3 AWG 1323/34	30mm2 7.01mm
#2 AWG 49/.0368	#2 AWG 210/24	#2 AWG 1666/34	40mm2 8.20mm
#1 AWG 133/.0251	#1 AWG 266/24	#1 AWG 2107/34	50mm2 9.27mm
1/0 AWG 133/.0282	1/0 AWG342/24	1/0 AWG 2646/34	70mm2 10.92mm
2/0 AWG 133/.0316	2/0 AWG418/24		85mm2 11.94mm
2/0 AWG 133/.0316	2/0 AWG418/24		85mm2 11.94mm
	3/0 AWG 637/25	3/0 AWG 4256/35	120mm2 14.40mm
	3/0 AWG 637/24	3/0 AWG 4256/34	120mm2 14.40mm
4/0 AWG 133/.0399	4/0 AWG 735/24	4/0 AWG 5320/34	150mm2 16.00mm

300 MCM 259/.0340	250 MCM 882/24	250 MCM 6384/34	185mm2 17.80mm
3/0 AWG 259/.0255	2/0 AWG 532/24	2/0 AWG 3325/34	95mm2 12.80mm
400 MCM 259/.0393	350 MCM 1225/24	350 MCM 8806/34	240mm2 20.30mm
500MCM 259/ .0439		450MCM 11396/34	
427/ .0359 600MCM 427/ .0375		501 MCM 12691/34	
427/ .0359 600MCM 427/ .0375		500 MCM 12691/34	
#8 AWG 49/.0184	#8 AWG 41 /24	#8 AWG 420/34	6mm2 3.21mm
#8 AWG 49/.0184	#8 AWG 41 /24	#8 AWG 420/34	6mm2 3.21mm
#8 AWG 49/.0184	#8 AWG 41 /24	#8 AWG 420/34	6mm2 3.21mm
#7 AWG 49/.0206	#7 AWG 63/24	#7 AWG 532/34	10mm2 4.12mm
#7 AWG 49/.0206	#7 AWG 63/24	#7 AWG 532/34	10mm2 4.12mm
5 AWG 49/.0260		#5 AWG 836/34	20mm2 5.72mm
5 AWG 49/.0260		#5 AWG 836/34	20mm2 5.72mm
5 AWG 49/.0260		#5 AWG 836/34	20mm2 5.72mm
#4 AWG 49/.0292		#4 AWG 1064/34	25mm2 6.60mm
#3 AWG 49/.0328	#3 AWG 161/24	#3 AWG 1323/34	30mm2 7.01mm
#3 AWG 49/.0328	#3 AWG 161/24	#3 AWG 1323/34	30mm2 7.01mm
#3 AWG 49/.0328	#3 AWG 161/24	#3 AWG 1323/34	30mm2 7.01mm
#2 AWG 49/.0368	#2 AWG 210/24	#2 AWG 1666/34	40mm2 8.20mm
#2 AWG 49/.0368	#2 AWG 210/24	#2 AWG 1666/34	40mm2 8.20mm
#2 AWG 49/.0368	#2 AWG 210/24	#2 AWG 1666/34	40mm2 8.20mm
#1 AWG 133/.0251	#1 AWG 266/24	#1 AWG 2107/34	50mm2 9.27mm
#1 AWG 133/.0251	#1 AWG 266/24	#1 AWG 2107/34	50mm2 9.27mm
#1 AWG 133/.0251	#1 AWG 266/24	#1 AWG 2107/34	50mm2 9.27mm
1/0 AWG 133/.0282	1/0 AWG342/24	1/0 AWG 2646/34	70mm2 10.92mm
1/0 AWG 133/.0282	1/0 AWG342/24	1/0 AWG 2646/34	70mm2 10.92mm
1/0 AWG 133/.0282	1/0 AWG342/24	1/0 AWG 2646/34	70mm2 10.92mm
2/0 AWG 133/.0316	2/0 AWG418/24		85mm2 11.94mm
2/0 AWG 133/.0316	2/0 AWG418/24		85mm2 11.94mm
3/0 AWG 259/.0255	2/0 AWG 532/24	2/0 AWG 3325/34	95mm2 12.80mm
3/0 AWG 259/.0255	2/0 AWG 532/24	2/0 AWG 3325/34	95mm2 12.80mm
	3/0 AWG 637/24	3/0 AWG 4256/34	120mm2 14.40mm
	3/0 AWG 637/24	3/0 AWG 4256/34	120mm2 14.40mm
4/0 AWG 133/.0399	4/0 AWG 735/24	4/0 AWG 5320/34	150mm2 16.00mm
250 MCM 259/.0311			180mm2 17.42mm

250 MCM 259/.0311			180mm2 17.42mm
300 MCM 259/.0340	250 MCM 882/24	250 MCM 6384/34	185mm2 17.80mm
400 MCM 259/.0393	350 MCM 1225/24	350 MCM 8806/34	240mm2 20.30mm
400 MCM 259/.0393	350 MCM 1225/24	350 MCM 8806/34	240mm2 20.30mm
450 MCM 259/.0417	400 MCM 1470/24	400 MCM 10101/34	300mm2 22.63mm
450 MCM 259/.0417	400 MCM 1470/24	400 MCM 10101/34	300mm2 22.63mm
I 427/ .0359 600MCM 427/ .0375		500 MCM 12691/34	
I 427/ .0359 600MCM 427/ .0375		500 MCM 12691/34	

SKU	Material	Conductor Type	Color Code	Length (L) (IN)
L8N-14	Cu	Cu	Red	2.74
L8N-14P	Cu	Cu	Red	2.74
L8N-141	Cu	Cu	Red	2.19
L8N-141P	Cu	Cu	Red	2.19
L8N-142	Cu	Cu	Red	2.3
L8N-142P	Cu	Cu	Red	2.3
L8N-563	Cu	Cu	Red	3.92
L8N-563P	Cu	Cu	Red	3.92
L6N-12	Cu	Cu	Blue	2.24
L6N-14	Cu	Cu	Blue	2.91
L6N-14P	Cu	Cu	Blue	2.91
L6N-141	Cu	Cu	Blue	2.36
L6N-141P	Cu	Cu	Blue	2.36
L6N-142	Cu	Cu	Blue	2.48
L6N-142P	Cu	Cu	Blue	2.48
L6N-143	Cu	Cu	Blue	2.48
L6N-38	Cu	Cu	Blue	2.91
L6N-38P	Cu	Cu	Blue	2.91
L6N-382	Cu	Cu	Blue	2.72
L6N-382P	Cu	Cu	Blue	2.72
L6N	Cu	Cu	Blue	4.09
L6NP	Cu	Cu	Blue	4.09
L4N	Cu	Cu	Gray	4.09
L4NP	Cu	Cu	Gray	4.09
L4N-14	Cu	Cu	Gray	2.91
L4N-14P	Cu	Cu	Gray	2.91
L4N-141	Cu	Cu	Gray	2.36
L4N-141P	Cu	Cu	Gray	2.36
L4N-142	Cu	Cu	Gray	2.48
L4N-142P	Cu	Cu	Gray	2.48
L4N-38	Cu	Cu	Gray	2.91
L4N-38P	Cu	Cu	Gray	2.91
L4N-382	Cu	Cu	Gray	2.91
L4N-382P	Cu	Cu	Gray	2.91
L2N-141	Cu	Cu	Brown	2.52
L2N-141P	Cu	Cu	Brown	2.52
L2N-142	Cu	Cu	Brown	2.64

L2N-14	Cu	Cu	Brown	3.07
L2N-14P	Cu	Cu	Brown	3.07
L2N	Cu	Cu	Brown	4.25
L2NP	Cu	Cu	Brown	4.25
L2N-56	Cu	Cu	Brown	2.87
L2N-38	Cu	Cu	Brown	3.07
L2N-38P	Cu	Cu	Brown	3.07
L2N-382	Cu	Cu	Brown	2.87
L2N-382P	Cu	Cu	Brown	2.87
L2N-383	Cu	Cu	Brown	4.25
L2N-383P	Cu	Cu	Brown	4.25
L1N	Cu	Cu	Green	4.29
L1N-38	Cu	Cu	Green	3.07
L1N-141	Cu	Cu	Green	2.56
L10N-14	Cu	Cu	Pink	3.2
L10N-14P	Cu	Cu	Pink	2.66
L10N	Cu	Cu	Pink	4.39
L10NP	Cu	Cu	Pink	4.39
L10N-38	Cu	Cu	Pink	3.21
L10N-38P	Cu	Cu	Pink	3.21
L10N-382	Cu	Cu	Pink	3.01
L10N-382P	Cu	Cu	Pink	3.01
L10N-383	Cu	Cu	Pink	4.63
L10N-383P	Cu	Cu	Pink	4.63
L20N-14	Cu	Cu	Black	3.43
L20N-14P	Cu	Cu	Black	2.99
L20N-141	Cu	Cu	Black	2.87
L20N-141P	Cu	Cu	Black	2.87
L20N-142	Cu	Cu	Black	2.99
L20N-38	Cu	Cu	Black	3.43
L20N-38P	Cu	Cu	Black	3.43
L20N-383	Cu	Cu	Black	4.61
L20N-383P	Cu	Cu	Black	4.61
L20N	Cu	Cu	Black	4.61
L20NP	Cu	Cu	Black	4.61
L30N-141	Cu	Cu	Orange	2.95
L30N-141P	Cu	Cu	Orange	2.95
L30N-38	Cu	Cu	Orange	3.5
L30N-38P	Cu	Cu	Orange	3.5
L30N-56	Cu	Cu	Orange	3.5
L30N-56P	Cu	Cu	Orange	3.5

L30N	Cu	Cu	Orange	4.65
L30NP	Cu	Cu	Orange	4.65
L40N-141	Cu	Cu	Purple	2.99
L40N-141P	Cu	Cu	Purple	2.99
L40N-142	Cu	Cu	Purple	3.1
L40N-142P	Cu	Cu	Purple	3.1
L40N-38	Cu	Cu	Purple	3.54
L40N-38P	Cu	Cu	Purple	3.54
L40N-383	Cu	Cu	Purple	4.73
L40N-383P	Cu	Cu	Purple	4.73
L40N	Cu	Cu	Purple	4.72
L40NP	Cu	Cu	Purple	4.72
L250N	Cu	Cu	Yellow	4.96
L250NP	Cu	Cu	Yellow	4.96
L250N-38	Cu	Cu	Yellow	3.78
L300N	Cu	Cu	White	5.32
L300NP	Cu	Cu	White	5.32
L30NB	Cu	Cu	Orange	5.39
L40NB	Cu	Cu	Purple	5.75
L250NB	Cu	Cu	Yellow	5.32
L350N	Cu	Cu	Red	5.39
L350NP	Cu	Cu	Red	5.39
L350N-38	Cu	Cu	Red	4.21
L400N	Cu	Cu	Blue	5.47
L400NP	Cu	Cu	Blue	5.47
L500N	Cu	Cu	Brown	5.75
L500NP	Cu	Cu	Brown	5.75
L500N-38	Cu	Cu	Brown	4.57
L600N	Cu	Cu	Green	5.79
L600NP	Cu	Cu	Green	5.79
L600N-38	Cu	Cu	Green	4.61
L700N	Cu	Cu	Pink	6.3
L700NP	Cu	Cu	Pink	6.3
L750N	Cu	Cu	Black	6.3
L750NP	Cu	Cu	Black	6.3
L750N-38	Cu	Cu	Black	5.12
L75048	Cu	Cu	Black	5.16
L75058	Cu	Cu	Black	5.16
L1000N	Cu	Cu	White	6.81
L1000NP	Cu	Cu	White	6.81
L30NB	Cu	Cu	Orange	5.39

L250NB	Cu	Cu	Yellow	5.32
L350NB	Cu	Cu	Red	4.72
L500NB	Cu	Cu	Brown	5.79
L600NB	Cu	Cu	Green	6.3
L700NB	Cu	Cu	Pink	6.3
L750NB	Cu	Cu	Black	6.3
L100NB	Cu	Cu	White	4.96
GL6N-141	Cu	Cu	Blue	2.09
GL6N-143	Cu	Cu	Blue	2.64
GL6N-38	Cu	Cu	Blue	2.64
GL4N-141	Cu	Cu	Gray	2.09
GL4N-38	Cu	Cu	Gray	2.68
GL2N-141	Cu	Cu	Brown	2.28
GL2N-142	Cu	Cu	Brown	2.36
GL2N-143	Cu	Cu	Brown	2.80
GL2N-38	Cu	Cu	Brown	2.84
GL1N-38	Cu	Cu	Green	3.02
GL10N-38	Cu	Cu	Pink	2.84
GL20N	Cu	Cu	Black	4.17
GL20N-38	Cu	Cu	Black	2.99
GL30N	Cu	Cu	Orange	4.29
GL30N-38	Cu	Cu	Orange	3.11
GL40N	Cu	Cu	Purple	4.29
GL40N-38	Cu	Cu	Purple	3.11
GL250N	Cu	Cu	Yellow	4.41
GL250N-38	Cu	Cu	Yellow	3.23
GL350N	Cu	Cu	Red	4.52
GL350N-38	Cu	Cu	Red	3.35
GL400N	Cu	Cu	Blue	4.69
GL500N	Cu	Cu	Brown	4.88
GL500N-38	Cu	Cu	Brown	3.70
GL600N	Cu	Cu	Green	5.04
GL750N	Cu	Cu	Black	5.51
GL30NB	Cu	Cu	Orange	4.29
GL250NB	Cu	Cu	Yellow	4.41
GL300NB	Cu	Cu	White	4.53
GL350NB	Cu	Cu	Red	4.53
GL500NB	Cu	Cu	Brown	4.88
GL600NB	Cu	Cu	Green	5.04
GL700NB	Cu	Cu	Pink	5.67
GL70058B	Cu	Cu	Pink	4.37

Width (W) (IN)	Mounting Bolt Size (IN)	Mounting Hole Spacing (D) (IN)	Barrel ID (IN)	Barrel OD (IN)
0.42	1/4	1.000	0.17	0.27
0.42	1/4	1.000	0.17	0.27
0.42	1/4	0.625	0.17	0.27
0.42	1/4	0.625	0.17	0.27
0.42	1/4	0.750	0.17	0.27
0.42	1/4	0.750	0.17	0.27
0.55	5/16	1.750	0.17	0.27
0.55	5/16	1.750	0.17	0.27
0.42	1/4	0.500	0.21	0.3
0.43	1/4	1.000	0.21	0.3
0.43	1/4	1.000	0.21	0.3
0.42	1/4	0.625	0.21	0.3
0.42	1/4	0.625	0.21	0.3
0.42	1/4	0.750	0.21	0.3
0.42	1/4	0.750	0.21	0.3
0.42	1/4	0.750	0.21	0.3
0.55	3/8	1.000	0.21	0.3
0.55	3/8	1.000	0.21	0.3
0.55	3/8	0.750	0.21	0.3
0.55	3/8	0.750	0.21	0.3
0.83	1/2	1.750	0.21	0.3
0.83	1/2	1.750	0.21	0.3
0.87	1/2	1.750	0.25	0.34
0.87	1/2	1.750	0.25	0.34
0.49	1/4	1.000	0.25	0.34
0.49	1/4	1.000	0.25	0.34
0.49	1/4	0.625	0.25	0.34
0.49	1/4	0.625	0.25	0.34
0.49	1/4	0.750	0.25	0.34
0.49	1/4	0.750	0.25	0.34
0.55	3/8	1.000	0.25	0.34
0.55	3/8	1.000	0.25	0.34
0.55	3/8	0.750	0.25	0.34
0.55	3/8	0.750	0.25	0.34
0.6	1/4	0.625	0.32	0.42
0.6	1/4	0.625	0.32	0.42
0.6	1/4	0.750	0.32	0.42

0.6	1/4	1.000	0.32	0.42
0.6	1/4	1.000	0.32	0.42
0.81	1/2	1.750	0.32	0.42
0.81	1/2	1.750	0.32	0.42
0.6	5/16	0.750	0.32	0.42
0.6	3/8	1.000	0.32	0.42
0.6	3/8	1.000	0.32	0.42
0.6	3/8	0.750	0.32	0.42
0.6	3/8	0.750	0.32	0.42
0.81	3/8	1.750	0.32	0.42
0.81	3/8	1.750	0.32	0.42
0.75	1/2	1.750	0.36	0.47
0.67	3/8	1.000	0.36	0.47
0.67	1/4	0.630	0.36	0.47
0.74	1/4	1.000	0.39	0.52
0.74	1/4	0.625	0.39	0.52
0.74	1/2	1.750	0.39	0.52
0.74	1/2	1.750	0.39	0.52
0.74	3/8	1.000	0.39	0.52
0.74	3/8	1.000	0.39	0.52
0.74	3/8	0.750	0.39	0.52
0.74	3/8	0.750	0.39	0.52
0.74	3/8	1.750	0.39	0.52
0.74	3/8	1.750	0.39	0.52
0.81	1/4	1.000	0.44	0.56
0.82	1/4	0.750	0.44	0.56
0.81	1/4	0.625	0.44	0.56
0.81	1/4	0.625	0.44	0.56
0.82	1/4	0.750	0.44	0.56
0.82	3/8	1.000	0.44	0.56
0.82	3/8	1.000	0.44	0.56
0.82	3/8	1.750	0.44	0.56
0.82	3/8	1.750	0.44	0.56
0.82	1/2	1.750	0.44	0.56
0.82	1/2	1.750	0.44	0.56
0.9	1/4	0.625	0.49	0.62
0.9	1/4	0.625	0.49	0.62
0.9	3/8	1.000	0.49	0.62
0.9	3/8	1.000	0.49	0.62
0.9	5/16	1.000	0.49	0.62
0.9	5/16	1.000	0.49	0.62

0.9	1/2	1.750	0.49	0.62
0.9	1/2	1.750	0.49	0.62
1	1/4	0.625	0.55	0.69
1	1/4	0.625	0.55	0.69
1	1/4	0.750	0.55	0.69
1	1/4	0.750	0.55	0.69
1	3/8	1.000	0.55	0.69
1	3/8	1.000	0.55	0.69
1	3/8	1.750	0.55	0.69
1	3/8	1.750	0.55	0.69
1	1/2	1.750	0.55	0.69
1	1/2	1.750	0.55	0.69
1.09	1/2	1.750	0.59	0.75
1.09	1/2	1.750	0.59	0.75
1.09	3/8	1.000	0.59	0.75
1.19	1/2	1.750	0.66	0.82
1.19	1/2	1.750	0.66	0.82
1.28	1/2	1.750	0.49	0.62
1.54	1/2	1.750	0.55	0.69
1.19	1/2	1.750	0.59	0.75
1.28	1/2	1.750	0.7	0.87
1.28	1/2	1.750	0.7	0.87
1.28	3/8	1.000	0.7	0.87
1.39	1/2	1.750	0.76	0.95
1.39	1/2	1.750	0.76	0.95
1.54	1/2	1.750	0.84	1.06
1.54	1/2	1.750	0.84	1.06
1.54	3/8	1.000	0.84	1.06
1.72	1/2	1.750	0.93	1.19
1.72	1/2	1.750	0.93	1.19
1.72	3/8	1.000	0.93	1.19
1.77	1/2	1.750	0.98	1.24
1.77	1/2	1.750	0.98	1.24
1.9	1/2	1.750	1.04	1.31
1.9	1/2	1.750	1.04	1.31
1.9	3/8	1.000	1.04	1.31
1.9	1/2	1.000	1.04	1.31
1.9	5/8	1.000	1.04	1.31
2.18	1/2	1.750	1.19	1.53
2.18	1/2	1.750	1.19	1.53
1.28	1/2	1.750	0.49	0.62

1.19	1/2	1.750	0.59	0.75
1	1/2	1.750	0.7	0.87
1.72	1/2	1.750	0.84	1.06
1.77	1/2	1.750	0.92	1.19
1.9	1/2	1.750	0.98	1.24
1.9	1/2	1.750	1.04	1.31
1.09	1/2	1.750	1.19	1.53
0.42	1/4	0.625	0.21	0.30
0.42	1/4	1.000	0.21	0.30
0.57	3/8	1.000	0.21	0.30
0.49	1/4	0.625	0.25	0.34
0.57	3/8	1.000	0.25	0.34
0.60	1/4	0.625	0.32	0.42
0.60	1/4	0.750	0.32	0.42
0.60	1/4	1.000	0.32	0.42
0.60	3/8	1.000	0.32	0.42
0.74	3/8	1.000	0.39	0.52
0.74	3/8	1.000	0.39	0.52
0.81	1/2	1.750	0.44	0.56
0.81	3/8	1.000	0.44	0.56
0.90	1/2	1.750	0.49	0.62
0.90	3/8	1.000	0.49	0.62
1.00	1/2	1.750	0.55	0.69
1.00	3/8	1.000	0.55	0.69
1.09	1/2	1.750	0.59	0.75
1.09	3/8	1.000	0.59	0.75
1.28	1/2	1.750	0.70	0.87
1.28	3/8	1.000	0.70	0.87
1.39	1/2	1.750	0.76	0.95
1.54	1/2	1.750	0.84	1.06
1.54	3/8	1.000	0.84	1.06
1.72	1/2	1.750	0.93	1.19
1.9	1/2	1.750	1.04	1.31
0.90	1/2	1.750	0.49	0.62
1.09	1/2	1.750	0.59	0.75
1.19	1/2	1.750	0.66	0.81
1.28	1/2	1.750	0.70	0.87
1.54	1/2	1.750	0.84	1.06
1.72	1/2	1.750	0.93	1.19
1.72	1/2	1.750	0.98	1.24
1.78	5/8	1.750	0.98	1.24

Barrel Length (B1) (IN)	Wire Range	Expanded Wire Range	Flex Rated - See drawing for details	Class K Flexible Cable, Size & Stranding
0.81	8 AWG	8 AWG	•	#8 AWG 41/24
0.81	8 AWG	8 AWG	•	#8 AWG 41/24
0.81	8 AWG	8 AWG	•	#8 AWG 41/24
0.81	8 AWG	8 AWG	•	#8 AWG 41/24
0.81	8 AWG	8 AWG	•	#8 AWG 41/24
0.81	8 AWG	8 AWG	•	#8 AWG 41/24
0.81	8 AWG	8 AWG	•	#8 AWG 41/24
0.81	8 AWG	8 AWG	•	#8 AWG 41/24
0.98	6 AWG	6 AWG - 8 AWG	•	#6 AWG 63/24
0.98	6 AWG	6 AWG - 8 AWG	•	#6 AWG 63/24
0.98	6 AWG	6 AWG - 8 AWG	•	#6 AWG 63/24
0.98	6 AWG	6 AWG - 8 AWG	•	#6 AWG 63/24
0.98	6 AWG	6 AWG - 8 AWG	•	#6 AWG 63/25
0.98	6 AWG	6 AWG - 8 AWG	•	#6 AWG 63/24
0.98	6 AWG	6 AWG - 8 AWG	•	#6 AWG 63/24
0.98	6 AWG	6 AWG - 8 AWG	•	#6 AWG 63/24
0.98	6 AWG	6 AWG - 8 AWG	•	#6 AWG 63/24
0.98	6 AWG	6 AWG - 8 AWG	•	#6 AWG 63/24
0.98	6 AWG	6 AWG - 8 AWG	•	#6 AWG 63/24
0.98	6 AWG	6 AWG - 8 AWG	•	#6 AWG 63/24
0.98	6 AWG	6 AWG - 8 AWG	•	#6 AWG 63/24
0.98	6 AWG	6 AWG - 8 AWG	•	#6 AWG 63/24
0.98	4 AWG	4 AWG - 6 AWG	•	
0.98	4 AWG	4 AWG - 6 AWG	•	
0.98	4 AWG	4 AWG - 6 AWG	•	
0.98	4 AWG	4 AWG - 6 AWG	•	
0.98	4 AWG	4 AWG - 6 AWG	•	
0.98	4 AWG	4 AWG - 6 AWG	•	
0.98	4 AWG	4 AWG - 6 AWG	•	
0.98	4 AWG	4 AWG - 6 AWG	•	
0.98	4 AWG	4 AWG - 6 AWG	•	
0.98	4 AWG	4 AWG - 6 AWG	•	
0.98	4 AWG	4 AWG - 6 AWG	•	
0.98	4 AWG	4 AWG - 6 AWG	•	
0.98	4 AWG	4 AWG - 6 AWG	•	
0.98	4 AWG	4 AWG - 6 AWG	•	
1.1	2 AWG	2 AWG - 6 AWG	•	
1.1	2 AWG	2 AWG - 6 AWG	•	
1.1	2 AWG	2 AWG - 6 AWG	•	

[illegible]

1.38	3/0 AWG	3/0 AWG - 2 AWG	•	2/0 AWG 342/24
1.38	3/0 AWG	3/0 AWG - 2 AWG	•	2/0 AWG 342/24
1.42	4/0 AWG	4/0 AWG - 1 AWG	•	
1.42	4/0 AWG	4/0 AWG - 1 AWG	•	
1.42	4/0 AWG	4/0 AWG - 1 AWG	•	
1.42	4/0 AWG	4/0 AWG - 1 AWG	•	
1.42	4/0 AWG	4/0 AWG - 1 AWG	•	
1.42	4/0 AWG	4/0 AWG - 1 AWG	•	
1.42	4/0 AWG	4/0 AWG - 1 AWG	•	
1.42	4/0 AWG	4/0 AWG - 1 AWG	•	
1.42	4/0 AWG	4/0 AWG - 1 AWG	•	
1.42	4/0 AWG	4/0 AWG - 1 AWG	•	
1.42	4/0 AWG	4/0 AWG - 1 AWG	•	
1.61	250 MCM	250 MCM - 1/0 AWG	•	
1.61	250 MCM	250 MCM - 1/0 AWG	•	
1.61	250 MCM	250 MCM - 1/0 AWG	•	
1.97	300 MCM	300 MCM - 2/0 AWG	•	4/0 AWG 532/24
1.97	300 MCM	300 MCM - 2/0 AWG	•	4/0 AWG 532/24
1.38	3/0 AWG	3/0 AWG - 2 AWG	•	2/0 AWG 342/24
1.42	4/0 AWG	4/0 AWG - 1 AWG	•	
1.61	250 MCM	250 MCM - 1/0 AWG	•	
1.97	350 MCM	350 MCM - 3/0 AWG	•	
1.97	350 MCM	350 MCM - 3/0 AWG	•	
1.97	350 MCM	350 MCM - 3/0 AWG	•	
1.97	400 MCM	400 MCM - 4/0 AWG	•	
1.97	400 MCM	400 MCM - 4/0 AWG	•	
2.24	500 MCM	500 MCM - 250 MCM	•	350 MCM 882/24
2.24	500 MCM	500 MCM - 250 MCM	•	350 MCM 882/24
2.24	500 MCM	500 MCM - 250 MCM	•	350 MCM 882/24
2.24	600 MCM	600 MCM - 250 MCM	•	
2.24	600 MCM	600 MCM - 250 MCM	•	
2.24	600 MCM	600 MCM - 250 MCM	•	
2.64	700 MCM	700 MCM - 350 MCM	•	500MCM 1225/24
2.64	700 MCM	700 MCM - 350 MCM	•	500MCM 1225/24
2.64	750 MCM	750 MCM - 500 MCM	•	
2.64	750 MCM	750 MCM - 500 MCM	•	
2.64	750 MCM	750 MCM - 500 MCM	•	
2.64	750 MCM	750 MCM - 500 MCM	•	
2.64	750 MCM	750 MCM - 500 MCM	•	
3.15	1000 MCM	1000 MCM - 750 MC	•	750 MCM 1862/24
3.15	1000 MCM	1000 MCM - 750 MC	•	750 MCM 1862/24
1.38	3/0 AWG	3/0 AWG - 2 AWG	•	2/0 AWG 342/24

1.61	250 MCM	250 MCM - 1/0 AWG	•	
1.97	350 MCM	350 MCM - 3/0 AWG	•	
2.24	500 MCM	500 MCM - 250 MCM	•	350 MCM 882/24
2.24	600 MCM	500 MCM - 250 MCM	•	
2.64	700 MCM	700 MCM - 350 MCM	•	500MCM 1225/24
2.64	750 MCM	750 MCM - 500 MCM	•	
3.15	1000 MCM	1000 MCM - 750 MCM	•	750 MCM 1862/24
0.71	6 AWG	6 AWG - 8 AWG	•	#6 AWG 63/24
0.71	6 AWG	6 AWG - 8 AWG	•	#6 AWG 63/24
0.71	6 AWG	6 AWG - 8 AWG	•	#6 AWG 63/24
0.71	4 AWG	4 AWG - 6 AWG	•	
0.75	4 AWG	4 AWG - 6 AWG	•	
0.83	2 AWG	2 AWG - 6 AWG	•	
0.83	2 AWG	2 AWG - 6 AWG	•	
0.83	2 AWG	2 AWG - 6 AWG	•	
0.83	2 AWG	2 AWG - 6 AWG	•	
0.83	1 AWG	1 AWG - 6 AWG	•	#2 AWG 161/24
0.83	1/0 AWG	1/0 AWG - 6 AWG	•	
0.94	2/0 AWG	2/0 AWG - 4 AWG	•	1/0 AWG 266/24
0.94	2/0 AWG	2/0 AWG - 4 AWG	•	1/0 AWG 266/24
0.98	3/0 AWG	3/0 AWG - 2 AWG	•	2/0 AWG 342/24
0.98	3/0 AWG	3/0 AWG - 2 AWG	•	2/0 AWG 342/24
0.98	4/0 AWG	4/0 AWG - 1 AWG	•	
0.98	4/0 AWG	4/0 AWG - 1 AWG	•	
1.06	250 MCM	250 MCM - 1/0 AWG	•	
1.06	250 MCM	250 MCM - 1/0 AWG	•	
1.10	350 MCM	350 MCM - 3/0 AWG	•	
1.10	350 MCM	350 MCM - 3/0 AWG	•	
1.18	400 MCM	400 MCM - 4/0 AWG	•	
1.38	500 MCM	500 MCM - 250 MCM	•	350 MCM 882/24
1.38	500 MCM	500 MCM - 250 MCM	•	350 MCM 882/24
1.50	600 MCM	500 MCM - 250 MCM	•	500MCM 1225/24
1.85	750 MCM	750 MCM - 500 MCM	•	
0.98	3/0 AWG	3/0 AWG - 2 AWG	•	2/0 AWG 342/24
1.06	250 MCM	250 MCM - 1/0 AWG	•	
1.06	300 MCM	300 MCM - 2/0 AWG	•	4/0 AWG 532/24
1.10	350 MCM	350 MCM - 3/0 AWG	•	
1.38	500 MCM	500 MCM - 250 MCM	•	350 MCM 882/24
1.50	600 MCM	500 MCM - 250 MCM	•	
1.85	700 MCM	700 MCM - 350 MCM	•	
1.85	700 MCM	700 MCM - 350 MCM	•	

Class K Weld Cable, Size & Stranding	Diesel Locomotive Cable, Size & Stranding	Class H Cable, Size & Stranding
		#8 AWG 133/.0111
		#8 AWG 133/.0111
		#8 AWG 133/.0111
		#8 AWG 133/.0111
		#8 AWG 133/.0111
		#8 AWG 133/.0111
		#8 AWG 133/.0111
		#8 AWG 133/.0111
		#7 AWG 133/.0125
		#7 AWG 133/.0125
		#7 AWG 133/.0125
		#7 AWG 133/.0125
		#7 AWG 133/.0126
		#7 AWG 133/.0125
		#7 AWG 133/.0125
		#7 AWG 133/.0125
		#7 AWG 133/.0125
		#7 AWG 133/.0125
		#7 AWG 133/.0125
		#7 AWG 133/.0125
		#7 AWG 133/.0125
		#5 AWG 133/.0158
		#5 AWG 133/.0158
		#5 AWG 133/.0158
		#5 AWG 133/.0158
		#5 AWG 133/.0158
		#5 AWG 133/.0158
		#5 AWG 133/.0158
		#5 AWG 133/.0158
		#5 AWG 133/.0158
		#5 AWG 133/.0158
		#5 AWG 133/.0158
		#3 AWG 133/.0199
		#3 AWG 133/.0199
		#3 AWG 133/.0199

[illegible]

2/0 AWG 1323/30	2/0 AWG 325/24	2/0 AWG 259/.0227
2/0 AWG 1323/30	2/0 AWG 325/24	2/0 AWG 259/.0227
3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
4/0 AWG 2107/30	4/0 AWG 550/24	4/0 AWG 259/.0286
4/0 AWG 2107/30	4/0 AWG 550/24	4/0 AWG 259/.0286
2/0 AWG 1323/30	2/0 AWG 325/24	2/0 AWG 259/.0227
3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
	313 MCM 775/24	300 MCM 427/.0265
	313 MCM 775/24	300 MCM 427/.0265
	313 MCM 775/24	300 MCM 427/.0265
	313 MCM 775/24	300 MCM 427/.0265
	313 MCM 775/24	300 MCM 427/.0265
	373 MCM 925/24	400 MCM 427/.0306
	373 MCM 925/24	400 MCM 427/.0306
	373 MCM 925/24	400 MCM 427/.0306
	444 MCM 1100/24	450 MCM 427/.0325
	444 MCM 1100/24	450 MCM 427/.0325
	444 MCM 1100/24	450 MCM 427/.0325
	535MCM 1325/24	500MCM 427/ .0342
	535MCM 1325/24	500MCM 427/ .0342
	1600/24	03/ .0280 600MCM 703/ .0292
	1600/24	03/ .0280 600MCM 703/ .0292
	1600/24	03/ .0280 600MCM 703/ .0292
	1600/24	03/ .0280 600MCM 703/ .0292
	1600/24	03/ .0280 600MCM 703/ .0292
	777 MCM 1925/24	750 MCM 703/.0327
	777 MCM 1925/24	750 MCM 703/.0327
2/0 AWG 1323/30	2/0 AWG 325/24	2/0 AWG 259/.0227

	313 MCM 775/24	300 MCM 427/.0265
	373 MCM 925/24	400 MCM 427/.0306
	444 MCM 1100/24	450 MCM 427/.0325
	535MCM 1325/24	500MCM 427/ .0342
	1600/24	03/ .0280 600MCM 703/ .0292
	777 MCM 1925/24	750 MCM 703/.0327
		#7 AWG 133/.0125
		#7 AWG 133/.0125
		#7 AWG 133/.0125
		#5 AWG 133/.0158
		#5 AWG 133/.0158
		#3 AWG 133/.0199
		#3 AWG 133/.0199
		#3 AWG 133/.0199
		#3 AWG 133/.0199
#2 AWG 665/30	#2 AWG 150/24	#2 AWG 133/.0223
#1 AWG 836/30	#1 AWG 225/24	#1 AWG 259/.0180
1/0 AWG 1064/30	1/0 AWG 275/24	1/0 AWG 259/.0202
1/0 AWG 1064/30	1/0 AWG 275/24	1/0 AWG 259/.0202
2/0 AWG 1323/30	2/0 AWG 325/24	2/0 AWG 259/.0227
2/0 AWG 1323/30	2/0 AWG 325/24	2/0 AWG 259/.0227
3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
3/0 AWG 1666/30	3/0 AWG 450/24	3/0 AWG 259/.0255
	262 MCM 650/24	250 MCM 427/.0242
	262 MCM 650/24	250 MCM 427/.0242
	313 MCM 775/24	300 MCM 427/.0265
	373 MCM 925/24	400 MCM 427/.0306
	373 MCM 925/24	400 MCM 427/.0306
	535MCM 1325/24	500MCM 427/ .0342
	1600/24	03/ .0280 600MCM 703/ .0292
2/0 AWG 1323/30	2/0 AWG 325/24	2/0 AWG 259/.0227
4/0 AWG 2107/30	4/0 AWG 550/24	4/0 AWG 259/.0286
	262 MCM 650/24	250 MCM 427/.0242
	373 MCM 925/24	400 MCM 427/.0306
	444 MCM 1100/24	450 MCM 427/.0325
	777 MCM 1925/24	750 MCM 703/.0327
	777 MCM 1925/24	750 MCM 703/.0327

Class G Cable, Size & Stranding	Class I Cable, Size & Stranding
#8 AWG 49/.0184	#8 AWG 41 /24
#8 AWG 49/.0184	#8 AWG 41 /24
#8 AWG 49/.0184	#8 AWG 41 /24
#8 AWG 49/.0184	#8 AWG 41 /24
#8 AWG 49/.0184	#8 AWG 41 /24
#8 AWG 49/.0184	#8 AWG 41 /24
#8 AWG 49/.0184	#8 AWG 41 /24
#8 AWG 49/.0184	#8 AWG 41 /24
#7 AWG 49/.0206	#7 AWG 63/24
#7 AWG 49/.0206	#7 AWG 63/24
#7 AWG 49/.0206	#7 AWG 63/24
#7 AWG 49/.0206	#7 AWG 63/24
#7 AWG 49/.0207	#7 AWG 63/25
#7 AWG 49/.0206	#7 AWG 63/24
#7 AWG 49/.0206	#7 AWG 63/24
#7 AWG 49/.0206	#7 AWG 63/24
#7 AWG 49/.0206	#7 AWG 63/24
#7 AWG 49/.0206	#7 AWG 63/24
#7 AWG 49/.0206	#7 AWG 63/24
#7 AWG 49/.0206	#7 AWG 63/24
#7 AWG 49/.0206	#7 AWG 63/24
#7 AWG 49/.0206	#7 AWG 63/24
#7 AWG 49/.0206	#7 AWG 63/24
5 AWG 49/.0260	
5 AWG 49/.0260	
5 AWG 49/.0260	
5 AWG 49/.0260	
5 AWG 49/.0260	
5 AWG 49/.0260	
5 AWG 49/.0260	
5 AWG 49/.0260	
5 AWG 49/.0260	
5 AWG 49/.0260	
5 AWG 49/.0260	
5 AWG 49/.0260	
5 AWG 49/.0260	
#3 AWG 49/.0328	#3 AWG 161/24
#3 AWG 49/.0328	#3 AWG 161/24
#3 AWG 49/.0328	#3 AWG 161/24

[illegible]

2/0 AWG 133/.0316	2/0 AWG418/24
2/0 AWG 133/.0316	2/0 AWG418/24
3/0 AWG 259/.0255	2/0 AWG 532/24
3/0 AWG 259/.0255	2/0 AWG 532/24
3/0 AWG 259/.0255	2/0 AWG 532/24
3/0 AWG 259/.0255	2/0 AWG 532/24
3/0 AWG 259/.0255	2/0 AWG 532/24
3/0 AWG 259/.0255	2/0 AWG 532/24
3/0 AWG 259/.0255	2/0 AWG 532/24
3/0 AWG 259/.0255	2/0 AWG 532/24
3/0 AWG 259/.0255	2/0 AWG 532/24
3/0 AWG 259/.0255	2/0 AWG 532/24
3/0 AWG 259/.0255	2/0 AWG 532/24
3/0 AWG 259/.0255	2/0 AWG 532/24
3/0 AWG 259/.0255	2/0 AWG 532/24
	3/0 AWG 637/24
	3/0 AWG 637/24
	3/0 AWG 637/24
4/0 AWG 133/.0399	4/0 AWG 735/24
4/0 AWG 133/.0399	4/0 AWG 735/24
2/0 AWG 133/.0316	2/0 AWG418/24
3/0 AWG 259/.0255	2/0 AWG 532/24
	3/0 AWG 637/24
300 MCM 259/.0340	250 MCM 882/24
300 MCM 259/.0340	250 MCM 882/24
300 MCM 259/.0340	250 MCM 882/24
300 MCM 259/.0340	250 MCM 882/24
300 MCM 259/.0340	250 MCM 882/24
400 MCM 259/.0393	350 MCM 1225/24
400 MCM 259/.0393	350 MCM 1225/24
400 MCM 259/.0393	350 MCM 1225/24
450 MCM 259/.0417	400 MCM 1470/24
450 MCM 259/.0417	400 MCM 1470/24
450 MCM 259/.0417	400 MCM 1470/24
500MCM 259/ .0439	
500MCM 259/ .0439	
500 MCM 427/ .0359 600MCM 427/ .0375	
500 MCM 427/ .0359 600MCM 427/ .0375	
500 MCM 427/ .0359 600MCM 427/ .0375	
500 MCM 427/ .0359 600MCM 427/ .0375	
500 MCM 427/ .0359 600MCM 427/ .0375	
800 MCM 427/.0433	600 MCM 2527/24
800 MCM 427/.0433	600 MCM 2527/24
2/0 AWG 133/.0316	2/0 AWG418/24

	3/0 AWG 637/24
300 MCM 259/.0340	250 MCM 882/24
400 MCM 259/.0393	350 MCM 1225/24
450 MCM 259/.0417	400 MCM 1470/24
500MCM 259/ .0439	
500 MCM 427/ .0359 600MCM 427/ .0375	
800 MCM 427/.0433	600 MCM 2527/24
#7 AWG 49/.0206	#7 AWG 63/24
#7 AWG 49/.0206	#7 AWG 63/24
#7 AWG 49/.0206	#7 AWG 63/24
5 AWG 49/.0260	
5 AWG 49/.0260	
#3 AWG 49/.0328	#3 AWG 161/24
#3 AWG 49/.0328	#3 AWG 161/24
#3 AWG 49/.0328	#3 AWG 161/24
#3 AWG 49/.0328	#3 AWG 161/24
#2 AWG 49/.0368	#2 AWG 210/24
#1 AWG 133/.0251	#1 AWG 266/24
1/0 AWG 133/.0282	1/0 AWG342/24
1/0 AWG 133/.0282	1/0 AWG342/24
2/0 AWG 133/.0316	2/0 AWG418/24
2/0 AWG 133/.0316	2/0 AWG418/24
3/0 AWG 259/.0255	2/0 AWG 532/24
3/0 AWG 259/.0255	2/0 AWG 532/24
	3/0 AWG 637/24
	3/0 AWG 637/24
250 MCM 259/.0311	
250 MCM 259/.0311	
300 MCM 259/.0340	250 MCM 882/24
400 MCM 259/.0393	350 MCM 1225/24
400 MCM 259/.0393	350 MCM 1225/24
500MCM 259/ .0439	
500 MCM 427/ .0359 600MCM 427/ .0375	501 MCM 427/ .0359 600MCM 427/ .0375
2/0 AWG 133/.0316	2/0 AWG418/24
	3/0 AWG 637/24
4/0 AWG 133/.0399	4/0 AWG 735/24
250 MCM 259/.0311	
400 MCM 259/.0393	350 MCM 1225/24
450 MCM 259/.0417	400 MCM 1470/24
800 MCM 427/.0433	600 MCM 2527/24
800 MCM 427/.0433	600 MCM 2527/24

Class M Flexible, Size & Stranding	Metric Cable, Size & Stranding
#8 AWG 420/34	6mm2 3.21mm
#8 AWG 420/34	6mm2 3.21mm
#8 AWG 420/34	6mm2 3.21mm
#8 AWG 420/34	6mm2 3.21mm
#8 AWG 420/34	6mm2 3.21mm
#8 AWG 420/34	6mm2 3.21mm
#8 AWG 420/34	6mm2 3.21mm
#8 AWG 420/34	6mm2 3.21mm
#7 AWG 532/34	10mm2 4.12mm
#7 AWG 532/34	10mm2 4.12mm
#7 AWG 532/34	10mm2 4.12mm
#7 AWG 532/34	10mm2 4.12mm
#7 AWG 532/35	10mm2 4.12mm
#7 AWG 532/34	10mm2 4.12mm
#7 AWG 532/34	10mm2 4.12mm
#7 AWG 532/34	10mm2 4.12mm
#7 AWG 532/34	10mm2 4.12mm
#7 AWG 532/34	10mm2 4.12mm
#7 AWG 532/34	10mm2 4.12mm
#7 AWG 532/34	10mm2 4.12mm
#7 AWG 532/34	10mm2 4.12mm
#7 AWG 532/34	10mm2 4.12mm
#5 AWG 836/34	20mm2 5.72mm
#5 AWG 836/34	20mm2 5.72mm
#5 AWG 836/34	20mm2 5.72mm
#5 AWG 836/34	20mm2 5.72mm
#5 AWG 836/34	20mm2 5.72mm
#5 AWG 836/34	20mm2 5.72mm
#5 AWG 836/34	20mm2 5.72mm
#5 AWG 836/34	20mm2 5.72mm
#5 AWG 836/34	20mm2 5.72mm
#5 AWG 836/34	20mm2 5.72mm
#5 AWG 836/34	20mm2 5.72mm
#3 AWG 1323/34	30mm2 7.01mm
#3 AWG 1323/34	30mm2 7.01mm
#3 AWG 1323/34	30mm2 7.01mm

[illegible]

	85mm2 11.94mm
	85mm2 11.94mm
2/0 AWG 3325/34	95mm2 12.80mm
2/0 AWG 3325/34	95mm2 12.80mm
2/0 AWG 3325/34	95mm2 12.80mm
2/0 AWG 3325/34	95mm2 12.80mm
2/0 AWG 3325/34	95mm2 12.80mm
2/0 AWG 3325/34	95mm2 12.80mm
2/0 AWG 3325/34	95mm2 12.80mm
2/0 AWG 3325/34	95mm2 12.80mm
2/0 AWG 3325/34	95mm2 12.80mm
2/0 AWG 3325/34	95mm2 12.80mm
3/0 AWG 4256/34	120mm2 14.40mm
3/0 AWG 4256/34	120mm2 14.40mm
3/0 AWG 4256/34	120mm2 14.40mm
4/0 AWG 5320/34	150mm2 16.00mm
4/0 AWG 5320/34	150mm2 16.00mm
	85mm2 11.94mm
2/0 AWG 3325/34	95mm2 12.80mm
3/0 AWG 4256/34	120mm2 14.40mm
250 MCM 6384/34	185mm2 17.80mm
250 MCM 6384/34	185mm2 17.80mm
250 MCM 6384/34	185mm2 17.80mm
250 MCM 6384/34	185mm2 17.80mm
250 MCM 6384/34	185mm2 17.80mm
350 MCM 8806/34	240mm2 20.30mm
350 MCM 8806/34	240mm2 20.30mm
350 MCM 8806/34	240mm2 20.30mm
400 MCM 10101/34	300mm2 22.63mm
400 MCM 10101/34	300mm2 22.63mm
400 MCM 10101/34	300mm2 22.63mm
450MCM 11396/34	
450MCM 11396/34	
500 MCM 12691/34	
500 MCM 12691/34	
500 MCM 12691/34	
500 MCM 12691/34	
500 MCM 12691/34	
650 MCM 16226/34	500mm2 29.3mm
650 MCM 16226/34	500mm2 29.3mm
	85mm2 11.94mm

3/0 AWG 4256/34	120mm2	14.40mm
250 MCM 6384/34	185mm2	17.80mm
350 MCM 8806/34	240mm2	20.30mm
400 MCM 10101/34	300mm2	22.63mm
450MCM 11396/34		
500 MCM 12691/34		
650 MCM 16226/34	500mm2	29.3mm
#7 AWG 532/34	10mm2	4.12mm
#7 AWG 532/34	10mm2	4.12mm
#7 AWG 532/34	10mm2	4.12mm
#5 AWG 836/34	20mm2	5.72mm
#5 AWG 836/34	20mm2	5.72mm
#3 AWG 1323/34	30mm2	7.01mm
#3 AWG 1323/34	30mm2	7.01mm
#3 AWG 1323/34	30mm2	7.01mm
#3 AWG 1323/34	30mm2	7.01mm
#2 AWG 1666/34	40mm2	8.20mm
#1 AWG 2107/34	50mm2	9.27mm
1/0 AWG 2646/34	70mm2	10.92mm
1/0 AWG 2646/34	70mm2	10.92mm
	85mm2	11.94mm
2/0 AWG 3325/34	95mm2	12.80mm
2/0 AWG 3325/34	95mm2	12.80mm
3/0 AWG 4256/34	120mm2	14.40mm
	180mm2	17.42mm
	180mm2	17.42mm
250 MCM 6384/34	185mm2	17.80mm
350 MCM 8806/34	240mm2	20.30mm
350 MCM 8806/34	240mm2	20.30mm
450MCM 11396/34		
500 MCM 12691/34	501 MCM 12691/34	
	85mm2	11.94mm
3/0 AWG 4256/34	120mm2	14.40mm
4/0 AWG 5320/34	150mm2	16.00mm
	180mm2	17.42mm
350 MCM 8806/34	240mm2	20.30mm
400 MCM 10101/34	300mm2	22.63mm
650 MCM 16226/34	500mm2	29.3mm
650 MCM 16226/34	500mm2	29.3mm

SKU	Material	Conductor Type	Die Color Code
C-8	Cu	Cu	Red
C-6	Cu	Cu	Blue
C-4	Cu	Cu	Gray
C-3	Cu	Cu	White
C-2	Cu	Cu	Brown
C-1	Cu	Cu	Green
C-1/0	Cu	Cu	Pink
C-2/0	Cu	Cu	Black
C-3/0	Cu	Cu	Orange
C-4/0	Cu	Cu	Purple
C-250	Cu	Cu	Yellow
C-300	Cu	Cu	White
C-350	Cu	Cu	Red
C-400	Cu	Cu	Blue
C-500	Cu	Cu	Brown
C-600	Cu	Cu	Green
C-750	Cu	Cu	Black
C-1000	Cu	Cu	White
SC-8	Cu	Cu	Red
SC-6	Cu	Cu	Blue
SC-4	Cu	Cu	Gray
SC-3	Cu	Cu	White
SC-2	Cu	Cu	Brown
SC-1	Cu	Cu	Green
SC-1/0	Cu	Cu	Pink
SC-2/0	Cu	Cu	Black
SC-3/0	Cu	Cu	Orange
SC-4/0	Cu	Cu	Purple
SC-250	Cu	Cu	Yellow
SC-300	Cu	Cu	White
SC-350	Cu	Cu	Red
SC-400	Cu	Cu	Blue
SC-500	Cu	Cu	Brown
SC-600	Cu	Cu	Green
SC-750	Cu	Cu	Black
SC-1B	Cu	Cu	Green
SC-1/0B	Cu	Cu	Pink
SC-2/0B	Cu	Cu	Black
SC-3/0B	Cu	Cu	Orange
SC-4/0B	Cu	Cu	Purple

SC-300B	Cu	Cu	White
---------	----	----	-------

Splice Inside Diameter (ID) (IN)	Splice Outside Diameter (OD) (IN)	Splice Length (IN)
0.17	0.27	1.75
0.21	0.3	1.75
0.25	0.34	1.75
0.28	0.38	1.9
0.32	0.42	1.9
0.36	0.47	2.2
0.39	0.52	2.2
0.44	0.56	2.25
0.49	0.62	2.25
0.55	0.69	2.75
0.59	0.75	3.25
0.66	0.82	3.5
0.7	0.87	3.75
0.76	0.95	3.75
0.84	1.06	4.25
0.93	1.19	4.5
1.04	1.31	4.75
1.19	1.53	6.12
0.17	0.27	0.9
0.21	0.3	1
0.25	0.34	1
0.28	0.38	1.25
0.32	0.42	1.25
0.36	0.47	1.8
0.39	0.52	1.6
0.44	0.56	1.75
0.49	0.62	1.75
0.55	0.69	1.9
0.59	0.75	2
0.66	0.82	2.1
0.7	0.87	2.1
0.76	0.95	2.3
0.84	1.06	2.5
0.93	1.19	2.5
1.04	1.31	3.2
0.36	0.47	1.8
0.39	0.52	1.6
0.44	0.56	1.75
0.49	0.62	1.75
0.55	0.69	1.9

0.66	0.82	2.1
------	------	-----

Wire Range	Expanded Wire Range	Flex Rated - See drawing for details
8 AWG	8 AWG	
6 AWG	6 AWG - 8 AWG	
4 AWG	4 AWG-6 AWG	
3 AWG	3 AWG-6 AWG	•
2 AWG	2 AWG-6 AWG	
1 AWG	1 AWG-6 AWG	
1/0 AWG	1/0 AWG-6 AWG	
2/0 AWG	2/0 AWG-4 AWG	
3/0 AWG	3/0 AWG -2 AWG	•
4/0 AWG	4/0 AWG-1 AWG	•
250 MCM	250 MCM-1/0 AWG	•
300 MCM	300 MCM-20 AWG	•
350 MCM	350 MCM-3/0 AWG	•
400 MCM	400 MCM-4/0 AWG	•
500 MCM	500-250 MCM	•
600 MCM	600 MCM-250 MCM	•
750 MCM	750 MCM-500 MCM	•
1000 MCM	1000 MCM-750 MCM	•
8 AWG	8 AWG	•
6 AWG	6 AWG - 8 AWG	•
4 AWG	4 AWG-6 AWG	•
3 AWG	3 AWG-6 AWG	•
2 AWG	2 AWG-6 AWG	•
1 AWG	1 AWG-6 AWG	•
1/0 AWG	1/0 AWG-6 AWG	•
2/0 AWG	2/0 AWG-4 AWG	•
3/0 AWG	3/0 AWG-2 AWG	•
4/0 AWG	4/0 Awg-1 AWG	•
250 MCM	250 MCM-1/0 AWG	•
300 MCM	300 MCM-20 AWG	•
350 MCM	350 MCM-3/0 AWG	•
400 MCM	400 MCM-4/0 AWG	•
500 MCM	500 MCM-250 MCM	•
600 MCM	600 MCM-250 MCM	•
750 MCM	750 MCM-500 MCM	•
1 AWG	1 AWG-6 AWG	•
1/0 AWG	1/0 AWG-6 AWG	•
2/0 AWG	2/0 AWG-4 AWG	•
3/0 AWG	3/0 AWG-2 AWG	•
4/0 AWG	4/0 Awg-1 AWG	•

300 MCM

300 MCM-20 AWG

•

Class K Flexible Cable, Size & Stranding	Class K Weld Cable, Size & Stranding
#4 AWG 105/24	#4 AWG 420/30
2/0 AWG 342/24	2/0 AWG 1323/30
	3/0 AWG 1666/30
4/0 AWG 532/24	4/0 AWG 2107/30
350 MCM 882/24	
500MCM 1225/24	
750 MCM 1862/24	
#8 AWG 41/24	
#6 AWG 63/24	
#4 AWG 105/24	#4 AWG 420/30
#2 AWG 161/24	#2 AWG 665/30
	#1 AWG 836/30
1/0 AWG 266/24	1/0 AWG 1064/30
2/0 AWG 342/24	2/0 AWG 1323/30
	3/0 AWG 1666/30
4/0 AWG 532/24	4/0 AWG 2107/30
350 MCM 882/24	
#2 AWG 161/24	#2 AWG 665/30
	#1 AWG 836/30
1/0 AWG 266/24	1/0 AWG 1064/30
2/0 AWG 342/24	2/0 AWG 1323/30
	3/0 AWG 1666/29

Diesel Locomotive Cable, Size & Stranding	Class H Cable, Size & Stranding
#4 AWG 105/24	#4 AWG 133/.0177
2/0 AWG 325/24	2/0 AWG 259/.0227
3/0 AWG 450/24	3/0 AWG 259/.0255
4/0 AWG 550/24	4/0 AWG 259/.0286
262 MCM 650/24	250 MCM 427/.0242
313 MCM 775/24	300 MCM 427/.0265
373 MCM 925/24	400 MCM 427/.0306
535MCM 1325/24	500MCM 427/ .0342
1600/24	03/ .0280 600MCM 703/ .0292
777 MCM 1925/24	750 MCM 703/.0327
	#8 AWG 133/.0111
	#7 AWG 133/.0125
	#5 AWG 133/.0158
#4 AWG 105/24	#4 AWG 133/.0177
	#3 AWG 133/.0199
#2 AWG 150/24	#2 AWG 133/.0223
#1 AWG 225/24	#1 AWG 259/.0180
1/0 AWG 275/24	1/0 AWG 259/.0202
2/0 AWG 325/24	2/0 AWG 259/.0227
3/0 AWG 450/24	3/0 AWG 259/.0255
4/0 AWG 550/24	4/0 AWG 259/.0286
262 MCM 650/24	250 MCM 427/.0242
313 MCM 775/24	300 MCM 427/.0265
373 MCM 925/24	400 MCM 427/.0306
444 MCM 1100/24	450 MCM 427/.0325
1600/24	03/ .0280 600MCM 703/ .0292
#2 AWG 150/24	#2 AWG 133/.0223
#1 AWG 225/24	#1 AWG 259/.0180
1/0 AWG 275/24	1/0 AWG 259/.0202
2/0 AWG 325/24	2/0 AWG 259/.0227
3/0 AWG 450/23	3/0 AWG 259/.0255

4/0 AWG 550/23

4/0 AWG 259/.0285

Class G Cable, Size & Stranding	Class I Cable, Size & Stranding
#4 AWG 49/.0292	
2/0 AWG 133/.0316	2/0 AWG 418/24
3/0 AWG 259/.0255	2/0 AWG 532/24
	3/0 AWG 637/24
4/0 AWG 133/.0399	4/0 AWG 735/24
250 MCM 259/.0311	
300 MCM 259/.0340	250 MCM 882/24
400 MCM 259/.0393	350 MCM 1225/24
500 MCM 259/.0439	
500 MCM 427/.0359	600 MCM 427/.0375
800 MCM 427/.0433	600 MCM 2527/24
#8 AWG 49/.0184	#8 AWG 41/24
#7 AWG 49/.0206	#7 AWG 63/24
5 AWG 49/.0260	
#4 AWG 49/.0292	
#3 AWG 49/.0328	#3 AWG 161/24
#2 AWG 49/.0368	#2 AWG 210/24
#1 AWG 133/.0251	#1 AWG 266/24
1/0 AWG 133/.0282	1/0 AWG 342/24
2/0 AWG 133/.0316	2/0 AWG 418/24
3/0 AWG 259/.0255	2/0 AWG 532/24
	3/0 AWG 637/24
4/0 AWG 133/.0399	4/0 AWG 735/24
250 MCM 259/.0311	
300 MCM 259/.0340	250 MCM 882/24
400 MCM 259/.0393	350 MCM 1225/24
450 MCM 259/.0417	400 MCM 1470/24
500 MCM 427/.0359	600 MCM 427/.0375
#2 AWG 49/.0368	#2 AWG 210/24
#1 AWG 133/.0251	#1 AWG 266/24
1/0 AWG 133/.0282	1/0 AWG 342/24
2/0 AWG 133/.0316	2/0 AWG 418/24
3/0 AWG 259/.0255	2/0 AWG 532/23

Class M Flexible, Size & Stranding	Metric Cable, Size & Stranding
#4 AWG 1064/34	25mm2 6.60mm
	85mm2 11.94mm
2/0 AWG 3325/34	95mm2 12.80mm
3/0 AWG 4256/34	120mm2 14.40mm
4/0 AWG 5320/34	150mm2 16.00mm
	180mm2 17.42mm
250 MCM 6384/34	185mm2 17.80mm
350 MCM 8806/34	240mm2 20.30mm
450MCM 11396/34	
500 MCM 12691/34	
650 MCM 16226/34	500mm2 29.3mm
#8 AWG 420/34	6mm2 3.21mm
#7 AWG 532/34	10mm2 4.12mm
#5 AWG 836/34	20mm2 5.72mm
#4 AWG 1064/34	25mm2 6.60mm
#3 AWG 1323/34	30mm2 7.01mm
#2 AWG 1666/34	40mm2 8.20mm
#1 AWG 2107/34	50mm2 9.27mm
1/0 AWG 2646/34	70mm2 10.92mm
	85mm2 11.94mm
2/0 AWG 3325/34	95mm2 12.80mm
3/0 AWG 4256/34	120mm2 14.40mm
4/0 AWG 5320/34	150mm2 16.00mm
	180mm2 17.42mm
250 MCM 6384/34	185mm2 17.80mm
350 MCM 8806/34	240mm2 20.30mm
400 MCM 10101/34	300mm2 22.63mm
500 MCM 12691/34	
#2 AWG 1666/34	40mm2 8.20mm
#1 AWG 2107/34	50mm2 9.27mm
1/0 AWG 2646/34	70mm2 10.92mm
	85mm2 11.94mm
2/0 AWG 3325/33	95mm2 12.80mm

4/0 AWG 5320/33

150mm² 16.00mm

