Radio Equipment Directive 2014/53/EU Notified Body No. 0889 EU Type Examination Certificate No: UL/12179426

Issued under the authority of UL VS Ltd, UK

| CERTIFICATE HOLDER | ZINWAVE LTD. HARSTON MILL, HARSTON CAMBRIDGE, CB22 7GG UNITED KINGDOM | | |
|--------------------------|----------------------------------------------------------------------------------------------------------------------|--|--|
| TRADE NAME AND MODEL | ▶ UNITIVITY 5000 WIDEBAND DAS | | |
| VARIANTS (if applicable) | ▶ N/A | | |
| TYPE OF EQUIPMENT | WIDEBAND DISTRIBUTED ANTENNA SYSTEM | | |
| CERTIFICATION PROCEDURE | BASED ON NOTIFIED BODY ASSESSMENT OF TECHNICAL DOCUMENTATION | | |
| CERTIFICATE EXPIRY DATE | 04/07/2021 | | |

| TECHNOLOGY | FREQUENCY RANGE (MHz) | OUTPUT POWER (¹Conducted) | APPLIED ARTICLE 3.2 STANDARD & VERSION |
|-----------------------|-------------------------------------------------|------------------------------|-------------------------------------------|
| TETRA | Uplink: 390 to 470; Downlink: 380 to 460 | 18.0 dBm | EN 302 561 V2.1.1 |
| GSM E-GSM 900 band | Uplink: 880 to 915; Downlink: 925 to 960 | 18.0 dBm | EN 303 609 V12.5.1 |
| GSM DCS 1800 band | Uplink: 1710 to 1785; Downlink: 1805 to 1880 | 18.0 dBm | EN 303 609 V12.5.1 |
| UMTS Band 8 | Uplink: 880 to 915; | 18.0 dBm | EN 301 908-01 V11.1.1 |
| 900 MHz | Downlink: 925 to 960 | | EN 301 908-11 V11.1.2 |
| UMTS Band 3 | Uplink: 1710 to 1785; | 18.0 dBm | EN 301 908-01 V11.1.1 |
| 2100 MHz | Downlink: 1805 to 1880 | | EN 301 908-11 V11.1.2 |
| UMTS Band 1 | Uplink: 1920 to 1980; | 18.0 dBm | EN 301 908-01 V11.1.1 |
| 1800 MHz | Downlink: 2110 to 2170 | | EN 301 908-11 V11.1.2 |
| E-UTRA Band 20 | Uplink: 832 to 862; | 18.0 dBm | EN 301 908-01 V11.1.1 |
| 800 MHz | Downlink: 791 to 821 | | EN 301 908-15 V11.1.2 |
| E-UTRA Band 8 | Uplink: 880 to 915; | 18.0 dBm | EN 301 908-01 V11.1.1 |
| E-GSM 900 MHz | Downlink: 925 to 960 | | EN 301 908-15 V11.1.2 |
| E-UTRA Band 3 | Up <mark>link: 1710 to</mark> 1785; | 18.0 dBm | EN 301 908-01 V11.1.1 |
| DCS 1800 MHz | Downlin <mark>k: 1805 to 18</mark> 80 | | EN 301 908-15 V11.1.2 |
| E-UTRA Band 1 | Uplink: 1920 to 1980; | 18.0 dBm | EN 301 908-01 V11.1.1 |
| 2100 MHz | Downlink: 2110 to 2170 | | EN 301 908-15 V11.1.2 |
| E-UTRA Band 7 | Uplink: 2500 to 2570; | 18.0 dBm | EN 301 908-01 V11.1.1 |
| 2600 MHz | Downlink: 2620 to 2690 | | EN 301 908-15 V11.1.2 |
| E-UTRA Band 38 | Uplink: 2570 to 2620; | 18.0 dBm | EN 301 908-01 V11.1.1 |
| 2600 MHz | Downlink: 2570 to 2620 | | EN 301 908-15 V11.1.2 |

¹This is the rated output power.

Certification of equipment means only that the equipment has met the requirements of the Radio Equipment Directive 2014/53/EU. Licence applications, where applicable, to use certified equipment, are acted on accordingly by the European Union and countries who implement this Directive and will depend on the existing radio environment, service, country and location of operation. This certificate is issued on condition that the holder complies and will continue to comply with all the requirements and procedures mandate by the EU. The equipment for which this certificate is issued shall not be manufactured, imported, distributed, leased, offered for sale or sold unless the equipment complies with the applicable technical standards and is fully represented by the Technical Documentation supplied to UL VS Ltd as a basis for this EU Type Examination Certificate. The certificate shall only be reproduced in full. Accessories included in this assessment are detailed in the attached Annex.

UL VS Ltd

Wade Road, Basingstoke, UK, RG24 8AH
Tel: +44 (0)1256-312000, Fax: +44(0)1256-312001, www.Ul.com
Document No: UL_BAS_RED NB Cert UL/12179426

Page 1 of 4

Validity

This certificate will become invalid when:

The equipment is modified (hardware, firmware or software) and the Notified Body (NB) is not informed of the changes. The NB assessment of the changes may require a new EU type Examination certificate

The validity date detailed on this certificate is exceeded

or
The certificate holder is informed by the certificate issuer (UL VS Ltd.) that it is no longer valid

I hereby attest that the technical documentation for the subject equipment was assessed by this Notified Body and found in compliance with the requirements of the Radio Equipment Directive 2014/53/EU articles as follows:

| Article 3.1(a) EMF | ✓ |
|-------------------------------|---|
| Article 3.1(b) EMC | ✓ |
| Article 3.2 Radio Performance | ✓ |

ISSUED BY:

Tony Henriques, Senior Project Engineer, UL VS Notified Body

ISSUED ON: 05 July 2018

UL VS Ltd Page 2 of 4

Annex

EU Type Examination Certificate Summary Report

SCOPE OF THE EU TYPE EXAMINATION CERTIFICATE

√/x Applied standard(s) (and version) or reference. Article

Article 3.1a (EMF): EN 50385:2017

Article 3.1b (EMC) draft EN 301 489-1 V2.2.0: draft EN 301 489-50 V2.2.0

Article 3.2 (Radio Spectrum use) EN 302 561 V2.1.1; EN 303 609 V12.5.1; EN 301 908-1 V11.1.1;

EN 301 908-11 V11.1.2; EN 301 908-15 V11.1.2

TECHNICAL DOCUMENTATION DETAILS

Radio Equipment Directive Technical Document May 2018 Title:

UNItivity 5000 Wideband DAS

ZP400437_C Reference Number: 25 June 2018 Issue Date: Contact Name: John Prentice

GENERAL PRODUCT DETAILS

Trade Name:

Model Number(s) / Type Number (s): UNItivity 5000 DAS consisting of:

Primary Hub part number: 305-0001 Secondary Hub part number: 305-0004 Optical Remote Unit part number: 305-0007

Optical Module: 305-0002 Service Module: 305-0003

Hardware / Build Version: Primary Hub 305-0001: 1.00 Secondary Hub 305-0004: 1.00

Optical Remote Unit 305-0007: 1.00

Software / Firmware Version: Primary Hub 305-0001: 5.00 alpha 8

Secondary Hub 305-0004: 0.18 Optical Remote Unit 305-0007: 4.209

GMSK & 8PSK (GSM900 / DCS1800); QPSK (UMTS); Additional Information (modulation)

Π/4 QPSK (TETRA); QPSK, 16QAM, 64QAM (LTE)

Description of Use / Function: Wideband Distributed Antenna System

Contract Manufacturers Company Name

(if applicable):

Plexus Corporation Ltd.

Contract Manufacturers Address

(if applicable):

Pinnaclehill Industrial Estate, Kelso, Roxburghshire, TD5 8XX, United

Kingdom

PRODUCT VARIANT DETAILS

Details of Product Variant(s) covered by this EU Type Examination Certificate:

None

DETAILS OF ACCESSORIES IF APPLICABLE

Details of Product accessories covered by this EU Type Examination Certificate: None

CRITERIA SATISFIED TO DEMONSTRATE COMPLIANCE

Article 3.2 - compliance demonstrated to harmonised standards + other supplied technical justification which was accepted by this Notified Body

Article 3.1b - compliance demonstrated to draft candidate harmonised standards that are not yet published and not yet listed in the OJEU + other supplied technical justification which was accepted by this Notified Body

Article 3.1a EMF - other supplied technical justification which was accepted by this Notified Body

UL VS Ltd Page 3 of 4

REMARKS, RESTRICTIONS AND OBSERVATIONS

Remarks:

To demonstrate compliance with article 3.2 of the RE Directive, harmonised standards, as listed in OJ C 92/106, 09/03/2018, were used. All the standards referenced are current as of the date of this certificate and none are subject to a date of cessation of presumption of conformity.

To demonstrate compliance with article 3.1a EMF of the RE Directive, harmonised standard EN 50385:2017, as listed in OJ C 92/106, 09/03/2018, were used. The standard referenced is current as of the date of this certificate and is not subject to a date of cessation of presumption of conformity.

To demonstrate compliance with article 3.1b EMC of the RE Directive, draft candidate harmonised standards were used. No Article 3.1b standards are currently listed in the latest RED OJEU.

Compliance with Article 3.2 was demonstrated over a -5°C to 50°C temperature range and, therefore, this opinion is only valid for this temperature range. Zinwave should ensure that operation outside of the temperature range -5°C to 50°C for all services does not occur to ensure continued compliance with the Article 3.2 of the directive.

Some measured parameters were within measurement uncertainties. It is the sole responsibility of Zinwave Ltd to ensure the ongoing compliance, for all parameters, of the UNItivity 5000 wideband DAS.

The equipment operates in harmonised frequency bands that are under the control of a licensed network and is therefore a Class 1 equipment that can be used in all Member States without restriction.

Compliance with RF exposure requirements is based on a minimum device-to-user separation distance of 20 cm. This is consistent with the anticipated use of the device.

The equipment is typically used to expand indoor coverage due to limited coverage from normal outdoor base stations.

Restrictions:

The manufacturer shall inform the notified body that holds the technical documentation relating to the EU-type examination certificate of all modifications to the approved type that may affect the conformity of the radio equipment with the essential requirements of this Directive or the conditions for validity of that certificate. Such modifications shall require additional approval in the form of an addition to the original EU-type examination certificate.

UNItivity 5000 DAS systems shall not be connected to a mains supply where this is shared, or may be shared, with a domestic environment. The equipment shall be fed from a local sub-station that does not also feed domestic environments. The manufacturer is aware and understands that, as a class A product, radio interference may be caused to other systems including users of the HF bands.

UNItivity 5000 DAS systems shall be installed at a distance of, at least, 10 metres from any residential premises. The manufacturer is aware and understands that, as a class A product, radio interference may be caused to other systems including users of the HF and VHF bands.

REVISION HISTORY

05/07/2018 Original version (1) released.

UL VS Ltd Page 4 of 4